







Qh
543
W88X
Ent.

Prop.
Bampton Lodge
Bath 1875

Index Entomologicus;

OR,

Edmund
Hindhead 1942

A COMPLETE

ILLUSTRATED CATALOGUE,

CONSISTING OF 1944 FIGURES,

OF THE

LEPIDOPTEROUS INSECTS

OF

GREAT BRITAIN /

William
By W. WOOD, F.R.S. & L.S.

AUTHOR OF ZOOGRAPHY, GENERAL CONCHOLOGY, INDEX TESTACEOLOGICUS,
LINNEAN GENERA OF INSECTS, ETC.

LONDON:

WILLIAM WOOD, 39 TAVISTOCK STREET, COVENT GARDEN.

1839.

347674



PRINTED BY RICHARD AND JOHN E. TAYLOR,
RED LION COURT, FLEET STREET.

P R E F A C E.



OUR object in the present undertaking is to incorporate in one Volume octavo a Catalogue of all the known Insects of the order Lepidoptera inhabiting Great Britain; illustrated throughout with figures, reduced, where necessary, to a small size, but with a degree of accuracy that will enable the Entomologist to fix at once upon any particular species he may wish to define.

The utility of such an undertaking, if properly conducted, will be readily acknowledged, as we have no Work that figures even a quarter of the species known at present to inhabit this country. Any book, therefore, must become important to the Entomologist, that will comprise an accurate figure of every species of insect included in the Order to which it belongs.

It may be objected, that to combine so much in so small a space it may be necessary to reduce the figures till we lose the essential character. This, however, has by no means been the case. None of the insects have been reduced to less than an inch, and some hundreds are of the natural size.

With reference to the Plates, it may not be improper to remark, that they have been entirely executed by the same artist (Mr. W. Wood, Jun.), whose accurate figures are already before the public in the Illustration of the *Index Testaceologicus*, or Catalogue of British and Foreign Shells, which comprises 2780 figures of distinct species.

No pains have been spared to make the figures perfectly accurate; and to accomplish this most essential purpose, re-

course (where possible) has always been had to the Insect, which has been drawn by the graver immediately on the copper, without the intervention of any copy.

The Systematic Catalogue of British Insects by Mr. Stephens has been the guide throughout the Work; but where the generic names have been subsequently altered in the Illustrations of British Entomology, the alterations are constantly noticed in the third column.

It was originally intended strictly to confine the Work to one figure only of each species; nor was this plan departed from till after the first Plate was finished, and the second and third in progress. It was then observed that the great dissimilarity between the Male and Female of several species amongst the Butterflies, made it quite necessary to figure some of the latter. This has caused an unavoidable confusion in the numbering of the second and third Plates; but it is presumed that the benefit arising from the deviation will more than counterbalance the apparent defect. It must be observed, that where the Male and Female are both figured, the number is always repeated. Thus, in Pl. II. 40 *a* + the male; 40 the female: again, Pl. II. 58 *a* + the male; 58 Pl. III. the female.

Each page of the work (as in the *Index Testaceologicus*) is divided into columns. The first column contains the Linnæan names, to be found in the twelfth edition of the *Systema Naturæ*:—the names printed in Italics mark the species discovered since the time of Linnæus. The second column contains the English names. The third, the synonyms of British Authors, and the new genera as adopted by Mr. Stephens and others. The high numbers preceding each generic name in small capitals refer to the Systematic Catalogue of British Insects, (where the Lepidoptera begin with No. 5794,)* and

* Where no such number precedes the name, the Insect has been discovered since the publication of the Catalogue in 1829.

the name to the species in the first column: Thus *Gonepteryx Rhamni* of Stephens is the *Papilio Rhamni* of Linnæus; The *Colias Europome* of Stephens is not a Linnæan species, being printed in Italics; The *Colias Hyale* of Stephens is the *Papilio Hyale* of Linnæus, and so on. The fourth column gives the Habitat of the Insect, and the time of the year when it may be found.

As a guide to the comparative size of the different Insects, a mark or a letter of the Alphabet is added after the number engraved on the Plate. Thus *a* indicates an insect an inch and a quarter wide; *a +* an inch and a half; *a +* an inch and three quarters; *b* two inches; *c* three inches, and so on: *n* denotes insects of the natural size; and *m* such as are magnified. For example: in Pl. I., fig. 1. is three inches and three quarters wide when expanded; fig. 2. two inches and a half; fig. 70. Pl. III. is the natural size, and all in Pl. XLIII. are magnified.

The great expense attending works on Natural History, where the subjects are accurately drawn and coloured, has in a considerable degree confined the sale to persons of opulence, and prevented that general access to figures which is so essential to the promotion of the science. In the present Work this objection is removed, since the figures, (excepting those on royal paper,) though drawn and coloured with the greatest possible care, do not exceed one penny each!

It now only remains for us gratefully to acknowledge the ready assistance we have received from several scientific gentlemen, and most especially from J. F. Stephens, Esq., to whom we cannot sufficiently express our thanks for his unwearied assistance throughout the work, and for the liberal manner in which he placed his invaluable Collection at our service, notwithstanding the risk of injury occasioned by the removal of the different Insects from Camberwell to London.

To the kindness of J. G. Children, Esq., of the British

PREFACE.

Museum, we are much indebted, not only for a ready access to his Collection, but also for permission to refer to his valuable Entomological Library.

To John Curtis, Esq., we are also greatly indebted for permission to make drawings from any of his rare and beautiful specimens we might require, and occasionally to use his most elegant work on the Genera of Insects found in Great Britain and Ireland.

We have sincerely to thank Messrs. Bentley and Chant for the loan of many very fine specimens of the British Lepidoptera from their valuable Cabinets; and our acknowledgements are also due to Edward Newman, Esq., for the use of some of the very rare British species.

Tavistock-street, Covent Garden.

ABBREVIATIONS.

A. Albin's Natural History of English Insects.

C. Curtis's British Entomology.

D. Donovan's Natural History of British Insects.

H. Harris's Aurelian, or Natural History of English Insects; namely, Moths and Butterflies.

L. Lewin's Papilios of Great Britain.

St. Stephens's Illustrations of British Entomology:—Haustellata.

W. Wilkes's English Moths and Butterflies.

DIRECTIONS TO THE BINDER.

Pl.		Page.	Pl.		Page.
1.	}	to face	28.	}	to face
2.			29.		
3.			30.		
4.		14	31.		140
5.	}	28	32.	}	148
6.			33.		
7.			34.		
8.	}	38	35.	}	158
9.			36.		
10.	}	48	37.	}	168
11.			38.		
12.			39.		172
13.	}	64	40.	}	178
14.			41.		
15.	}	72	42.	}	182
16.			43.		
17.	}	80	44.	}	186
18.			45.		
19.		84	46.		192
20.	}	94	47.	}	196
21.			48.		
22.	}	108	49.	}	202
23.			50.		
24.	}	122	51.	}	206
25.			52.		
26.	}	122	53.	}	212
27.			54.		

ERRATA.

- Page 8, *for* 63 *Asis*, *read* 63 *Acis*.
 — 11, *for* 3 *Trifolii*, *read* 3 *Loti*.
 — 11, *for* 4 *Loti*, *read* 4 *Trifolii*.
 — 12, *for* 8 *Populi*, *read* 8 *Tiliae*.
 — 12, *for* 9 *Tiliae*, *read* 9 *Populi*.
 — 12, *for* 15 *Galli*, *read* 15 *Galii*.
 — 16, 3rd col., *after* 5951 *Cossus*, *add* *Ligniperda*.
 — 22, *after* 49 *Castrensis*, *add* *M. & F.*
 — 53, *for* 259 *Leucipara*, *read* *Lucipara*.
 — 68, *for* 373 *Geminipunctata*, *read* 373 *Geminipuncta*.
 — 70, *for* 386 *Fiscina*, *read* 386 *Fissina*.
 — 70, *for* 389 *Thapsiphaga*, *read* 389 *Solidaginis*.
 — 71, *for* 397 *Percontationis*, *read* 397 *Iota*.
 — 71, *for* 398 *Iota*, *read* 398 *Percontationis*.
 — 72, *for* 405 *Aurichalcea*, *read* *Orichalcea*.
 — 74, 424, 3rd col., *after* *St. 3*, p. 116, *add* *Euphasia*.
 — 78, *for* $\left\{ \begin{smallmatrix} 454 \\ 455 \end{smallmatrix} \right\}$ *Carbonaria*, *read* $\left\{ \begin{smallmatrix} 454 \\ 455 \end{smallmatrix} \right\}$ *Atomaria M. & F.*
 — 84, *for* 505 *Distrigaria*, *read* 505 *Destrigaria*.
 — 89, *for* 539 *Purpuraria*, *read* 539 *Gilvaria F.*
 — 93, *for* 567 *Substriata*, *read* 567 *Subtristata*.
 — 97, *for* 596 *Performata*, *read* 596 *Præformata*.
 — 98, *for* 611 *Elutata*, *read* 611 *Elatata*.
 — 108, *for* 690 *Cæciata*, *read* 690 *Cæsiata*.
 — 108, *for* 691 *Flavicincta*, *read* 691 *Flavicinctata*.
 — 112, *for* 719 *Degeneraria*, *read* 719 *Contiguaria*.
 — 112, *for* 720 *Contiguaria*, *read* 720 *Degeneraria*.
 — 118, 764, 3rd col., *add* *St. 4*, p. 15.
 — 134, *for* 887 *Betulatana*, *read* *Betuletana*.
 — 138, 913, *under* *St. 4*, p. 97, *add* 6915.
 — 139, *for* 927 *Puncticostata*, *read* 927 *Puncticostana*.
 — 144, *for* 962 *Nigromaculata*, *read* 962 *Nigromaculana*.
 — 148, *for* 999 *Sinuana*, *read* 999 *Obsoletana*.
 — 148, *for* 1003 *Obsoletana*, *read* 1003 *Sinuana*.
 — 148, *for* 1004 *Rutifasciana*, *read* 1004 *Rectifasciana*.
 — 155, *for* 1057 *Fulvovittana*, *read* 1057 *Cristalana*.
 — 155, *for* 1058 *Cristalana*, *read* 1058 *Fulvovittana*.
 — 163, 3rd col., *for* *Argyrotosa*, *read* *Argyrotoza*.
 — 165, 1132, 3rd col., *for* *Rhyacionia*, *read* *Carpocapsa*.
 — 167, *for* 1145 *Griceana*, *read* *Griseana*.
 — 172, *for* 1182 *Costata*, *read* *Costosa*.
 — 181, *for* 1252 *Oliiviella*, *read* *Sulphurella*.
 — 182, *for* 1253 *Sulphurella*, *read* *Oliiviella*.
 — 185, *for* 1277 *Echiella*, *read* *Pusiella*.
 — 185, *for* 1278 *Pusiella*, *read* *Echiella*.
 — 185, *for* 1279 *Dodecca*, *read* *Dodocca*.
 — 189, *for* $\left\{ \begin{smallmatrix} 1304 \\ 1306 \end{smallmatrix} \right\}$ *Ossea*, *read* $\left\{ \begin{smallmatrix} 1304 \\ 1306 \end{smallmatrix} \right\}$ *Aphelosetia Subocellea*, *St. 4*,
 p. 290.
 — 201, 1390 and 1391, 3rd col., *for* *Harfagus*, *read* *Harpagus*.
 — 208, *for* 1443 *Pyrallella*, *read* *Pyralella*.
 — 213, 3rd col., *for* *Onocera*, *read* *Oncocera*.
 — 217, *for* 1502 *Cerucellus*, *read* *Cerussellus*.
 — 222, *for* 1544 *Vitellus*, *read* *Vitellus*.
 — 229, *for* 1585 *Lerzella*, *read* *Luzella*.
 — 233, *for* 1615 *Ochreacea*, *read* *Ochracea*.

LIST OF SUBSCRIBERS.

- AMHERST, Lady Sarah, Grosvenor-street.
Austen, G., Esq., Temple, F.L.S.
Austin, G., Esq., Canterbury.
- Bedford, His Grace the Duke of, K.G. F.L.S. F.A.S. & H.S.
Babington, Charles C., Esq., M.A. F.L.S. F.G.S. & C.P.S.
Baker, Creswell, Mrs.
Bain, Mr. 3 copies.
Baillière, Mr., Regent Street.
Bartlett, W., Esq.
Bathurst, Charles, Esq., Lydney Park. 2 copies.
Bell, Thomas, Esq., F.R.S. & F.L.S. Professor of Zoology, King's
College, London.
Bell, Rev. J., Congleton.
Bentley, Mr.
Bennett, Mr. W.
Bennett, Rev. W., Canterbury.
Beck, C., Esq.
Beck, C. W., Esq.
Bland, M., Esq., F.R.S. F.A.S. F.L.S. F.G.S. Hastings.
Blake, Lady.
Blythe, Mr. John.
Breadnell, —, Esq.
Braikenridge, G. W., Esq., F.S.A. &c.
Bromfield, Dr., F.L.S., Ryde. 2 copies.
Brown, J., Esq.
Brown, Rev. Mr.
Buney, H., Esq.
Burney, Rev. Charles Parr, D.D. F.R.S. F.L.S. F.S.A. F.G.S.
F.R.A.S. M.R.A.S. M.R.S.L., Greenwich.
Butlery, John, Esq.
Butler, Mr. Joseph.
- Children, J. G., Esq., F.R.S. L. & E. F.S.A. F.L.S. & F.G.S., British
Museum.
Chapman, Mr., York. 5 copies.

Christy, W., jun., Esq.
 Conway, —, Esq.
 Cotling, F. J., Esq.
 Crewe, Rev. H. R.
 Curtis, J., Esq., F.L.S. Hon. M.A.S. Oxf., Robert Street, Hampstead
 Road. 3 copies.
 Currie and Bowman, Messrs., Newcastle. 5 copies.
 Cust, Miss E.

Dale, J. C., Esq., F.L.S.
 De Jersey, P. Frederick, M.D. F.L.S.
 Dossetor, T. P., Esq.
 Drummond, Rev. Heneage.

Edwards, Mrs.
 Edwards, Dr., Canterbury.
 Edwards, Mr. 3 copies.
 Englehart, N. B., Esq.
 Everett, W., Esq.

Fielding, G. H., Esq., Hull.
 Fisher, Marshall, Esq., Ely.
 Fisher, J. Esq., Hull.
 Fiennes, The Hon. T.
 Foljambe, T. T., Esq., Retford.
 Freeland, F. E., Esq.

Galway, Lady.
 Garden, Rev. J. L.
 Goodall, Rev. Joseph, D.D. Provost of Eton, F.L.S. F.A.S. H.S., &c.
 Graham, J. E., Esq., the Sheet near Ludlow.
 Gray, J. E., Esq., F.R.S. F.G.S. & F.R.G.S., British Museum.
 Grey, Mr. W., St. Petersburg.
 Grantham, H., Esq.
 Griffith, Edward, Esq., F.R.S. F.S.A. & F.L.S., Gray's Inn Square.
 Guillemard, J., Esq., M.A. F.R.S. F.L.S. F.G.S. M.R.A.S., Gower
 Street.

Hale, R. B., Esq., Alderley.
 Hall, T. B., Esq., Woodside, near Liverpool.
 Hamilton, Lady, Iping, Sussex.
 Harrison, T., Esq., F.L.S. F.H.S., Alpha Road.
 Harrison, Robert, Esq., Hull.
 Harris, Mr., St. Paul's Churchyard.
 Harrison, W., Esq., Cheshunt.
 Hervey, Miss, Deal.
 Heysham, D. C., Esq., Carlisle.
 Heales, G. S., Esq., Doctor's Commons.
 Hely, Gorges, Esq., Johnstown, Ireland.

Hodgkinson, —, Esq., Carlisle.
 Hodgson, Miss, Boston, Lincolnshire.
 Hudson, R., Esq., F.R.S. F.G.S., Clapham Common.
 Hurst, J. C., Esq., F.L.S., Dartford.

Image, Rev. J., Dulwich College.
 Johnson, Rev. W.
 Jones, Mrs., Bedford Vicarage.

King, John, Esq.
 Kirkman, Thomas, Esq., Manchester.

Lang, Dr.
 Leach, —, Esq.
 Lockey, Rev. F., Bath.
 Longman and Co. 12 copies.

Marryat, Miss, Wimbledon.
 Martin, Mr.
 Mercier, F., Esq., 70, Torrington Square.
 Meynell, Thomas, Esq., jun., North Kilvington Hall, Thirsk.
 Miles, F., Esq., Sidmouth, Devon.
 Morgan, Mr., Crown Court, Old Broad Street.
 Morgan, O., Esq., Pall Mall.
 Mossop, Rev. J., Loreth.

Norwich, The Lord Bishop of, D.D. P.L.S., &c., 38 Brook Street.
 Norris, Thomas, Esq.

Peckover, A., Esq., Wisbeach.
 Perry, W. G., Esq., Warwick.
 Phillips, Edward, Esq.
 Phillips, N., Esq.
 Poore, Sir Edward, Bart., Cuffnalls, Lyndhurst, Hants.
 Powell, J. H., Esq., Hengrave Hall.
 Preston, Rev. J. D. J., Beechfield, Doncaster.

Radcliffe Library, Oxford.
 Rackett, Rev. Thomas, M.A. F.R.S. F.L.S. & A.S., Upper Gower Street.
 Richardson, Mr., Cornhill.
 Rivington, Messrs., Waterloo Place. 4 copies.
 Robinson, Esq.
 Robinson, Rev. J. M., Barrington, Cambridge.
 Roake, Mr., Strand.
 Rudge, E., Esq., F.R.S. F.L.S. & A.S., Wimpole Street.
 Rudd, Rev. G. T., M.A.

Scarborough, Countess of, Portman Square.

- Savory, A. B., Esq., Stamford Hill.
Setchell, Mr., King Street.
Simpkin and Marshall, Messrs. 50 copies.
Solly, R. H., Esq., M.A., F.R.S. F.S.A. F.L.S. F.G.S., 48 Great
Ormond Street.
Spurrell, F., Esq.
Stephens, J. F., Esq., F.L.S. &c., Camberwell.
Steggall, Rev. W., Bury St. Edmund's.
Streatfield, Rev. John, Margate.
Sullivan, L., Esq., War Office.

Thynne, Lady John, St. James's Square.
Thackeray, Rev. Dr., F.L.S. F.C.P.S., Provost of King's College,
Cambridge.
Thompson, C. I., Esq., F.L.S., Hanover Square.

Wailes, Mr., Newcastle.
Wainright, A., Esq.
Walker, John, Esq., Chesterfield, Derbyshire.
Walford, Rev. W.
Walker, Mr., Strand. 2 copies.
Walton, —, Esq.
Walther, Mr., Piccadilly. 2 copies.
West, W., Esq., Forster Lane.
Weatherhead, J. R., Esq., Wisbeach.
Williams, Miss Gregory.
Woolley, W., Esq., Hull.

Young, James, Esq.

CATALOGUE

OF THE

LEPIDOPTEROUS INSECTS OF GREAT BRITAIN.

I. PAPILIO. BUTTERFLY.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Machaon</i>	Swallow-tail	<i>W. t.</i> 93. <i>H. t.</i> 36. <i>D.</i> 6, <i>t.</i> 211 <i>L. t.</i> 34. <i>St.</i> 1, <i>p.</i> 16. 5794 <i>PAPILIO</i> .	Fenny places. Norfolk and Cambridge- shire. End of May.
2 <i>Rhamni</i>	Brimstone	<i>W. t.</i> 94. <i>L. t.</i> 31. <i>D.</i> 5, <i>t.</i> 145. <i>C. 4, t.</i> 173. <i>St.</i> 1, <i>p.</i> 8. 5796 <i>GONEPTERYX</i> .	Woods and road- sides. June to Autumn.
3 <i>Europome</i>	Clouded Sul- phur	<i>St.</i> 1, <i>p.</i> 10, <i>t.</i> 1*, <i>f.</i> 1, 2, 3. 5797 <i>COLIAS</i> .	Meadows, rare.
4 <i>Chrysothe- me</i> .	Small Clouded Yellow	<i>St.</i> 1, <i>p.</i> 11, <i>t.</i> 2*, <i>f.</i> 1, 2. 5799 <i>COLIAS</i> .	Meadows in Nor- folk. Sept.
5 <i>Edusa</i> .	Clouded Yel- low	<i>H. t.</i> 29, <i>f. n. m.</i> <i>L. t.</i> 32. <i>D.</i> 7, <i>t.</i> 238, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 12. & 145. 5800 <i>COLIAS</i> .	Meadows, &c., near Ipswich in Suffolk, and Devenshire. Middle of Au- gust.

PAPILIO.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
6 Hyale	Pale Clouded Yellow	<i>L. t. 33. D. 7, t. 238, f. 1. C. 6, t. 242. St. 1, p. 13. 5801 COLIAS.</i>	Meadows on the S.E. coast. August.
7 Brassicæ	Large garden White	<i>W. t. 96. L. t. 25. D. 13, t. 446. St. 1, p. 15. 5802 PONTIA.</i>	Gardens. May to August.
8 <i>Chariclea</i>	Great White	<i>A. t. 1. St. 1, p. 17, t. 3*, f. 1, 2. 5803 PONTIA.</i>	Meadows and gardens. Apr.
9 Rapæ	Small White	<i>A. t. 51. W. t. 97. L. t. 26. St. 1, p. 18. 5804 PONTIA.</i>	Gardens. May to August.
10 <i>Metra</i>	Mr. Howard's White	<i>St. 1, p. 19. & App. 146. 5805 PONTIA.</i>	Gardens. End of March and April.
11 <i>Napi</i>	Green-veined White	<i>A. t. 52, f. d—g. W. t. 98. L. t. 27. D. 3, t. 280, f. 1. St. 1, p. 20. 5806 PONTIA.</i>	Gardens, woods, and thickets. May to July.
12 <i>Sabellicæ</i>	Early green-veined White	<i>St. 1, p. 22, t. 3*, f. 3, 4. 5808 PONTIA.</i>	Gardens. April.
13 Daplidice	Green-checked White	<i>L. t. 28. D. 6, t. 200. C. 1, t. 48. St. 1, p. 21. 5809 PONTIA.</i>	Dover Cliffs. May and August.
14 Cardamine	Orange-tip	<i>W. t. 99. H. t. 32, f. f. i. L. t. 30. D. 5, t. 169. St. 1, p. 23. & App. 147. 5810 PONTIA.</i>	Woods and lanes. Suffolk and Devonshire. End of May.
15 Sinapis	White Wood	<i>H. t. 29, f. t—u. L. t. 29. D. 8, t. 280, f. 2. St. 1, p. 24. & App. 147. 5811 LEUCOPHASIA.</i>	Woods in Kent, Essex, &c. May to August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Cratægi</i>	Black-veined White	<i>A. t. 2, f. 2, a—d. W. t. 95.</i> <i>H. t. 9, f. g—k. L. t. 24.</i> <i>D. 13, t. 454. C. 8, t. 360.</i> <i>St. 1, p. 27.</i> 5812 <i>PIERIS.</i>	New Forest, Hampshire. June.
17 <i>Lucina</i>	Duke of Bur- gundy Fri- tillary	<i>H. t. 27, f. n. o. L. t. 15.</i> <i>D. 7, t. 242, f. 2. C. 7,</i> <i>t. 316. St. 1, p. 29. &</i> <i>App. 147.</i> 5815 <i>NEMEOBIUS.</i>	Woods and hedges. Cam- bridgeshire, Suffolk, and Essex. May and June.
18 <i>Athalia.</i> Underside, <i>pl. 3, f. 1.</i>	Heath, pearl- bordered likeness	<i>W. t. 112. H. t. 38, f. f. g.</i> <i>L. t. 14, f. 5, 6. St. 1, p. 30.</i> 5816 <i>MELITÆA.</i>	Woods & heaths. End of May.
19 <i>Artemis</i>	Greasy Fri- tillary	<i>W. t. 114. H. t. 28, f. c—i.</i> <i>L. t. 15. St. 1, p. 32.</i> 5819 <i>MELITÆA.</i>	Meadows in Suf- folk, &c. May.
— 20 <i>Cinxia,</i> Underside, <i>pl. 3, f. 2.</i>	Glanville Fri- tillary	<i>W. t. 111. H. t. 16, f. a—f.</i> <i>L. t. 14. D. 7, t. 242, f. 1.</i> <i>St. 1, p. 33.</i> 5820 <i>MELITÆA.</i>	Isle of Wight. Dover. June.
— 21 <i>Selene,</i> Underside, <i>pl. 3, f. 3.</i>	Small pearl- border Fri- tillary	<i>H. t. 31, f. i. k. L. t. 13.</i> <i>St. 1, p. 34.</i> 5823 <i>MELITÆA.</i>	Heaths & woods, Essex, and Devonshire. May and June.
22. <i>Euphrosy-</i> ne. Underside, <i>pl. 3, f. 4.</i>	Pearl-bordered Fritillary	<i>H. t. 40, f. e. f. L. t. 13.</i> <i>D. 11, t. 312. C. 8, t. 386.</i> <i>St. 1, p. 35, & App. 147.</i> 5824 <i>MELITÆA.</i>	Heaths & woods. Essex and De- vonshire. May.
23 <i>Lathonia</i>	Queen of Spain Fritillary	<i>L. t. 12. D. 3, t. 73. St. 1,</i> <i>p. 35.</i> 5825 <i>A RGYNNIS.</i>	Woods. Cam- bridgeshire, Dover Cliffs, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
24 Adippe. Underside, <i>pl. 3, f. 5.</i>	High Brown Fritillary	<i>H. t. 28, f. a, d. L. t. 10.</i> <i>D. 13, t. 448. St. 1, p. 38.</i> 5827 ARGYNNIS.	Woods in Suf- folk, Essex, &c. July.
25 Aglaia. Underside, <i>pl. 3, f. 6.</i>	Dark-green Fritillary	<i>W. t. 115. H. t. 26, f. o. p.</i> <i>L. t. 11. D. 9, t. 302.</i> <i>St. 1, p. 39.</i> 5828 ARGYNNIS.	Heaths, &c. Suf- folk, Essex, &c.
26 Paphia	Silver-washed Fritillary	<i>W. t. 110. H. t. 34, f. k—u.</i> <i>L. t. 9. D. 7, t. 247.</i> 5829 ARGYNNIS.	Woods in Essex, &c. July.
27 C. Album	Comma	<i>A. t. 54. W. t. 109. H. t. 1,</i> <i>f. a—d. L. t. 5. D. 6,</i> <i>t. 199. St. 1, p. 42.</i> 5830 VANESSA.	Gardens and thickets, Suf- folk. July and August.
28 Polychlo- ros	Large Tortoise- shell	<i>A. t. 55. W. t. 108. L. t. 2.</i> <i>D. 8, t. 278. St. 1, p. 42.</i> 5831 VANESSA.	Roads and lanes. Essex, Suffolk, &c. July.
29 Urticæ	Small Tortoise- shell	<i>A. t. 4, f. 6. W. t. 107. H.</i> <i>t. 2, f. i—n. L. t. 3. D. 2,</i> <i>t. 55. St. 1, p. 43. & 148.</i> 5832 VANESSA.	Gardens, hedges, &c. July to Sep- tember.
30 Io	Peacock	<i>A. t. 4, f. 5. W. t. 106. H.</i> <i>t. 3, f. f—k. L. t. 4. D. 6,</i> <i>t. 206. St. 1, p. 44</i> 5833 VANESSA.	Woods, road- sides, &c. May to July.
31 Antiopa	Camberwell Beauty	<i>W. t. 113. H. t. 12, f. a—c.</i> <i>L. t. 1. D. 3, t. 89. St. 1,</i> <i>p. 45.</i> 5834 VANESSA.	Woods in Surrey, on the oak; also near Nor- wich. May.
32 Atalanta	Red Admiral	<i>A. t. 3. W. t. 105. H. t. 6,</i> <i>f. a—h. L. t. 7. D. 8,</i> <i>t. 260. St. 1, p. 46.</i> 5835 VANESSA.	Woods, &c. Devonshire. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
33 Cardui	Painted Lady	<i>A. t.</i> 56. <i>W. t.</i> 107, <i>f.</i> 1. <i>H.</i> 11, <i>f.</i> a— <i>f.</i> <i>L. t.</i> 6. <i>D.</i> 9, <i>t.</i> 292. <i>St.</i> 1, <i>p.</i> 47. 5836 CYNTHIA.	Fields and gar- dens, Middle- sex, &c. June and July.
34 Iris	Purple Empe- ror	<i>W. t.</i> 120. <i>H. t.</i> 3, <i>upp. fig.</i> <i>L. t.</i> 16. <i>D.</i> 2, <i>t.</i> 37. <i>C.</i> 3, <i>t.</i> 338. <i>St.</i> 1, <i>p.</i> 50. 5839 APATURA.	Woods: on the oak. Middle- sex, Essex, &c. July.
35 Camilla	White Admiral	<i>H. t.</i> 30, <i>f.</i> m. n. <i>L. t.</i> 8. <i>D.</i> 8, <i>t.</i> 244. <i>C.</i> 3, <i>t.</i> 124. <i>St.</i> 1, <i>p.</i> 52. 5841 LIMENITIS.	New Forest, Hampshire; woods in Sus- sex, &c. July.
36 Ægeria	Speckled Wood	<i>W. t.</i> 103. <i>H. t.</i> 41, <i>f.</i> f. f. K. <i>L. t.</i> 19. <i>D.</i> 14, <i>t.</i> 493. <i>St.</i> 1, <i>p.</i> 54. 3843 HIPPARCHIA.	Woods and hedges, Suf- folk. April, June, August.
37 Megæra	Wall	<i>W. t.</i> 102. <i>H. t.</i> 27, <i>f.</i> a— <i>g.</i> <i>L. t.</i> 21. <i>D.</i> 3, <i>t.</i> 279. <i>St.</i> 1, <i>p.</i> 55. 3845 HIPPARCHIA.	Woods and road- sides. May, July, August.
38 Semele, M. and F.	Grayling	<i>H. t.</i> 44, <i>f.</i> d. c. <i>L. t.</i> 17. <i>D.</i> 8, <i>t.</i> 259. <i>St.</i> 1, <i>p.</i> 56. 5848 HIPPARCHIA.	Heaths, &c. Suf- folk, Essex, Devonshire. July.
39 Galathea	Marbled White	<i>W. t.</i> 100. <i>H. t.</i> 11, <i>f.</i> g— <i>k.</i> <i>L. t.</i> 28. <i>D.</i> 8, <i>t.</i> 258. <i>St.</i> 1, <i>p.</i> 57. 5849 HIPPARCHIA.	Moist woods. Essex. July.
40 Tithonus, M. and F.	Large Heath	<i>H. t.</i> 44, <i>f.</i> f. g. <i>L. t.</i> 22. <i>D.</i> 12, <i>t.</i> 405. <i>St.</i> 1, <i>p.</i> 58. 5850 HIPPARCHIA.	Woods and com- mons. July.
41 Janira, M. and F.	Meadow Brown	<i>A. t.</i> 53, <i>f.</i> a— <i>c.</i> <i>W. t.</i> 101. <i>H. t.</i> 32, <i>f.</i> a— <i>c.</i> <i>L. t.</i> 18. <i>D.</i> 9, <i>t.</i> 320. <i>St.</i> 1, <i>p.</i> 59. 5851 HIPPARCHIA.	Woods and mea- dows. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
42 <i>Ligea</i> , M. and F. Underside, <i>pl.</i> 3, <i>f.</i> 8.	Arran Argus	<i>St.</i> 1, <i>p.</i> 61, <i>t.</i> 6, <i>f.</i> 1, 2, 3. 5852 HIPPARCHIA.	Isle of Arran. July.
43 <i>Blandina</i> . Underside, <i>pl.</i> 3, <i>f.</i> 7.	Scotch Argus	<i>D.</i> 12, <i>t.</i> 426. <i>St.</i> 1, <i>p.</i> 62. 5853 HIPPARCHIA.	Isle of Arran. June.
44 <i>Cassiope</i>	Mountain Ringlet	<i>St.</i> 1, <i>p.</i> 63, <i>t.</i> 8, <i>f.</i> 1, 2, 3. 5854 HIPPARCHIA.	Mountains, Cumberland. June.
45 <i>Hyperan- thus</i>	Ringlet	<i>H.</i> <i>t.</i> 35, <i>f.</i> f. h. <i>L.</i> <i>t.</i> 20. <i>D.</i> 8, <i>t.</i> 271. <i>St.</i> 1, <i>p.</i> 60. 5856 HIPPARCHIA.	Woods, Devon- shire. End of June.
46 <i>Polydama</i> , M. and F.	Scarce Heath	<i>St.</i> 1, <i>p.</i> 64, <i>t.</i> 7, <i>f.</i> 1, 2. 5857 HIPPARCHIA.	Marshes, York- shire. July.
47 <i>Davus</i>	Small Ringlet	<i>L.</i> <i>t.</i> 23, <i>f.</i> 5, 6. <i>D.</i> 7, <i>t.</i> 186. <i>St.</i> 1, <i>p.</i> 67. 5858 HIPPARCHIA.	Marshes. July.
48 <i>Hero</i>	Silver border- ed Ringlet	<i>C.</i> 5, <i>t.</i> 205. <i>St.</i> 1, <i>p.</i> 63, & <i>App.</i> 149. 5859 HIPPARCHIA	Ashdown Fo- rest. June and July.
49 <i>Pamphilus</i> , M. and F.	Small Heath	<i>H.</i> <i>t.</i> 21, <i>f.</i> e—h. <i>L.</i> <i>t.</i> 23, <i>f.</i> 3, 4. <i>St.</i> 1, <i>p.</i> 69. 5861 HIPPARCHIA	Heaths, &c. De- vonshire, &c. June, Septem- ber.
50 <i>Betulæ</i>	Brown Hair- streak	<i>A.</i> <i>t.</i> 5, <i>f.</i> 7. <i>W.</i> <i>t.</i> 117. <i>H.</i> <i>t.</i> 42, <i>f.</i> b. c. f. g. <i>L.</i> <i>t.</i> 42. <i>D.</i> 8, <i>t.</i> 250. 5862 THECLA.	Woods, Suffolk and Devon. August.
51 <i>Pruni</i> . Underside, <i>pl.</i> 3, <i>f.</i> 10.	Dark Hair- streak	<i>C.</i> 6, <i>t.</i> 264. <i>St.</i> 2, <i>p.</i> 69. note. 5862* THECLA.	Woods. Hunt- ingdonshire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
52 <i>W. album</i> . Underside, <i>pl.</i> 3, <i>f.</i> 11.	Black Hair- streak	<i>L. t.</i> 44. <i>D.</i> 13, <i>t.</i> 437. <i>St.</i> 2, <i>p.</i> 69. note. 5863 THECLA.	Gardens and hedges. June.
53 <i>Spini</i>	Pale brown Hair-streak	<i>St.</i> 1, <i>p.</i> 78. 5864 THECLA.	Norfolk. July.
54 <i>Quercus</i>	Purple Hair- streak	<i>A. t.</i> 52, <i>f.</i> a—c. <i>W. t.</i> 116. <i>H. t.</i> 10, <i>f.</i> a—g. <i>L.</i> <i>t.</i> 43. <i>D.</i> 13, <i>t.</i> 460. <i>St.</i> 1. <i>p.</i> 76, & <i>App.</i> 149. 5865 THECLA.	Tops of oaks: Essex, &c. July.
55 <i>Rubi</i>	Green Hair- streak	<i>A. t.</i> 5, <i>f.</i> 8. <i>W. t.</i> 118. <i>H.</i> <i>t.</i> 26, <i>f.</i> a. b. d. g. <i>L.</i> <i>t.</i> 44. <i>D.</i> 13, <i>t.</i> 443. 5866 THECLA.	Woods and hedges, De- vonshire. June, August.
56 <i>Phlæas</i>	Common Cop- per	<i>H. t.</i> 34, <i>f.</i> p. <i>L. t.</i> 41. <i>D.</i> 13, <i>t.</i> 466. 5867 LYCÆNA.	Commons, road- sides, &c. April, June, and August.
57 <i>Chryseis</i>	Purple-edged Copper	<i>St.</i> 1, <i>p.</i> 80. 5868 LYCÆNA.	Marshes. Essex and Sussex. Autumn.
58 <i>Hippothoë</i> , Dark under- <i>M. pl.</i> 2. winged <i>F. pl.</i> 3. Copper		<i>St.</i> 1, <i>p.</i> 82. 5807 LYCÆNA.	Marshes, Cam- bridgeshire. July.
59 <i>Dispar</i> , <i>M.</i> and <i>F.</i> <i>pl.</i> 3.	Large Copper	<i>L. t.</i> 40. <i>D.</i> 7, <i>t.</i> 217. <i>C.</i> 1, <i>t.</i> 12. <i>St.</i> 1, <i>p.</i> 81. 5869 LYCÆNA.	Marshes, Suf- folk. July.
60 <i>Virgaureæ</i> , Scarce Copper <i>M.</i> and <i>F.</i> <i>pl.</i> 3.		<i>L. t.</i> 41, <i>f.</i> 1, 2. <i>D.</i> 5, <i>t.</i> 173. <i>St.</i> 1, <i>p.</i> 83. 5871 LYCÆNA.	Marshes, Isle of Ely.
61 <i>Argiolus</i>	Azure Blue	<i>L. t.</i> 36, <i>f.</i> 4, 5, 6. <i>D.</i> 14, <i>t.</i> 481. <i>St.</i> 1, <i>p.</i> 85, & <i>App.</i> 149. 5872 POLYOMMATUS.	Meadows, Mid- dlesex, &c. May to Aug.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
62 <i>Alsus</i>	Small Blue	<i>L. t. 39, f. 3, 4. D. 9, t. 322. f. 1. St. 1, p. 86, & App. 149. 5873 POLYOMMATUS.</i>	Fields, Surrey, Kent, &c. Ma to July.
63 <i>Asis</i>	Mazarine Blue	<i>L. t. 38, f. 6, 7. St. 1, p. 86, & App. 149. 5874 POLYOMMATUS.</i>	Chalk soils, Kent. May to July.
64 <i>Arion</i> , M. and F. <i>pl. 3.</i>	Large Blue	<i>L. t. 37. D. 6, t. 184. St. 1, p. 87. 5875 POLYOMMATUS.</i>	Commons, Kent, Surrey, &c.
65 <i>Corydon</i>	Chalk-hill Blue	<i>L. t. 36. D. 7, t. 236, f. 1. St. 1, p. 88. 5877 POLYOMMATUS.</i>	Chalk-pits near Dartford. July.
66 <i>Adonis</i>	Clifden Blue	<i>L. t. 38, f. 1-3. D. 4, t. 143, f. 1. St. 1, p. 89. 5878 POLYOMMATUS.</i>	Dover Cliffs, & Chalky places, Kent. May to August.
67 <i>Dorylas</i>	Light Blue	<i>St. 1, p. 90. 5879 POLYOMMATUS.</i>	Hills in Wales. June and July.
68 <i>Icarius</i> , M. and F. <i>pl. 3.</i>	Black-border- ed Blue	<i>St. 1, p. 91. 5880 POLYOMMATUS.</i>	Kent. June.
69 <i>Alexis</i> , M. and F. <i>pl. 3.</i>	Common Blue	<i>W. t. 119. H. t. 39, f. g. i. L. t. 38. D. 4, t. 143. St. 1, p. 91. 5881 POLYOMMATUS.</i>	Pastures, Suf- folk, Devon- shire, &c. May to Aug.
70 <i>Eros</i> , M. and F. <i>pl. 3.</i>	Pale Blue	<i>St. 1, p. 93. 5882 POLYOMMATUS.</i>	Lanes, Surrey and Kent. July.
71 <i>Argus</i>	Silver studded Blue	<i>L. t. 39, f. 5-7. St. 1, p. 93. 5883 POLYOMMATUS.</i>	Fields and marshes, Suf- folk. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Agestis</i> . Underside, <i>pl.</i> 3. <i>f.</i> 9.	Brown Argus	<i>L.</i> t. 39, <i>f.</i> 1, 2. <i>D.</i> 9, t. 322, <i>f.</i> 2. 5884 POLYOMMATUS.	Chalky districts, and birds' nests. Kent and Surrey.
73 <i>Salmacis</i> , M. and F. Underside, <i>pl.</i> 3. <i>f.</i> 12.	Durham Argus	<i>St.</i> 1, <i>p.</i> 94. POLYOMMATUS.	Castle Eden Dean, Dur- ham.
74 <i>Artaxerxes</i> . Underside, <i>pl.</i> 3. <i>f.</i> 13.	Scotch Argus	<i>L.</i> t. 39, <i>f.</i> 3, 9. <i>D.</i> 16, t. 541, <i>St.</i> 1. <i>p.</i> 95. 5885 POLYOMMATUS.	Meadows. Scot- land. June.
75 <i>Alveolus</i>	Grizzled	<i>W.</i> t. 104? <i>H.</i> t. 32, <i>f.</i> k n. <i>L.</i> t. 46, <i>f.</i> 3, 9. <i>St.</i> 1, <i>p.</i> 97. 5887 THYMELE.	Heaths, &c. May and Au- gust.
76 <i>Tages</i>	Dingy Skipper	<i>H.</i> t. 34, <i>f.</i> f. o. <i>L.</i> t. 45, <i>f.</i> 3, 4, <i>St.</i> 1, <i>p.</i> 98. 5889 THYMELE.	Heaths, woods, &c. Middle- sex and Suf- folk. May and August.
77 <i>Paniscus</i>	Chequered Skipper	<i>D.</i> 3, t. 254, <i>f.</i> 1. <i>St.</i> 1, <i>p.</i> 160. 5891 PAMPHILA.	Woody places. End of May.
78 <i>Linea</i>	Small Skipper	<i>H.</i> t. 42, <i>f.</i> 1. <i>L.</i> t. 45, <i>f.</i> 5-7. <i>D.</i> 7, t. 236, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 101. 5893 PAMPHILA.	Margins of woods. July.
79 <i>Actæon</i>	Lulworth Skipper	<i>C.</i> 10. t. 442. PAMPHILA.	Dorsetshire. August.
80 <i>Sylvanus</i>	Large Skipper	<i>H.</i> t. 42, <i>f.</i> h. <i>L.</i> t. 46. <i>f.</i> 1-3. <i>D.</i> 8, t. 254, <i>f.</i> 2. <i>St.</i> 1, <i>p.</i> 101. 5894 PAMPHILA.	Woods. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
81 Comma	Pearl Skipper	<i>L. t.</i> 45, <i>f.</i> 1, 2. <i>D.</i> 9, <i>t.</i> 295. <i>St.</i> 1, <i>t.</i> 102. 3895 PAMPHILA.	Chalky soils. Sussex. Au- gust.
82 <i>Bucephalus</i>	Large-headed Skipper	<i>St.</i> 1, <i>p.</i> 102, <i>t.</i> 10, <i>f.</i> 2. 5896 PAMPHILA.	Devonshire and Surrey. July.

II. SPHINX. HAWK MOTH.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 <i>Statice</i>	Green Forester	<i>H. t.</i> 34, <i>f.</i> a—f. <i>D.</i> 6, <i>t.</i> 204, <i>f.</i> 2. <i>C.</i> 9, <i>t.</i> 396. <i>St.</i> 1, <i>p.</i> 105. 5898 <i>INO.</i>	Woods and meadows; Kensington Gardens; Essex, Hertfordshire, &c. June.
2 <i>Meliloti</i>	Pale 5-spot Burnet	<i>St.</i> 1, <i>p.</i> 107. 5900 <i>ANTHROCERA.</i>	West Horsley Park, Surrey. June and July.
3 <i>Trifolii</i>	Broad-bordered 5-spot Burnet	<i>St.</i> 1, <i>p.</i> 108. 5902 <i>ANTHROCERA.</i>	Middlesex, Devonshire, near Newcastle, &c. June.
4 <i>Loti</i>	5-spot Burnet	<i>D.</i> 9, <i>t.</i> 319. <i>St.</i> 1, <i>p.</i> 109. 5903 <i>ANTHROCERA.</i>	Middlesex, Kent. June.
5 <i>Filipendulæ</i>	6-spotted Burnet	<i>W. t.</i> 91. <i>upper fig.</i> <i>H. t.</i> 1, <i>f.</i> c—h. <i>D.</i> 1, <i>t.</i> 6. <i>St.</i> 1, <i>p.</i> 111. 5905 <i>ANTHROCERA.</i>	Fields and meadows by wood-sides, in Middlesex, Devonshire, S. Wales, &c. June and July.
6 <i>Hippocrepidis</i>	Narrow-bordered 6-spot Burnet	<i>St.</i> 1, <i>p.</i> 110. 5904 <i>ANTHROCERA.</i>	Middlesex, Surrey, near Coombe Wood. June.
7 <i>Ocellata</i>	Eyed Willow	<i>W. t.</i> 24. <i>A. t.</i> 8. <i>H. t.</i> 5, <i>f.</i> a—c. <i>D.</i> 8, <i>t.</i> 269. <i>St.</i> 1, <i>p.</i> 112. 5907 <i>SMERINTHUS.</i>	Middlesex, in Battersea-fields; Essex, on Epping Forest, &c. May and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
8 Populi	Poplar	<i>A.t.</i> 57. <i>W.t.</i> 25. <i>H.t.</i> 33, <i>f.</i> a—g. <i>D.</i> 7, <i>t.</i> 241. <i>St.</i> 1, <i>p.</i> 112. 5908 SMERINTHUS.	Meadows in De- vonshire, Cam- bridgeshire, &c. June and July.
9 Tiliæ	Lime	<i>A.t.</i> 10. <i>W.t.</i> 23. <i>H.t.</i> 20, <i>f.</i> a—g. <i>D.</i> 10, <i>t.</i> 325. <i>St.</i> 1, <i>p.</i> 113. 5909 SMERINTHUS.	Woods and mea- dows, Middle- sex, Essex, &c. May and June.
10 Atropos	Death's-head	<i>A.t.</i> 6. <i>W.t.</i> 19. <i>H.t.</i> 37. <i>D.</i> 9, <i>t.</i> 289. <i>St.</i> 1, <i>p.</i> 114. 5910 ACHERONTIA.	Yorkshire, Cam- bridgeshire. October.
11 Convolvuli	Bind-weed	<i>W.t.</i> 20 & 21. <i>H.t.</i> 21, a—d. <i>D.</i> 7, <i>t.</i> 228 & 229. <i>St.</i> 1, <i>p.</i> 119. 5913 SPHINX.	Kent, Sussex, Surrey. Middle of September.
12 Ligustri	Privet	<i>A.t.</i> 7. <i>W.t.</i> 22. <i>H.t.</i> 2, <i>f.</i> a—h. <i>D.</i> 8, <i>t.</i> 248. <i>St.</i> 1, <i>p.</i> 121. 5915 SPHINX.	Hertfordshire, Cambridge- shire, &c. July.
13 Pinastri	Pine	<i>D.</i> 9, <i>t.</i> 296. <i>St.</i> 1, <i>p.</i> 121. 5916 SPHINX.	Rivelston Wood, near Edinburgh; also near Colney Hatch Wood and Esher, Surrey. June.
14 Euphorbiæ	Spotted Ele- phant	<i>H.t.</i> 44, <i>f.</i> a. c. <i>D.</i> 3, <i>t.</i> 91 & 92. <i>C.</i> 1, <i>t.</i> 3. <i>St.</i> 1, <i>p.</i> 124. 5919 DEILEPHILA.	Sand-hills near Barnstaple. June.
15 Gallii	Galium	<i>H.t.</i> 44, <i>f.</i> 6. (Cater- pillar). <i>St.</i> 1, <i>p.</i> 125, <i>t.</i> 12, <i>f.</i> 2. 5920 DEILEPHILA.	Middlesex, Corn- wall and Devon. June.



1 a+



2 b+



3 a



4 b+



5 b



6 b



7 b+



8 b+



9 b




10 a+



11 a+



12 b



13 b



14 a+



15 a+



16 b+



17 a



18 a+



19 a+



20 a+



21 a+



22 a+



23 a+



24 b



25 b



26 b+



27 b



28 b+



29 a+




30 b



31 b



32 b+



33 b



34 b+



35 b



36 a+



37 a +



38 a



39 a



40 a +



41



42 a +



43



44



45 a +



46 a +



47



48 a



49 a +



50 a +



51 a



52 a



53 a.



54 a +



55 a



56



57 a +



58 a



59 a



60



61 a



62 n



63 a



64 n



65 a



66 a



67 a



68 a



69 a



70 a +



71 a



72 a



38



39a



39b



60a



60b



61a



61



69a



69



68a



68



70a



70b



73a



73



71a



75a



76a



77a



78a



79a



80a



81a



82a

UNDERSIDES.



1



2



3



4



5



6



7



8



9



10



11



12



13



1a



10d



12b



28n



2a+



11d



20a+



29n



3a



12d



21a+



27n



4b n



13c



22a+



30n



5a+



14b+



23a+



31n



6d



15b+



24a+



32n



7c



16c



25d



33 n



9 & b+



17c



26n



35 n



8 & c



18b



27n



36n



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Livornica</i>	Striped	<i>St.</i> 1, <i>p.</i> 126, <i>t.</i> 12, <i>f.</i> 1. Lineata. 5921 DEILEPHILA.	Norfolk; and near Kingsbridge, Devon.
17 <i>Celerio</i>	Sharp-winged	<i>D.</i> 6, <i>t.</i> 190 & 191. <i>St.</i> 1, <i>p.</i> 128. 5923 DEILEPHILA.	Oxfordshire, Cambridgeshire, and near Birmingham. August.
18 <i>Elpenor</i>	Elephant	<i>A.</i> <i>t.</i> 9. <i>W.</i> <i>t.</i> 26. <i>H.</i> <i>t.</i> 7, <i>f.</i> a—h. <i>D.</i> 4, <i>t.</i> 122. <i>St.</i> 1, <i>p.</i> 131. 5925 DEILEPHILA.	Gardens in Middlesex, Devonshire, Cambridgeshire, &c. June and July.
19 <i>Porcellus</i>	Small Elephant	<i>W.</i> <i>t.</i> 16. <i>D.</i> 9, <i>t.</i> 314. <i>St.</i> 1, <i>p.</i> 131. 5926 DEILEPHILA.	Woods in Middlesex, Surrey, Warwickshire, &c. June.
20 <i>Stellatarum</i>	Humming-Bird	<i>H.</i> <i>t.</i> 24, <i>f.</i> i. l. <i>D.</i> 5, <i>t.</i> 155. <i>St.</i> 1, <i>p.</i> 133. 5927 MACROGLOSSA.	Gardens in Kent, Hertfordshire, Cambridgeshire, &c. End of April, June and August.
21 <i>Bombyli-formis</i>	Broad-bordered Bee	<i>D.</i> 3, <i>t.</i> 87. <i>St.</i> 1, <i>p.</i> 135. 5929 SESIA.	Coombe Wood near Kingston, Surrey; Darent Wood near Dartford, Kent. End of May.
22 <i>Fuciformis</i>	Narrow-bordered Bee	<i>C.</i> 1, <i>t.</i> 40. <i>St.</i> 1, <i>p.</i> 134. 5928 SESIA.	Middlesex, Berkshire, Fens in Cambridgeshire. May and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 <i>Apiformis</i>	Hornet	<i>D. 1, t. 25. St. 1, p. 137.</i> 5931 <i>TROCHILUM.</i>	Aspen trees on Epping Forest; also Coombe Wood, &c. End of June.
24 <i>Crabroni- formis</i>	Lunar Hornet	<i>D. 13, t. 436. St. 1, p. 138.</i> 5932 <i>TROCHILUM.</i>	Darenth Wood, Kent. July.
25 <i>Asiliformis</i>	Clear under- wing	<i>D. 11, t. 384. St. 1, p. 139.</i> 5933 <i>ÆGERIA.</i>	On Poplar trees near London; also near Bex- ley, Kent. June.
26 <i>Chrysi- formis</i>	Fiery Clear- wing	<i>St. 1, p. 141.</i> 5936 <i>ÆGERIA.</i>	Cabinet of A. H. Haworth, Esq.
27 <i>Sphæciformis</i>	Black and White horn- ed Clear- wing	<i>St. 1, p. 140, t. 11, f. 1.</i> 5934 <i>ÆGERIA.</i>	In the woods of Southgate, Middlesex; also in the Isle of Wight. July.
28 <i>Allantiformis</i>	Two-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Greenhithe, Kent: very rare.
29 <i>Cynipiformis</i> , M. and F.	Golden-tail Clear-wing	<i>D. 4, t. 116. St. 1, p. 141.</i> 5937 <i>ÆGERIA.</i>	Coombe Wood, Darenth Wood, &c. May and June.
30 <i>Ichneumoni- formis</i>	Six-belted Clear-wing	<i>C. 2, t. 53. St. 1, p. 140.</i> 5935 <i>ÆGERIA.</i>	Sussex, Cornwall, and Devon.
31 <i>Philanthi- formis</i>	Many-belted Clear-wing	<i>Entom. Mag. No. 1,</i> <i>p. 79.</i> <i>ÆGERIA.</i>	Devonshire: very rare.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
32 <i>Tipuliformis</i>	Currant Clear-wing	<i>D. 2, t. 52 & 53. 5938 ÆGERIA.</i>	Very common in gardens towards the middle of June.
33 <i>Mutillæformis</i>	Red-belted Clear-wing	<i>D. 6, t. 195. St. 1, p. 142. 5939 ÆGERIA.</i>	Gardens at Chelsea, Highgate, Hackney, &c. June.
34 <i>Culiciformis</i>	Large Red-belted Clear-wing	<i>St. 1, p. 143, t. 10, f. 3. 5940 ÆGERIA.</i>	Coombe and Darenth Woods. June.
35 <i>Stomoxiformis</i>	Spotted Red-belted Clear-wing	<i>St. 1, p. 144, t. 11, f. 4. 5941 ÆGERIA.</i>	Darenth Wood, and Gravesend. July. Rare.
36 <i>Formiciformis</i>	Flame-tipped Red-belt	<i>St. 1, p. 144, t. 11, f. 3. 5942 ÆGERIA.</i>	Near London at Little Chelsea, and Limehouse; also in Lincolnshire. Middle of June.

III. PHALÆ- MOTH. NA.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1 Humuli, M. and F.	Ghost	<i>D.</i> 3, <i>t.</i> 274, <i>f.</i> 1 & 2. <i>St.</i> 2, <i>p.</i> 6. 5946 HEPIALUS.	Common in grassy places. Middle of June.
2 <i>Carnus</i> , M. and F.	Rosy Swift	<i>St.</i> 2, <i>p.</i> 7, <i>t.</i> 13, <i>f.</i> 1. 5948 HEPIALUS.	North of En- gland, and near Birmingham. June.
3 <i>Velleda</i> , M. and F.	Beautiful Swift	<i>D.</i> 10, <i>t.</i> 360, <i>f.</i> 3. <i>St.</i> 2, <i>p.</i> 6. 5947 HEPIALUS.	Darenth Wood, Kent; near Al- derley, Che- shire; Derby- shire. June.
4 <i>Lupulina</i> , M. and F.	Brown Swift	<i>H.t.</i> 22, <i>f.</i> 1. m. <i>St.</i> 2, <i>p.</i> 5. 5945 HEPIALUS.	Grassy meadows. End of May.
5 Hecta, M. and F.	Golden Swift	<i>D.</i> 8, <i>t.</i> 274, <i>f.</i> 3. <i>St.</i> 2, <i>p.</i> 4. 5944 HEPIALUS.	Open places in woods, Middle- sex, Devon, &c. June.
6 <i>Sylvina</i> , M. and F.	Evening Swift	<i>H.</i> <i>t.</i> 22, <i>f.</i> h—m. <i>C.</i> 5, <i>t.</i> 185. <i>St.</i> 2, <i>p.</i> 7. 5949 HEPIALUS.	Borders of woods and lanes, Surrey, Hert- fordshire, &c. August and September.
7 <i>Cossus</i>	Goat	<i>A.t.</i> 35. <i>W.t.</i> 31. <i>H.t.</i> 23. <i>D.</i> 4, <i>t.</i> 114. <i>C.</i> 2, <i>t.</i> 60. <i>St.</i> 2, <i>p.</i> 9. 5951 COSSUS.	Oak trees in woods and lanes, Kent, &c. End of June and be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
8 <i>Æsculi</i>	Wood Leopard	<i>D. 5, t. 152. St. 2, p. 8.</i> 5950 ZEUZERA.	Near London ; Essex, and Cam- bridgeshire. Beginning of July.
9 <i>Bucephala</i>	Buff-tip	<i>A. t. 23, f. 33, a—d. W. t. 43.</i> <i>H. t. 39, f. a—c. D. 1,</i> <i>t. 3. St. 2, p. 12.</i> 5952 PYGERA.	Middlesex, Bucks, Cam- bridgeshire. End of June.
10 <i>Reclusa</i>	Small Choco- late-tip	<i>D. 4, t. 124 & 129, f. 4.</i> <i>St. 2, p. 13. Var. β.</i> <i>t. 16, f. 1.</i> 5954 CLOSTERA.	Darenth and Birch Woods. End of May.
11 <i>Anachoreta</i>	Scarce Choco- late-tip	<i>St. 2, p. 13.</i> 5955 CLOSTERA.	In the British Museum.
12 <i>Curtula</i>	Chocolate-tip	<i>St. 2, p. 14.</i> 5956 CLOSTERA.	Near London ; Wanstead, Essex, on as- pen trees. End of April, or early in May.
13 <i>Cæruleo- cephala</i>	Figure of 8	<i>A. t. 13, f. 17, a—c.</i> <i>W. t. 12. H. t. 30,</i> <i>f. a—d. D. 3, t. 100.</i> <i>St. 2, p. 15.</i> 5957 EPISEMA.	Very common in woods and hedges, Surrey, &c. September.
14 <i>Bicuspis</i>	Pretty Kitten	<i>St. 2, p. 16, t. 13, f. 3.</i> 5958 CERURA.	Darenth Wood, Kent. July. Rare.
15 <i>Integra</i>	Intire-barred Kitten	<i>St. 2, p. 16, t. 15, f. 3.</i> 5959 CERURA. D	Coombe Wood, Surrey.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
16 <i>Furcula</i>	Kitten	<i>W. t.</i> 29, <i>f.</i> 2. <i>D.</i> 7, <i>t.</i> 272. <i>St.</i> 2, <i>p.</i> 17. 5960 CERURA.	Frequent near London, in woods and meadows; also in Kent, Essex, and Hertfordshire. July.
17 <i>Arcuata</i>	Arched Kitten	<i>St.</i> 2, <i>p.</i> 17. 5961 CERURA.	Coombe Wood, Surrey. Rare.
18 <i>Latifascia</i>	Broad-barred Kitten	<i>C. t.</i> 4, 193. <i>St.</i> 2, <i>p.</i> 18. 5962 CERURA.	Near London; and Linton, North Devon. Very rare.
19 <i>Fuscinula</i>	Dusky Kitten	<i>St.</i> 2, <i>p.</i> 16, <i>t.</i> 15, <i>f.</i> 1. 5963 CERURA.	Darenth Wood near Dartford; also on Epping Forest, in July. Rare.
20 <i>Bifida</i>	Bordered Kitten	<i>St.</i> 2, <i>p.</i> 19, <i>t.</i> 15, <i>f.</i> 2. 5964 CERURA.	At Linchouse near London; and Darenth Wood, Kent.
21 <i>Vinula</i>	Puss	<i>A. t.</i> 11. <i>W. t.</i> 29, <i>f.</i> 1. <i>H. t.</i> 38, <i>f.</i> a—c. <i>D.</i> 3, <i>t.</i> 85. <i>St.</i> 2, <i>p.</i> 19. 5965 CERURA.	Marshy places near Amesbury, Berkshire, &c. End of May, and sometimes again in August.
22 <i>Erminca</i>	Pale Puss	<i>St.</i> 2, <i>p.</i> 20. 5966 CERURA.	At Birch Wood; also near London?

<i>Linn. names.</i>	<i>Eugl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
23 Fagi	Lobster	<i>A. t.</i> 53. <i>St.</i> 2, <i>p.</i> 21. 5967 STAUIRUPUS.	Birch Wood, Kent; New Fo- rest, Hants; near Norwich, and in Bexley Wood. Rare.
24 Dromeda- rius	Rusty Promi- nent	<i>D.</i> 10, <i>t.</i> 350, <i>f.</i> 1. <i>St.</i> 2. <i>p.</i> 22. 5968 NOTODONTA.	In woods, Kent; at Norwood, Surrey; and at Alderley, Che- shire. June and August.
25 <i>Perfusca</i>	Dark Promi- nent	<i>St.</i> 2, <i>p.</i> 23, <i>t.</i> 14, <i>f.</i> 2. 5969 NOTODONTA.	Found near Dublin.
26 Ziczac	Pebble Promi- nent	<i>A. t.</i> 14, <i>f.</i> 20, e—h. <i>W. t.</i> 28. <i>D.</i> 4, <i>t.</i> 119. <i>St.</i> 2, <i>p.</i> 23. 5970 NOTODONTA.	Near London; also in Darenth and Coombe Woods; Holt, Norfolk. June and July.
27 Dictæa	Swallow Pro- minent	<i>D.</i> 7, <i>t.</i> 239, <i>f.</i> 1. <i>St.</i> 2, <i>p.</i> 25. 5971 LEIOCAMPA.	Woods and mea- dows, Kent near Dartford, and at Dover; also in Essex. Beginning of August.
28 <i>Dictæoides</i>	Lesser Swallow Prominent	<i>St.</i> 2, <i>p.</i> 25. 5972 LEIOCAMPA.	Coombe and Da- renth Woods, &c. August.
29 Camelina	Coxcomb Pro- minent	<i>A. t.</i> 69, <i>f.</i> a. c. d. e. <i>D.</i> 6, <i>t.</i> 183. <i>St.</i> 2, <i>p.</i> 26. 5973 LOPHOPTERYX.	Common in woods round London, about the end of April and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
30 <i>Cuculla</i>	Maple Prominent	<i>D. 10, t. 338, f. 1. St. 2, p. 27.</i> 5974 LOPHOPTERYX.	Darenth Wood and neighbourhood; also near Erith: but rare. June.
31 <i>Carmelita</i>	February Prominent.	<i>St. 2, p. 27, t. 14, f. 3.</i> 5975 LOTHOPTERYX.	Darenth Wood near Dartford. Very rare.
32 <i>Palpina</i>	Pale Prominent	<i>St. 2, p. 28.</i> 5976 PTILODONTIS.	Coombe, Birch, and Darenth Woods, &c.; also near Epping. June and August.
33 <i>Variegata</i>	Feathered Prominent	<i>C. 7, t. 328. St. 2, p. 29, t. 14, f. 1.</i> 5977 PTILOPHORA.	Darenth Wood. The end of October.
34 <i>Roboris</i>	Lunar Marbled brown	<i>D. 9, t. 299. St. 2, p. 30.</i> 5978 CHAONIA.	Darenth, Coombe, Birch, and Colney Hatch Woods. June. Scarce.
35 <i>Dodonea</i>	Marbled brown	<i>D. 10, t. 352, f. 2. St. 2, p. 30.</i> 5979 CHAONIA.	Darenth and Coombe Woods; also in Littleton Copse, Middlesex. June.
36 <i>Cassinea</i>	Sprawler	<i>D. 12, t. 397, f. 2. St. 2, p. 32.</i> 5981 PETASIA.	Coombe and Darenth Woods; New Forest, Hampshire. End of October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
37 <i>Serrata</i>	Great Promi- nent	<i>D.</i> 10, <i>t.</i> 359. <i>St.</i> 2, <i>p.</i> 33. 5982 PERIDEA.	Coombe, Da- renth, and Birch Woods.
38 <i>Versicolora</i>	Glory of Kent	<i>W.</i> <i>t.</i> 89. <i>D.</i> 5, <i>t.</i> 153. <i>St.</i> 2, <i>p.</i> 34. 5983 ENDROMIS.	Coombe and Da- renth Woods; also in Devon- shire, Suffolk, and Sussex. April.
39 <i>Pavonia-</i> <i>minor,</i> M. and F.	Emperor	<i>A.</i> <i>t.</i> 25, <i>f.</i> 37, a—h. <i>H.</i> <i>t.</i> 25, a—i. <i>D.</i> 1, <i>t.</i> 1 & 3, <i>t.</i> 254. <i>St.</i> 2, <i>p.</i> 37. 5985 SATURNIA.	On heaths and in marshy places. Common near London, and in several coun- ties. April and August.
40 <i>Rubi</i>	Fox-coloured	<i>A.</i> <i>t.</i> 81, a—d. <i>W.</i> <i>t.</i> 54. <i>D.</i> 2, <i>t.</i> 69. <i>St.</i> 2, <i>p.</i> 39. 5986 LASIOCAMPA.	Woody plains and heaths round London; Hertfordshire, Surrey, &c. June.
41 <i>Trifolii</i>	Grass Egger	<i>W.</i> <i>t.</i> 47, <i>upper fig.</i> <i>St.</i> 2, <i>p.</i> 39. 5987 LASIOCAMPA.	New Forest, Hants. July and August.
42 <i>Medica-</i> <i>ginis</i>	Medick Egger	<i>W.</i> <i>t.</i> 47, <i>lower fig.</i> <i>C.</i> 4, <i>t.</i> 181. <i>St.</i> 2, <i>p.</i> 41. 5988 LASIOCAMPA.	New Forest, Hants, and near Bristol; but rare. August.
43 <i>Quercus</i>	Oak Egger	<i>St.</i> 2, <i>p.</i> 40. 5989 LASIOCAMPA.	New Forest, Hants; and De- vonshire. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
44 Roboris, M. and F.	Great Egger	<i>A.t.</i> 18. <i>W.t.</i> 46. <i>H.t.</i> 29, <i>f.</i> a—f. <i>D.</i> 3, <i>t.</i> 104. <i>St.</i> 2, <i>p.</i> 41. 5990 LASIOCAMPA.	Common near London; also in Kent, Essex, Sussex, &c. June.
45 Cratægi, M. and F.	Pale Oak Egger	<i>A.t.</i> 34, <i>f.</i> 54, a—d. <i>D.</i> 4, <i>t.</i> 117. <i>St.</i> 2, <i>p.</i> 43. 5992 TRICHIURA.	Woody places near Epping; and in Darenth, Birch, and Coombe Woods. September.
46 Populi	December	<i>A.t.</i> 85. <i>W.t.</i> 48. <i>D.</i> 9, <i>t.</i> 307. <i>St.</i> 2, <i>p.</i> 44. 5993 PÆCIOCAMPA.	In lanes, near woods, in Kent, Surrey, &c. December.
47 Lanestris	Small Egger	<i>A.t.</i> 19, <i>f.</i> 26, a—d. <i>W.t.</i> 53. <i>H.t.</i> 25, <i>f.</i> k—o. <i>D.</i> 6, <i>t.</i> 210. <i>St.</i> 2, <i>p.</i> 45. 5994 ERIOGASTER.	In different places round London; also near Hertford; in Cambridge- shire and Essex. February and March.
48 Pityocampa	Procession	<i>St.</i> 2, <i>p.</i> 48. 5996 CNETHOCAMPA.	Devonshire. Very rare.
49 Castrensis	Ground Lac- key	<i>C.</i> 5, <i>t.</i> 299. <i>St.</i> 2, <i>p.</i> 48, <i>t.</i> 13, <i>f.</i> 2. 5997 CLISIOCAMPA.	Coasts of Essex, Kent, and De- vonshire. Au- gust.
50 Neustria, M. and F.	Lackey	<i>A.t.</i> 19, <i>f.</i> 27, c—l. <i>W.t.</i> 45. <i>H.t.</i> 17, <i>f.</i> a—f. <i>D.</i> 3, <i>t.</i> 95. <i>St.</i> 2, <i>p.</i> 49. 5998 CLISIOCAMPA.	Very common about hedges and gardens. July and Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
51 Pini	Pine-tree Lappet	<i>W. t.</i> 61. <i>D. 5, t.</i> 177 & 178. <i>C. 1, t. 7.</i> <i>St. 2,</i> p. 50. 5999 EUTRICHÆ.	Taken at Norwich; but very rare. July.
52 Potatoria, M. and F.	Drinker	<i>A. t.</i> 17. <i>W. t.</i> 58. <i>H. t.</i> 42, f. a. m. n. p. & t. <i>D. 5,</i> t. 148. <i>St. 2,</i> p. 51. 6000 ODONESTIS.	Very common in lanes, hedges and woods. July.
53 Quercifolia	Lappet	<i>A. t.</i> 16. <i>W. t.</i> 57. <i>H. t.</i> 43, f. a—c. <i>D. 7, t.</i> 232. <i>C. 1, t.</i> 24. <i>St. 2,</i> p. 52. 6001 GASTROPACHÆ.	Essex, Hertfordshire, Cambridgeshire. July.
54 Dispar, M. and F.	Gypsey	<i>W. t.</i> 42. <i>D. 5, t.</i> 163. <i>St. 2,</i> p. 55. 6004 HYPOGYMNA.	In the fens of Huntingdonshire; also at Coombe Wood. August.
55 Monacha	Black Arches	<i>W. t.</i> 39. <i>D. 7, t.</i> 227. <i>St. 2,</i> p. 57. 6005 PSILURÆ.	Near Brockenhurst in the New Forest; also at Epping, &c. July.
56 Fascelina	Dark Tussock	<i>A. t.</i> 26, f. 39, e—h. <i>W. t.</i> 62. <i>D. 16, t.</i> 576. <i>St. 2,</i> p. 58. 6006 DASYCHIRÆ.	Woody districts of Kent and Bedfordshire. July.
57 Pudibunda	Pale Tussock	<i>A. t.</i> 26, f. 38, a—d. <i>W. t.</i> 63. <i>H. t.</i> 15, f. c. f. <i>D. 5, t.</i> 160. <i>St. 2,</i> p. 59. 6007 DASYCHIRÆ.	Common in hop-gardens; also in the neighbourhood of London, &c. June.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
58 Coryli	Nut-tree Tussock	<i>A. t. 90, f. c—h. W. t. 66. D. 9, t. 309. St. 2, p. 60. 6008 DEMAS.</i>	Coombe, Birch, and Darenth Woods; but rare. April and July.
59 Antiqua, M. and F.	Vapourer	<i>A. t. 89, f. a—c. W. t. 64. H. t. 20, f. h—p. D. 1, t. 16. St. 2, p. 61. 6009 ORGYIA.</i>	Very common about London, &c. July to October.
60 Gonostigma, M. and F.	Scarce Vapourer	<i>A. t. 90, f. a—d. W. t. 65. H. t. 14, f. a—g. D. 9, t. 316. St. 2, p. 61. 6010 ORGYIA.</i>	Coombe Wood, Lewisham, Erith, &c. June to August.
61 Cœnosa	Whittlesea	<i>C. 2, t. 68. St. 2, p. 63. 6011 LÆLIA.</i>	Whittlesea Mere. July.
62 Vau-nigra	Black V.	<i>St. 2, p. 64, t. 16, f. 2. 6012 LEUCOMA.</i>	Bromley? Kent; very rare. August?
63 Sparshalli	Sparshall's	<i>C. 7, t. 336. Arcturus. LEUCOMA.</i>	Taken by Joseph Sparshall, Esq. in a lane near Horning, Norfolk, in August 1829. Cabinet of J. Curtis, Esq.
64 Salicis	White Satin	<i>A. t. 24, f. a—d. W. t. 41. H. t. 5, f. p. q. D. 1, t. 30. St. 2, p. 64. 6013 LEUCOMA.</i>	Abundant near London. July.
65 Chrysorrhœa, M. and F.	Yellow-tail	<i>A. t. 37, f. e—i. W. t. 59. H. t. 25, f. p—s. D. 1, t. 10. St. 2, p. 65. 6014 PORTHESIA.</i>	Essex, Cambridgeshire, Yorkshire, &c. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
66 <i>Auriflua</i>	Brown-tail	<i>A. t.</i> 37, <i>f.</i> a—d. <i>D.</i> 16, <i>t.</i> 555. <i>St.</i> 2, <i>p.</i> 66. 6015 <i>PORTHESIA</i> .	Middlesex, Kent, Cambridge- shire, &c. August.
67 <i>Dominula</i>	Scarlet Tiger	<i>A. t.</i> 22, <i>f.</i> 31, a—d. <i>W. t.</i> 38. <i>H. t.</i> 40, <i>f.</i> a—d. <i>D.</i> 4, <i>t.</i> 141. <i>St.</i> 2, <i>p.</i> 67. 6016 <i>HYPERCOMPA</i> .	Whittlesea Mere; also in Cambridge- shire, and Devon, near Barnstaple, &c. June.
68 <i>Russula</i> , M. and F.	Clouded Buff	<i>D.</i> 6, <i>t.</i> 214. <i>C.</i> 1, <i>t.</i> 21. <i>St.</i> 2, <i>p.</i> 68. 6017 <i>EUTHEMONIA</i> .	Common in the New-forest, Hants; also near York; in Cambridge- shire, and near Coombe Wood. June.
69 <i>Caja</i>	Great Tiger	<i>A. t.</i> 20. <i>W. t.</i> 36. <i>H. t.</i> 12. <i>f.</i> g—m. <i>D.</i> 1, <i>t.</i> 15. <i>St.</i> 2, <i>p.</i> 69. 6018 <i>ARCTIA</i> .	Common near London, and elsewhere. End of July.
70 <i>Villica</i>	Cream-spot Tiger	<i>A. t.</i> 21, <i>f.</i> 29, a—d. <i>W. t.</i> 37. <i>H. t.</i> 1, g, g. <i>D.</i> 2, <i>t.</i> 71. <i>St.</i> 2, <i>p.</i> 71. 6020 <i>ARCTIA</i> .	Middlesex, Surrey, Kent, &c. End of June.
71 <i>Plantaginis</i>	Small Tiger	<i>W. t.</i> 50. <i>H. t.</i> 16, <i>f.</i> g—m. <i>D.</i> 4, <i>t.</i> 134. <i>St.</i> 2, <i>p.</i> 73. 6024 <i>NEMEOPHILA</i> .	Darenth Wood, Kent; Sutton Park, War- wickshire; Westmore- land. June

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
72 <i>Fuliginosa</i>	Ruby Tiger	<i>W. t.</i> 49. <i>H. t.</i> 27, <i>f.</i> l. n. <i>D.</i> 3, <i>t.</i> 80. <i>St.</i> 2, <i>p.</i> 74. 6025 PHRAGMATOBIA.	Yorkshire; and near Newcastle. Beginning of July.
73 <i>Menthastri</i>	Great Ermine	<i>W. t.</i> 40. <i>H. t.</i> 38, <i>f.</i> k. l. <i>D.</i> 4, <i>t.</i> 189. <i>A.</i> <i>t.</i> 24, <i>f.</i> g—k. <i>St.</i> 2, <i>p.</i> 75. 6026 SPILOSOMA.	Essex; Cambridgeshire; Northumberland, &c. May.
74 <i>Urticæ</i>	Dingy White	<i>St.</i> 2, <i>p.</i> 76. 6027 SPILOSOMA.	In the Cabinet of J. F. Stephens, Esq.; also in the Collection of the late Mr. Haworth.
75 <i>Papyratia</i>	Water Ermine	<i>A. t.</i> 21, <i>f.</i> 30, e—h. <i>D.</i> 16, <i>t.</i> 571. <i>St.</i> 2, <i>p.</i> 76. 6028 SPILOSOMA.	Marshy places near Plaistow in Essex, &c. Middle of June.
76 <i>Lubricepeda</i>	Spotted Buff	<i>A. t.</i> 24, <i>f.</i> 35, a—c. <i>W. t.</i> 43. <i>H. t.</i> 17, <i>f.</i> g—i. <i>D.</i> 16, <i>t.</i> 568. <i>St.</i> 2, <i>p.</i> 77. 6029 SPILOSOMA.	Common in most counties. June.
77 & 78 <i>Mendica</i> , M. and F.	Spotted Muslin	<i>H. t.</i> 35, <i>f.</i> f. m. <i>D.</i> 11, <i>t.</i> 388. <i>St.</i> 2, <i>p.</i> 78. 6031 DIAPHORA.	Kent, near Erith; Essex, &c., particularly in marshy places. Middle of May.
79 <i>Fusca</i>	Brown Muslin	<i>St.</i> 2, <i>p.</i> 80, <i>t.</i> 18, <i>f.</i> 3 & 4. 6034 PSYCHE.	Highgate; Hornsey Wood. Beginning of July.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
80 <i>Nigricans</i>	Black Muslin	<i>C. 5, t. 213. St. 2, p. 79.</i> 6033 PENTHOPHERA.	Taken by J. C. Dale, Esq., in Dorset- shire. June.
81 <i>Nitidella</i>	Shining Chim- ney Sweep	<i>C. 7, t. 332. St. 2, p. 82.</i> 6035 FUMEA.	Taken by Mr. Stephens in a lane near Da- renth Wood; and also by Mr. Curtis. July.
82 <i>Pulla</i>	Small Chim- ney Sweep	<i>St. 2, p. 82.</i> 6036 FUMEA.	Taken by Mr. Stephens, near Darenth Wood. June.
83 <i>Muscella</i>	Chimney Sweeper's Boy	<i>St. 2, p. 82.</i> 6037 FUMEA.	Grassy places on heaths. June.
84 <i>Bombycella</i>	Transparent Chimney Sweeper	<i>St. 2, p. 83.</i> 6038 FUMEA.	Mr. Stephens's Cabinet. Very rare.
85 <i>Pectinella</i>	Light Chimney Sweeper	<i>St. 2, p. 83.</i> 6039 FUMEA.	Mr. Stephens's Cabinet. Very rare.
86 <i>Mundana</i>	Muslin	<i>C. 9, t. 400. St. 2, p. 83.</i> 6040 NUDARIA.	Middlesex, Kent, Cheshire, &c. August.
87 <i>Hemerobia</i>	Transparent Muslin	<i>St. 2, p. 84.</i> 6041 NUDARIA.	Darenth Wood. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
88 <i>Senec</i>	Round-winged Muslin	<i>St.</i> 2, <i>p.</i> 84, <i>t.</i> 18, <i>f.</i> 2. 6042 NUDARIA.	Whittlesea Mere; also near Lon- don, but very rare. July.
89 <i>Asellus</i>	Plain Muslin	<i>St.</i> 2, <i>p.</i> 85, <i>t.</i> 17, <i>f.</i> 2. 6043 HETEROGENIA.	New Forest, near Lyndhurst. Very rare.
90 <i>Testudo</i> , M. and F.	Festoon	<i>A.t.</i> 68, <i>f.</i> e—g. <i>W.t.</i> 88. <i>D.</i> 3, <i>t.</i> 76. <i>St.</i> 2, <i>p.</i> 86. 6044 LIMACODES.	Darenth and Birch Woods; also near Chiselhurst and Syden- ham, but not common. End of June.
91 <i>Jacobææ</i>	Pink under- wing	<i>A. t.</i> 34, <i>f.</i> 55, e—i. <i>W.t.</i> 55. <i>H. t.</i> 4, <i>upper</i> <i>fig.</i> <i>D.</i> 2, <i>t.</i> 45. <i>St.</i> 2, <i>p.</i> 90. 6045 CALLIMORPHA.	Kent, Essex, Cambridge- shire, Devon, &c. May and June.
92 <i>Miniata</i>	Red arches	<i>H. t.</i> 30, <i>f.</i> <i>p.</i> <i>D.</i> 2, <i>t.</i> 40, <i>lower fig.</i> <i>St.</i> 2, <i>p.</i> 90. 6046 CALLIMORPHA.	Norwood and other places near London; &c. July.
93 <i>Grammica</i>	Feathered Footman	<i>D.</i> 13, <i>t.</i> 450. <i>St.</i> 2, <i>p.</i> 91, <i>t.</i> 17, <i>f.</i> 3. 6047 EULEPIA.	Two specimens taken near Windsor in October 1815.
94 <i>Cribrum</i>	Speckled Foot- man	<i>C.</i> 2, <i>t.</i> 56. <i>St.</i> 2, <i>p.</i> 92. 6048 EULEPIA.	Parley Heath near Ring- wood, Hants. June.





31 a +



32 c



33 a



34 b +



35 a +



36 b



37 a



38 b



39 a



40 a +



41 a



42 b



43 a +



44 a +



45 a



46 b +



47 a +



48 b +



49 a +



50 a +



51 a +



52 b +



53 a



54 a +




55 b



56 c



57 a +



58 a +



59 b +



60 a



61 b



62 a +



63 b +




64 a



65 a +



66 a



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
95 <i>Pulchella</i>	Crimson-speckled	<i>C. 4, t. 169. St. 2, p. 93.</i> 6049 <i>DEIOPEIA</i> .	Stubble-field near Christchurch, Hants; and Brighton, Sussex. Very rare. Sept.
96 <i>Aureola</i>	Orange Footman	<i>St. 2, p. 94, t. 13, f. 1.</i> 6050 <i>LITHOSIA</i> .	Birch and Coombe Woods; also near Ripley, in Yorkshire. Middle of July.
97 <i>Gilveola</i>	Pale Footman	<i>St. 2, p. 95.</i> 6053 <i>LITHOSIA</i> .	A pair in the Cabinet of Mr. Stephens, taken either in Birch or Darenth Woods.
98 <i>Helvola</i>	Clouded Footman	<i>St. 2, p. 94.</i> 6051 <i>LITHOSIA</i> .	Brockenhurst, in the New Forest; but rare.
99 <i>Flava</i>	Straw-coloured Footman	<i>St. 2, p. 95.</i> 6052 <i>LITHOSIA</i> .	Found with the above; also in Birch and Darenth Woods; but very rare.
100 <i>Complana</i>	Common Footman	<i>A. t. 70, f. c—h. St. 2, p. 95.</i> 6054 <i>LITHOSIA</i> .	Woods and shady lanes; Middlesex, Surrey, Essex, &c. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
101 <i>Depressa</i>	Pale-edged Footman	<i>St. 2, p. 96.</i> 6055 LITHOSIA.	Darenth Wood and near Ripley by Mr. Stephens. Very rare. Middle of July.
102 <i>Griseola</i>	Dun Footman	<i>St. 2, p. 96.</i> 6056 LITHOSIA.	Common in a woody lane near Ripley ; also near Hertford. Beginning of August.
103 <i>Plumbeo- lata</i>	Leaden Foot- man	<i>St. 2, p. 96.</i> 6057 LITHOSIA.	Cabinet of Mr. Stephens. Specimens said to be found near London.
104 <i>Muscerda</i>	Spotted Foot- man	<i>C. 1, t. 36. St. 2, p. 97.</i> 6058 LITHOSIA.	Found in a marsh at Horning, Nor- folk, by Mr. Sparshall.
105 <i>Quadra</i> , M. and F.	Large Foot- man	<i>W. t. 52. D. 9, t. 306.</i> <i>St. 2, p. 97.</i> 6059 LITHOSIA.	Common in the New Forest ; found also in Kent, Essex, &c. Middle of July.
106 <i>Rubricollis</i>	Black Foot- man	<i>H. t. 43, f. p. D. 10, t. 350,</i> <i>f. 3. St. 2, p. 98.</i> 6060 GNOPHRIA.	Near Darenth Wood, Kent ; Collingbourne Wood, Wilts. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
107 <i>Irrorella</i>	Dew Moth	<i>St. 2, p. 99.</i> 6061 <i>SETINA</i> .	Near Rochester, Birch Wood, and on Dartford Common. June.
108 <i>Roscida</i>	Pale Dew Moth	<i>St. 2, p. 100.</i> 6062 <i>SETINA</i> .	Riddlesdown near Croydon. June.
109 <i>Eborina</i>	4-spot Small Footman	<i>St. 2, p. 100.</i> 6063 <i>SETINA</i> .	Darenth, Birch, and Coombe Woods; also at Epping, &c. Beginning of August.
110 <i>Orbona</i>	Lesser Yellow underwing	<i>D. 10, t. 343, f. 2. St. 2, p. 102.</i> 6064 <i>TRIPHENA</i> .	Common in several counties. End of June and early in July.
111 <i>Subsequa</i>	Dark lunar Yellow underwing	<i>C. 8, t. 348. St. 2, p. 103.</i> 6065 <i>TRIPHENA</i> .	Taken by Mr. Curtis in Scotland.
112 <i>Pronuba</i>	Great Yellow underwing	<i>A. t. 72, f. a—d. W. t. 1. H. t. 39, f. d—f. D 9, t. 311. St. 2, p. 103.</i> 6066 <i>TRIPHENA</i> .	Common in gardens and hedges in many parts of England; from the beginning of June to the middle of July.
113 <i>Innuba</i>	Pale-edged Yellow underwing	<i>St. 2, p. 104.</i> 6067 <i>TRIPHENA</i> .	Found at the same time and in the same places with the above.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
114 <i>Fimbria</i>	Broad-bordered Yellow underwing	<i>H. t. 5, f. 2. D. 6, t. 208. St. 2, p. 105. 6068 TRIPHÆNA.</i>	Middlesex, Surrey, Kent, Essex, &c. Beginning of July.
115 <i>Interjecta</i>	Third Yellow underwing	<i>St. 2, p. 105. 6069 TRIPHÆNA.</i>	Darenth, Birch and Coombe Woods; also near Hertford and Epping. June.
116 <i>Janthina</i>	Lesser broad-bordered Yellow underwing	<i>W. l. 11, f. 5. St. 2, p. 106. 6070 TRIPHÆNA.</i>	Lanes and borders of woods in Essex, Suffolk, &c. August.
117 <i>Texta</i>	Brown-bordered Yellow underwing	<i>St. 2, p. 107. 6071 CERIGO.</i>	Woods in Essex, Kent, and Norfolk. June.
118 <i>Umbrosa</i>	Six-striped Rustic	<i>St. 2, p. 108. 6072 LYTEA.</i>	Near Birch Wood; also by Mr. Stephens in Sydenham Wood. Netley, Shropshire. End of July.
119 <i>Leucograppha</i>	White-spotted Rustic	<i>St. 2, p. 199. 6072* p. 372 LYTEA.</i>	Taken near York. Mr. Stephens's Cabinet.
120 <i>Cespitis</i>	Autumnal Rustic	<i>St. 2, p. 109. 6073 CHARÆAS.</i>	Near Bexley, and on Dartford Common. September.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
121 <i>Confinis</i>	Allied Rustic	<i>St. 2, p. 109.</i> 6074 CHARÆAS.	Mr. Stephens's Cabinet.
122 <i>Fusca</i>	Barred-feathered Rustic	<i>St. 2, p. 109.</i> 6075 CHARÆAS.	Near Birch Wood. September.
123 <i>Nigra</i>	Black Rustic	<i>St. 2, p. 110, t. 20, f. 2.</i> 6076 CHARÆAS.	Mr. Stephens's Cabinet.
124 <i>Graminis</i>	Antler	<i>D. 13, t. 458. C. 10, t. 451.</i> 6079 CHARÆAS.	Coombe Wood, Whittlesea Mere, and in Devonshire, but rare. July.
125 <i>Ferruginea</i>	Feathered Rustic	<i>St. 2, p. 112.</i> 6080 RUSINA.	Hedges near Darenth Wood, rare. End of June.
126 <i>Lunigera</i>	Lunar Dart	<i>St. 2, p. 113, t. 20, f. 3.</i> 6081 AGROTIS.	Cabinet of Mr. Bentley. Found near Cork in Ireland. June.
127 <i>Corticca</i>	Heart and Club	<i>St. 2, p. 114.</i> 6082 AGROTIS	Kent, Sussex, Devonshire, &c. June.
128 <i>Æqua</i> , F.	Pearly underwing	<i>St. 2, p. 115.</i> 6083 AGROTIS.	Taken near Epping; also near London and in Hertfordshire, but rare. September and October.
129 <i>Segetum</i>	Common Dart	<i>St. 2, p. 115.</i> 6084 AGROTIS.	Very common in fields and hedges in Yorkshire, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
130 <i>Suffusa</i>	Dark Sword- grass	<i>D.</i> 10, <i>t.</i> 345, <i>f.</i> 2, 3. <i>St.</i> 2, <i>p.</i> 117. 6085 AGROTIS.	Birch and Da- renth Woods ; also near Ep- ping. June and July.
131 <i>Annexa</i> , F.	Tawny Shoul- der	<i>St.</i> 2, <i>p.</i> 117, <i>t.</i> 22, <i>f.</i> 2. 6086 AGROTIS.	A single speci- men taken near West Ham, in Essex, now in Mr. Curtis's Cabinet ; also in the Cabinet of Mr. Bentley. June.
132 <i>Valligera</i>	Archer's Dart	<i>D.</i> 10, <i>t.</i> 340, <i>f.</i> 3. <i>St.</i> 2, <i>p.</i> 118. 6087 AGROTIS.	New Forest, Hants ; Teign- mouth, Devon, &c. ; but scarce. August.
133 <i>Radia</i>	Shuttle-shaped Dart	<i>St.</i> 2, <i>p.</i> 119. 6088 AGROTIS.	Near London, New Forest, and Derbyshire. Mr. Bentley's Cabinet. July.
134 <i>Radiola</i> , F.	Dark Shuttle- shaped Dart	<i>St.</i> 2, <i>p.</i> 119, <i>t.</i> 20, <i>f.</i> 1. 6089 AGROTIS.	St. James's and Greenwich Parks ; also in Norfolk and Devon, rare. Mr. Bentley's Cabinet. June.
135 <i>Sagitti- fera</i>	Archer Dart	<i>St.</i> 2, <i>p.</i> 119. 6090 AGROTIS.	Neighbourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
136 <i>Lincolata</i>	Lineolated Dart	<i>St. 2, p. 120.</i> 6091 AGROTIS.	Darenth Wood. Middle of August.
137 <i>Pupillata</i>	Pupilled Dart	<i>St. 2, p. 120.</i> 6092 AGROTIS.	Whittlesea Mere; Devon; and near London, but rare. July.
138 <i>Aquilina</i>	Bordered Dart	<i>St. 2, p. 121.</i> 6093 AGROTIS.	Near London, and in Glamorganshire. Scarce. Middle of July.
139 <i>Tritici</i> , F.	White-line Dart	<i>St. 2, p. 121.</i> 6094 AGROTIS.	Whittlesea Mere. Rare. July.
140 <i>Ocellina</i>	Eyed Dart	<i>St. 2, p. 122.</i> 6095 AGROTIS.	Very rare. Taken in Darenth Wood, and near Dublin. June.
141 <i>Cuncigera</i>	Wedge-barred Dart	<i>St. 2, p. 123.</i> 6096 AGROTIS.	Darenth Wood. Beginning of July.
142 <i>Venosa</i>	Veined Dart	<i>St. 2, p. 123.</i> 6097 AGROTIS.	Cabinet of Mr. Stephens. Taken near Edinburgh, July 1824.
143 <i>Hortorum</i>	Garden Dart	<i>St. 2, p. 122.</i> 6098 AGROTIS.	Whittlesea Mere. August.
144 <i>Nigricans</i>	Dark Garden Dart	<i>St. 2, p. 123.</i> 6099 AGROTIS.	Gardens near London; also at Whittlesea Mere. End of July and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
145 <i>Fumosa</i>	Dark Rustic	<i>St. 2, p. 124.</i> 6100 AGROTIS.	Found at the same time and place as the preceding.
146 <i>Obeliscata</i>	Square-spot Dart	<i>St. 2, p. 124.</i> 6101 AGROTIS.	Darenth Wood; Ripley in York- shire, and near London. Au- gust.
147 <i>Ruris</i>	Rufous Dart	<i>St. 2, p. 125.</i> 6102 AGROTIS.	Darenth Wood; Whittlesea Mere. August.
148 <i>Dubia</i>	White line	<i>St. 2, p. 125.</i> 6103 AGROTIS.	Near London. August.
149 <i>Subgo- thica</i>	Gothic Dart	<i>St. 2, p. 126, t. 22, f. 3.</i> 6104 AGROTIS.	Near London, and Barnstaple, Devon; but very scarce. June.
150 <i>Exclama- tionis</i> , M. and F.	Heart and Dart	<i>St. 2, p. 126.</i> 6105 AGROTIS.	Common in gar- dens, hedges, &c., near Lon- don. End of June.
151 <i>Nebulosa</i>	Clouded Dart	<i>St. 2, p. 127, t. 22, f. 1.</i> 6106 AGROTIS.	Two specimens taken by Mr. Raddon near Barnstaple, De- von, July 1827.
152 <i>Cinerea</i>	Light feathered Rustic	<i>St. 2, p. 127.</i> 6107 AGROTIS.	Kent, Salop, Isle of Wight, &c.; but un- common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
153 <i>Subrosea</i>	Rosy Dart	<i>St. 2, p. 128, t. 19, f. 1.</i> 6108 <i>GRAPHIPHORA</i> , <i>rhomboidea</i> .	Borders of Whit- tlesea Mere. Very scarce. July.
154 <i>Renigera</i>	Pine Dart	<i>St. 2, p. 129.</i> 6109 <i>GRAPHIPHORA</i> .	Derbyshire, Westmoreland. Rare. July.
155 <i>Latens</i>	Dusky Dart	<i>St. 2, p. 129.</i> 6110 <i>GRAPHIPHORA</i> .	The only ex- ample Mr. Ste- phens has seen of this insect, was taken in the South of Scotland in the summer of 1827.
156 <i>Pyrophila</i>	Streaked Dart	<i>St. 2, p. 130.</i> 6111 <i>GRAPHIPHORA</i> .	Netley, Shrop- shire; but rare. July.
157 <i>Crassa</i>	Stout Dart	<i>St. 2, p. 130.</i> 6113 <i>GRAPHIPHORA</i> .	Bottisham, Cam- bridgeshire; Netley, Salop. August.
158 <i>Augur</i>	Double Dart	<i>St. 2, p. 131.</i> 6114 <i>GRAPHIPHORA</i> .	Coombe and Da- renth Woods; Cambridge- shire, Essex, &c. July.
159 <i>Brunnea</i>	Purple Clay	<i>St. 2, p. 131.</i> 6115 <i>GRAPHIPHORA</i> .	Coombe and Da- renth Woods, &c. Not un- common. End of July or be- ginning of Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
160 <i>Candeli- sequa</i>	Brown Clay	<i>St.</i> 2, <i>p.</i> 132. 6116 GRAPHIPHORA.	Taken by Mr. Stephens in Darenth Wood. July.
161 <i>Tristigma</i>	Triple spotted Clay	<i>St.</i> 2, <i>p.</i> 132. 6117 GRAPHIPHORA.	Darenth Wood, and near Rip- ley. July
162 <i>Triangu- lum</i>	Double Square-spot	<i>D.</i> 16, <i>t.</i> 562. <i>St.</i> 2, <i>p.</i> 133. 6118 GRAPHIPHORA.	Darenth Wood ; also Coombe and Birch Woods; near Dover, &c. End of July.
163 <i>Baja</i>	Dotted Clay	<i>St.</i> 2, <i>p.</i> 134. 6120 GRAPHIPHORA.	Darenth, Coombe, and Birch Woods, &c. End of July.
164 <i>Erythro- cephala</i>	Barred Chest- nut	<i>St.</i> 2, <i>p.</i> 134. 6121 GRAPHIPHORA.	Darenth and Birch Woods. July.
165 <i>Festiva</i>	Ingrailed Clay	<i>St.</i> 2, <i>p.</i> 135. 6122 GRAPHIPHORA.	Darenth Wood, Coombe Wood, and near Hert- ford, &c. End of June.
166 <i>C. nigrum</i>	Setaceous He- brew Cha- racter	<i>St.</i> 2, <i>p.</i> 136. 6123 GRAPHIPHORA.	Darenth and Coombe Woods; also in Yorkshire, De- von, &c. End of June and beginning of July.



91 a +



100 a



109 a



117 a +



92 a



101 a



109 a



118 a +



93 a +



102 a



110 a +



119 a



94 a +



103 a



111 a +



120 a



95 a +



104 a +



112 b



121 a



96 a



105 a +



113 b



122 a



97 a



105 a +



114 b



123 a +



98 a



106 a +



115 a +



124 a



99 a



107 a



116 a +



125 a +







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
167 <i>Musiva</i>	Light-edged Clay	<i>St. 2, p. 136.</i> 6124 <i>GRAPHIPHORA.</i>	Taken by Dr. Leach, and now in the British Museum.
168 <i>Plecta</i>	Flame Shoul- der	<i>St. 2, p. 137.</i> 6126 <i>GRAPHIPHORA.</i>	Hedges and woody lanes in Middlesex, Essex, Surrey, &c. June and September.
169 <i>Punicea</i>	Small Square- spot	<i>St. 2, p. 135.</i> 6127 <i>GRAPHIPHORA.</i>	Darenth Wood, Epping, &c. June.
170 <i>Gothica</i>	Hebrew Cha- racter	<i>St. 2, p. 133.</i> 6128 <i>SEMIOPHORA.</i>	Hedges and wood sides. Highgate, Hampstead, Ep- ping, Bottis- ham, &c. Mid- dle of April.
171 <i>Instabilis</i>	Clouded Drab	<i>A. t. 76, f. a—d. St. 2,</i> <i>p. 140.</i> 6129 <i>ORTHOSIA.</i>	Richmond Park, Epping Forest, &c. Common. Beginning of April.
172 <i>Interme- dia</i>	Connecting Drab	<i>St. 2, p. 140.</i> 6130 <i>ORTHOSIA.</i>	A single pupa found by Mr. Stephens in Richmond Park.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
173 <i>Gracilis</i>	Lead-coloured Drab	<i>St. 2, p. 141.</i> 6131 ORTHOSIA.	Darenth and Birch Woods; also in Epping Forest, but not common. Be- ginning of April.
174 <i>Munda</i>	Twin-spotted Quaker	<i>St. 2, p. 141.</i> 6132 ORTHOSIA.	Epping, Leather- head, Dorking, &c. End of April.
175 <i>Sparsa</i>	Powdered Quaker	<i>St. 2, p. 142.</i> 6133 ORTHOSIA.	Middlesex, Essex, Kent, &c. End of April.
176 <i>Pallida</i>	Pale Quaker	<i>St. 2, p. 143.</i> 6134 ORTHOSIA.	Taken by Mr. Stephens in Richmond Park. Rare. End of April.
177 <i>Stabilis</i>	Common Quaker	<i>A. t. 76, f. c—h. St. 2, p. 143.</i> 6135 ORTHOSIA.	Common in many parts of the country. Beginning of April.
178 <i>Miniosa</i>	Blossom Un- derwing	<i>St. 2, p. 144.</i> 6136 ORTHOSIA.	Darenth Wood, Epping, Lea- therhead. Not common. End of March.
179 <i>Cruda</i>	Small Quaker	<i>A. t. 74, f. a—e. St. 2, p. 144.</i> 6137 ORTHOSIA.	Middlesex; Surrey; oaks in Richmond Park, &c. Com- mon. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
180 <i>Pusilla</i>	Dwarf Quaker	<i>St. 2, p. 145.</i> 6138 ORTHOSIA.	Richmond Park, &c. End of March.
181 <i>Litura</i>	Brown-spot Pinion	<i>St. 2, p. 145.</i> 6139 ORTHOSIA.	Darenth Wood, Hertford, Ep- ping. Septem- ber or October.
182 <i>Pistacina</i>	Pale-beaded Chestnut	<i>St. 2, p. 146.</i> 6140 ORTHOSIA.	Darenth and Birch Woods. September.
183 <i>Lunosa</i>	Lunar Under- wing	<i>C. 5, t. 237. St. 2, p. 147.</i> 6141 ORTHOSIA.	Birch and Coombe Woods, &c. September.
184 <i>Lota</i>	Red-line Quaker	<i>St. 2, p. 147.</i> 6142 ORTHOSIA.	Hertford; also near Waltham- stow, Darenth Wood, &c., but not common. September and October.
185 <i>Flavilinea</i>	Yellow-line Quaker	<i>St. 2, p. 148, t. 19, f. 2.</i> 6143 ORTHOSIA.	Near Caen Wood, Hamp- stead; Brocken- hurst, and De- vonshire. End of September.
186 <i>Macilenta</i>	Brick	<i>St. 2, p. 148.</i> 6144 ORTHOSIA.	Hertford, Coombe Wood, the New Forest, &c. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
187 <i>Upsilon</i>	Dingy Shears	<i>St. 2, p. 149.</i> 6145 ORTHOSIA.	Marshes near Hertford; also near London, in Battersea Fields, &c. June.
188 <i>Turca</i>	Double-line	<i>St. 2, p. 150.</i> 6146 MYTHIMNA.	Chigwell-row, Essex, and near Bristol; also in the hollow of Coombe Wood, by Mr. Stephens. Rare. July.
189 <i>Grisea</i>	Bright-eyed Clay	<i>St. 2, p. 150.</i> 6147 MYTHIMNA.	Darenth Wood; New Forest; Hants and De- von, &c. End of June.
190 <i>Lithar- gyria</i>	Ochraceous brown	<i>St. 2, p. 151.</i> 6148 MYTHIMNA.	In the Cabinet of Mr. Stephens. Taken near Brockenhurst, in the New Forest. July.
191 <i>Conigera</i>	Brown-line bright-eye	<i>St. 2, p. 151.</i> 6149 MYTHIMNA.	Darenth and Coombe Woods; Essex, Hert- fordshire, &c.
192 <i>Trilinea</i>	Equal Treble- lines	<i>St. 2, p. 152.</i> 6152 GRAMMESIA.	Coombe and Da- renth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
193 <i>Bilinea</i>	Dark Treble-lines	<i>St.</i> 2, <i>p.</i> 152. 6153 GRAMMESIA.	In Mr. Bentley's Cabinet. One taken by Mr. Stephens in Coombe Wood, July 1815 ; others near Birch Wood, but very rare. June.
194 <i>Xanthographa</i>	Square-spot Rustic	<i>St.</i> 2, <i>p.</i> 153. 6150 SEGETIA.	Common in Middlesex, Kent, Surrey, &c. August.
195 <i>Neglecta</i>	Neglected Rustic	<i>St.</i> 2, <i>p.</i> 154, <i>t.</i> 21, <i>f.</i> 2. 6151 SEGETIA.	Taken near Ringwood by Messrs. Bentley and Chant ; also by Mr. Stephens at Birch Wood ; and by Mr. Dale in the New Forest. Sept.
196 <i>Ambigua</i>	Dotted Rustic	<i>St.</i> 2, <i>p.</i> 155. 6154 CARADRINA.	Lanes near Darenth Wood, &c. June.
197 <i>Redacta</i>	Lesser dotted Rustic	<i>St.</i> 2, <i>p.</i> 155. 6155 CARADRINA.	Found with No. 196. near Darenth Wood, &c. June.
198 <i>Alsines</i>	Garden Rustic	<i>St.</i> 2, <i>p.</i> 156. 6156 CARADRINA.	Frequents gardens, Middlesex, Surrey, Kent, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
199 <i>Implexa</i>	Clouded Gar- den Rustic	<i>St.</i> 2, <i>p.</i> 156. 6157 CARADRINA.	Darenth Wood, &c. July.
200 <i>Lævis</i>	Grey Rustic	<i>St.</i> 2, <i>p.</i> 157. 6158 CARADRINA.	Darenth Wood, and near Lon- don. July.
201 <i>Morpheus</i>	Bordered Rustic	<i>St.</i> 2, <i>p.</i> 157. 6160 CARADRINA.	Devonshire ; also one taken at Hertford by Mr. Stephens. June.
202 <i>Sepii</i>	Mottled Rustic	<i>St.</i> 2, <i>p.</i> 157. 6161 CARADRINA.	Gardens, shady lanes, &c. Common. June.
203 <i>Cubicu- laris</i>	Pale mottled Willow	<i>St.</i> 2, <i>p.</i> 158. 6162 CARADRINA.	Gardens and meadows. Common. Mid- dle of June.
204 <i>Superstes</i>	Powdered Rustic	<i>St.</i> 2, <i>p.</i> 159. 6163 CARADRINA.	Habitat the same as No. 203, but not so common. June.
205 <i>Glarcosa</i>	Autumnal Rustic	<i>St.</i> 2, <i>p.</i> 159, <i>t.</i> 21, <i>f.</i> 2. 6164 CARADRINA.	Birch Wood, New Forest, and Devon- shire, but rare. September.
206 <i>Rubricosa</i>	Red Chestnut	<i>St.</i> 2, <i>p.</i> 160. 6165 GLÆA.	Darenth Wood, very rare. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
207 <i>Rubiginea</i>	Dotted Chest- nut	<i>St.</i> 2, p. 161. 6166 GLÆA.	Taken by Mr. Walton in Nor- bury Park, near Dorking. Mid- dle of October to the begin- ning of Novem- ber. Rare.
208 <i>Satellitæ</i>	Satellite	<i>D.</i> 5, t. 163. <i>St.</i> 2, p. 163. 6167 GLÆA.	Middlesex, Sur- rey, Kent, Essex, &c. Common. Mid- dle or end of September.
209 <i>Vaccinii</i>	The Chestnut	<i>A.</i> t. 23, f. 34. c—h. <i>St.</i> 2, p. 161. 6168 GLÆA.	Middlesex, Kent, Surrey, &c., in woody places. September.
210 <i>Spadicea</i>	Dark Chestnut	<i>St.</i> 2, p. 162. 6169 GLÆA.	Found with the preceding.
211 <i>Subnigra</i>	Black Chest- nut	<i>C.</i> 6, t. 263. <i>St.</i> 2, p. 162. 6170 GLÆA.	Woody places near London ; and in Kent, Surrey, &c. Not common. September.
212 <i>Polita</i>	Netted Chest- nut	<i>St.</i> 2, p. 162. 6171 GLÆA.	Found at the same time and in the same places as Nos. 209, 210 & 211.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
213 <i>Pyramidea</i>	Copper under- wing	<i>D. 6, t. 193. St. 2, p. 164.</i> 6172 <i>AMPHIPYRA.</i>	Middlesex, Sur- rey, Essex ; oaks in Coombe Wood, Rich- mond Park, &c. August.
214 <i>Tragopo- gonis</i>	Mouse	<i>St. 2, p. 165.</i> 6173 <i>PYROPHILA.</i>	Darenth Wood, Hertford, Coles- hill, &c. June.
215 <i>Tetra</i>	Mahogany	<i>A. t. 27, f. 41. h—k.</i> <i>St. 2, p. 165.</i> 6174 <i>PYROPHILA.</i>	Middlesex, Essex, Devon- shire, &c. Found in gar- dens, in the month of June.
216 <i>Typica</i>	Dark Gothic	<i>A. t. 15, f. 21. a—d.</i> <i>H. t. 22, f. d—g. St. 2,</i> <i>p. 166.</i> 6176 <i>NÆNIA.</i>	On nettles near London, and other places. Common. End of June.
217 <i>Pinastri</i>	Bird's wing	<i>D. 10, t. 347, f. 2. St. 2,</i> <i>p. 163.</i> 6175 <i>DYPTERYGIA.</i>	Mr. Stephens found this in- sect on palings near Coombe Wood; and Mr. Bentley on Newington Green. June.
218 <i>Conspici- laris</i>	Silver Cloud	<i>D. 13, t. 453. St. 2,</i> <i>p. 169.</i> 6181 <i>XYLINA.</i>	Mr. Stephens has a pair taken in Bulstrode Park; they have also been taken be- tween Birch Wood and Bex- ley; but very rare. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
219 <i>Lambda</i>	Grey Shoulder-knot	<i>St. 2, p. 170.</i> 6177 XYLINA.	Coombe Wood, Netley, Epping, Hertford. The autumn.
220 <i>Pulla</i>	Ash Shoulder-knot	<i>St. 2, p. 170.</i> 6178 XYLINA.	A specimen taken in the autumn at Woodside, near Epping, in 1817; now in the British Museum.
221 <i>Semibrun- nea</i>	Tawny Pinion	<i>St. 2, p. 170, t. 21, f. 3.</i> 6179 XYLINA.	Coombe Wood. Rare. September. A pair in the British Museum.
222 <i>Petrificata</i>	Pale Pinion	<i>St. 2, p. 171, t. 23, f. 1.</i> 6180 XYLINA.	One in Mr. Stephens's Cabinet, taken near Teignmouth, Devon. June.
— 223 <i>Putris</i>	Flame	<i>A. t. 79, f. a—d. St. 2, p. 172.</i> 6183 XYLINA.	Hedges, gardens and woody places. Middlesex, Surrey, Essex, Kent. Middle of June.
224 <i>Vetusta</i>	Red Sword-grass	<i>D. 6, t. 187, exoleta.</i> <i>St. 2, p. 174.</i> 6185 CALOCAMPA.	Mr. Bentley's Cabinet. Darenth Wood. Rare. October.
— 225 <i>Lythoxy- lea</i>	Light Arches	<i>St. 2, p. 175.</i> 6186 XYLOPHASTIA.	Darenth and Coombe Woods, Epping Forest, &c. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
226 <i>Exoleta</i>	Sword-grass	<i>D. 6, t. 187, the Larva.</i> <i>C. 6, t. 256. St. 2,</i> <i>p. 173.</i> 6184 <i>CALOCAMPA.</i>	Gardens and woody places. Darenth Wood, &c. Autumn.
227 <i>Sublustris</i>	Reddish Light Arches	<i>St. 2, p. 175.</i> 6187 <i>XYLOPHASIA.</i>	Taken near Brighton. July.
228 <i>Polyodon</i>	Dark Arches	<i>St. 2, p. 176.</i> 6188 <i>XYLOPHASIA.</i>	Common in hedges, gar- dens, woods, &c. June and July.
229 <i>Hepatica</i>	Clouded-bor- dered Brin- dle	<i>St. 2, p. 176.</i> 6189 <i>XYLOPHASIA.</i>	Middlesex, Sur- rey, Essex, &c. Beginning of July.
230 <i>Combusta</i>	Dark Tawny	<i>St. 2, p. 177.</i> 6192 <i>XYLOPHASIA.</i>	Coombe, Birch and Darenth Woods; but very rare. June.
231 <i>Epomidion</i>	Clouded Brin- dle	<i>St. 2, p. 178.</i> 6191 <i>XYLOPHASIA.</i>	Derbyshire, Yorkshire, De- von; shady lanes near Rip- ley. End of June.
232 <i>Scolopa- cina</i>	Slender cloud- ed Brindle	<i>St. 2, p. 178.</i> 6193 <i>XYLOPHASIA.</i>	Taken by Mr. Chant near Sheffield; and by Mr. King at Coombe Wood. June.



161 a +



170 a +



179 a



168 a +



162 a +



171 a +



180 n



169 a +



163 a +



172 a +



181 a



190 a +



164 a +



173 a +



182 a +



191 a +



165 a +



174 a +



183 a



192 a +



166 a +



175 a +



184 a +



193 a +



167 a +



176 a +



185 a



194 a +



168 a



177 a



186 a +




195 a +




169 a +



178 a



167 a +



196 a +







<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
233 <i>Rectilinea</i> , F.	Clouded Bro- cade	<i>St.</i> 2, <i>p.</i> 179. 6191 <i>XYLOPHASIA</i> .	North of En- gland. Taken by Mr. Mar- shall in Traf- ford Park, Lan- cashire.
234 <i>Amica</i>	Barred Arches	<i>St.</i> 2, <i>p.</i> 180, <i>t.</i> 23, <i>f.</i> 2. 6195 <i>HADENA</i> .	Mr. Stephens's Cabinet. Very rare.
235 <i>Adusta</i>	Dark Brocade	<i>St.</i> 2, <i>p.</i> 181. 6196 <i>HADENA</i> .	Birch Wood; but rare. June.
236 <i>Satura</i>	Dingy Bro- cade	<i>St.</i> 2, <i>p.</i> 181. 6197 <i>HADENA</i> .	A pair in Mr. Stephens's Cabinet, from the late Mr. Marsham's Col- lection. Very rare.
237 <i>Remissa</i>	Gothic Bro- cade	<i>St.</i> 2, <i>p.</i> 181. 6198 <i>HADENA</i> .	Coombe and Da- renth Woods; also near Rip- ley, Hertford, &c. June.
238 <i>Contigua</i>	Beautiful Bro- cade	<i>St.</i> 2, <i>p.</i> 184. 6202 <i>HADENA</i> .	Coombe Wood. June.
239 <i>Glauca</i>	Glaucous Sheers	<i>St.</i> 2, <i>p.</i> 185. 6204 <i>HADENA</i> .	Near London, Cheltenham, and Matlock. June.
240 <i>Plebeia</i>	The Sheers	<i>St.</i> 2, <i>p.</i> 185. 6205 <i>HADENA</i> .	Middlesex, Essex, Kent, Sussex, Devon, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
241 <i>Leuco- stigma</i>	Pale Sheers	<i>St.</i> 2, <i>p.</i> 186. 6206 HADENA.	Habitat the same as No. 240. June.
242 <i>Ochracca</i>	Tawny Sheers	<i>St.</i> 2, <i>p.</i> 186, <i>t.</i> 28, <i>f.</i> 3. 6207 HADENA.	Near London, Brighton, and in Norfolk ; but rare. June.
243 <i>Lithorhiza</i>	Early Grey	<i>St.</i> 2, <i>p.</i> 187. 6208 HADENA.	Middlesex, Surrey, Essex, Kent, &c. ; on trunks of trees. End of April.
244 <i>Cucubali</i>	Campion	<i>C.</i> 7, <i>t.</i> 308. <i>St.</i> 2, <i>p.</i> 187. 6209 HADENA.	Darenth Wood ; Bedfordshire, &c. ; but un- common. Mid- dle of June.
245 <i>Capsincola</i>	Lychnis	<i>St.</i> 2, <i>p.</i> 188. 6210 HADENA.	Middlesex, Surrey, Essex, &c. ; in gardens, and waste ground. End of June or begin- ning of July.
246 <i>Saponariæ</i>	Bordered Gothic	<i>St.</i> 2, <i>p.</i> 188. 6211 HADENA.	Darenth Wood ; also near Brigh- ton and Dover ; in Norfolk and Cambridge- shire. End of June or begin- ning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
247 <i>Popularis</i>	Feathered Gothic	<i>D.</i> 15, <i>t.</i> 505. <i>St.</i> 2, <i>p.</i> 189. 6212 <i>HELIOPHOBUS</i> .	Near London, and in several counties; not uncommon. June.
248 <i>Leuco- phæus</i> , F.	Feathered Ear	<i>St.</i> 2, <i>p.</i> 190. 6213 <i>HELIOPHOBUS</i> .	Mr. Stephens has seen but two indigenous females, taken near Bristol, July 1816.
249 <i>Furva</i>	Dusky Bro- cade	<i>St.</i> 2, <i>p.</i> 191. 6214 <i>MAMESTRA</i> .	Near Hull in Yorkshire; also near Dover, and at Coombe Wood. June.
250 <i>Pisi</i>	Broom	<i>A.</i> <i>t.</i> 32, <i>f.</i> 51, c—f. <i>W.</i> <i>t.</i> 7. <i>D.</i> 2, <i>t.</i> 51. <i>St.</i> 2, <i>p.</i> 192. 6215 <i>MAMESTRA</i> .	Near London; Hampstead Heath, Epping Forest, Coombe Wood, &c. June.
251 <i>Splendens</i>	Purple Bro- cade	<i>St.</i> 2, <i>p.</i> 192. 6216 <i>MAMESTRA</i> .	Mr. Stephens's Cabinet. Taken in Cumberland, July 1827, by Mr. Weaver.
252 <i>Oleracea</i>	Bright-line Brown-eye	<i>A.</i> <i>t.</i> 27, <i>f.</i> 40, a—d. <i>St.</i> 2, <i>p.</i> 193. 6217 <i>MAMESTRA</i> .	Middlesex, Surrey, Kent, Essex, &c.; common in gar- dens. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
253 <i>Suasa</i>	Dog's tooth	<i>St.</i> 2, <i>p.</i> 193. 6218 MAMESTRA.	Taken near London: one also in Norfolk, and another in Birch Wood, in July 1818. Mr. Stephens's Cabinet.
254 <i>Nigricans</i>	Dusky Nutmeg	<i>St.</i> 2, <i>p.</i> 193, <i>t.</i> 24, <i>f.</i> 2. 6219 MAMESTRA.	A specimen taken at Christchurch, Hants, by Mr. Bentley; another found at Darent Wood. End of June.
255 <i>Brassicæ</i>	Cabbage	<i>A. t.</i> 28, <i>f.</i> 42 and 43, a—e; also <i>t.</i> 29, <i>f.</i> 45, e—h. <i>t.</i> 67, a—d. and <i>t.</i> 78, <i>f.</i> a—d. <i>St.</i> 2, <i>p.</i> 194. 6220 MAMESTRA.	Very common in gardens, hedges, banks, &c., in several counties. End of May.
256 <i>Albicolon</i>	White Colon	<i>St.</i> 2, <i>p.</i> 195, <i>t.</i> 24, <i>f.</i> 3. 6222 MAMESTRA.	Cumberland; taken in August 1827 by Mr. Weaver. Mr. Stephens's Cabinet.
257 <i>Chenopodii</i>	Nutmeg	<i>A. t.</i> 29, <i>f.</i> 44, e—d. <i>St.</i> 2, <i>p.</i> 195. 6224 MAMESTRA.	Common in gardens in and near London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
258 <i>Persicariæ</i>	Dot	<i>A. t. 77, f. a—d. H. t. 24, f. a—c. D. 9, t. 317. C. 9, t. 431? St. 2, p. 196. 6225 MAMESTRA.</i>	Middlesex, Surrey, Essex; at Hertford and Ripley, &c. June.
259 <i>Leucipara</i>	Small Angle Shades	<i>D. 7, t. 230, f. 2. St. 3, p. 3. 6226 EUPLEXIA.</i>	Coombe and Da- renth Woods. Middle of June.
260 <i>Aliena</i>	Large Nutmeg	<i>St. 3, p. 4. 6223 MAMESTRA.</i>	Gardens and shrubby places near London, &c. June.
261 <i>Basilinea</i>	Rustic Shoul- der-knot	<i>St. 3, p. 5. 6227 HAMA.</i>	Woody places and gardens. End of June.
262 <i>Testacea</i>	Lesser Floun- ced Rustic	<i>St. 3, p. 5. 6228 HAMA.</i>	Birch Wood, Epping &c. Autumn.
263 <i>Fibrosa</i>	Crescent	<i>St. 3, p. 7. 6230 APAMEA.</i>	Whittlesea Mere. Middle of July.
264 <i>Nictitans</i>	Golden Ear	<i>D. t. 397, f. 3. C. 6, t. 260. St. 3, p. 7. 6231 APAMEA.</i>	Heaths near Birch Wood; also near Mar- gate, &c. End of July or be- ginning of Au- gust.
265 <i>Secalina</i>	Small Clouded brindle	<i>St. 3, p. 8. 6233 APAMEA.</i>	Neighbourhood of London; Battersea Fields; rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
266 <i>Didyma</i>	Rustic Mourner	<i>St.</i> 3, <i>p.</i> 8. 6232 APAMEA.	Near London ; Copenhagen- fields ; also at Dover. Begin- ning of Au- gust.
267 <i>Oculea</i>	Common Rustic	<i>St.</i> 3, <i>p.</i> 9. 6235 APAMEA.	Very common in woods, hedges pastures, &c. August.
268 <i>I-niger</i>	Letter I	<i>St.</i> 3, <i>p.</i> 10. 6236 APAMEA.	Very common near London, &c. Beginning of August.
269 <i>Thalassina</i>	Pale Shoulder- ed Brocade	<i>St.</i> 2, <i>p.</i> 182. 6200 HADENA.	Common near London. June.
270 <i>Genistæ</i>	Light Brocade	<i>D.</i> 10, <i>t.</i> 352, <i>f.</i> 1. <i>St.</i> 2, <i>p.</i> 183. 6201 HADENÁ.	Hertford, and Darenth Wood. June.
271 <i>Furca</i>	Russet	<i>St.</i> 3, <i>p.</i> 10. 6237 APAMEA.	Hedges, &c , near London, Hertford, &c. ; not uncommon. August.
272 <i>Ophio- gramma</i>	Double lobed	<i>St.</i> 3, <i>p.</i> 11. 6238 APAMEA.	Meadows near Hackney ; in Epping Forest, and in Batter- sea Fields ; but rarc. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
273 <i>Literosa</i>	Rosy Minor	<i>St.</i> 3, <i>p.</i> 12, <i>t.</i> 25, <i>f.</i> 1. 6239 <i>MIANA</i> .	Darenth Wood; also near Dover, &c. Middle of July.
274 <i>Strigilis</i>	Marbled Minor	<i>St.</i> 3, <i>p.</i> 12. 6240 <i>MIANA</i> .	Woody places in Middlesex; Devonshire, &c. June.
275 <i>Latrun- cula</i>	Tawny Mar- bled Minor	<i>St.</i> 3, <i>p.</i> 13. 6241 <i>MIANA</i> .	Near London, &c. June.
276 <i>Æthiops</i>	Blackamoor	<i>St.</i> 3, <i>p.</i> 13. 6242 <i>MIANA</i> .	Middlesex; Suf- folk; Norfolk, &c. Woods and meadows. June.
277 <i>Humeralis</i>	Cloaked Minor	<i>St.</i> 3, <i>p.</i> 14. 6243 <i>MIANA</i> .	Very common near Dover, &c. Middle of August.
278 <i>Terminalis</i>	Flounced Minor	<i>St.</i> 3, <i>p.</i> 14. 6244 <i>MIANA</i> .	Middlesex, Es- sex, Darenth and Coombe Woods, &c. July.
279 <i>Rufuncula</i>	Plain red Minor	<i>St.</i> 3, <i>p.</i> 14. 6245 <i>MIANA</i> .	Norfolk and Suf- folk. Rare. June.
280 <i>Fasciun- cula</i>	Middle-barred Minor	<i>St.</i> 3, <i>p.</i> 15. 6246 <i>MIANA</i> .	Darenth Wood; also in Copen- hagen Fields; but rare. July. Mr. Bentley's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
281 <i>Minima</i>	Least Minor	<i>St.</i> 3, <i>p.</i> 15. 6247 <i>MIANA</i> .	Cabinet of Mr. Bentley, taken by him in Yare- ley Fens, Whit- tlesea Mere. June.
282 <i>Renigera</i>	Kidney-spot- ted Minor	<i>St.</i> 3, <i>p.</i> 16, <i>t.</i> 25, <i>f.</i> 2. 6248 <i>CELÆNA</i> .	Very rare. Mr. Stephens has seen but three specimens.
283 <i>Haworthii</i>	Haworthian Minor	<i>St.</i> 3, <i>p.</i> 16. 6249 <i>CELÆNA</i> .	Whittlesea Mere. Common. July.
284 <i>Lancea</i>	Marsh Minor	<i>St.</i> 2, <i>p.</i> 18. 6250 <i>CELÆNA</i> .	Borders of Ram- sey Mere; also near Whittlesea Mere? Very rare.
285 <i>Hibernica</i>	Irish Minor	<i>St.</i> 3, <i>p.</i> 17. 6251 <i>CELÆNA</i> .	Near Dublin.
286 <i>Porphyrea</i>	True Lover's knot	<i>D.</i> 10, <i>t.</i> 360, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 19. 6252 <i>SCOTOPHILA</i> .	Heaths near Birch Wood; New Forest, Hants, &c. End of July.
287 <i>Piniperda</i>	Pine Beauty	<i>C.</i> 3, <i>t.</i> 117. <i>St.</i> 3, <i>p.</i> 19. 6253 <i>ACHATIA</i> .	First found by Mr. Stephens at Hertford; since taken at Birch Wood, &c. End of March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
288 <i>Præcox</i>	Portland	<i>D. 6, t. 213. St. 3, p. 21.</i> 6254 <i>ACTEBIA.</i>	Coast of Devonshire, &c. June and September.
289 <i>Atriplicis</i>	Wild Arrach	<i>W. 3, t. 2. D. 8, t. 262, f. 1. St. 3, p. 22.</i> 6255 <i>TRACHEA.</i>	Wisbeach, and Cheltenham; but rare. End of June, and in September.
290 <i>Oleagina</i>	Green-brindled Dot	<i>D. 13, t. 439. St. 3, p. 23.</i> 6256 <i>VALERIA.</i>	Richmond Park; also near Bristol, and in Scotland; but very rare.
291 <i>Bimaculosa</i>	Double-spotted Brocade	<i>C. 4, t. 177. St. 3, p. 24.</i> 6257 <i>MISELIA.</i>	Taken near Bristol in July 1815: now in the British Museum.
292 <i>Oxyacanthæ</i>	Green-brindled Crescent	<i>A. t. 14, f. 19, a—d. W. t. 27. H. t. 43, f. d—f. D. 5, t. 165. St. 3, p. 24.</i> 6258 <i>MISELIA.</i>	Ealing, Middlesex; also in Warwickshire, Cheshire, &c. End of September to the beginning of November.
293 <i>Aprilina</i>	Marvel du Jour	<i>D. 19, t. 354, f. 1. St. 3, p. 25.</i> 6259 <i>MISELIA.</i>	Coombe and Darenth Woods, &c. October.
294 <i>Compta</i>	Marbled Coronet	<i>St. 3, p. 26.</i> 6260 <i>MISELIA.</i>	Darenth Wood and near Brighton. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
295 <i>Advena</i>	Pale-shining brown	<i>St.</i> 3, <i>p.</i> 28. 6262 POLIA.	Coombe Wood, &c. End of June.
296 <i>Nitens</i>	Tawny and silver	<i>St.</i> 3, <i>p.</i> 28. 6263 POLIA.	Near London, and in Norfolk. End of June.
297 <i>Bimaculosa</i>	Grey Arches	<i>D.</i> 10, <i>t.</i> 345, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 28. 6264 POLIA.	Darenth and Birch Woods, Epping, &c. End of June.
298 <i>Tincta</i>	Silvery Arches	<i>St.</i> 3, <i>p.</i> 29. 6266 POLIA.	Darenth and Coombe Woods; but rare. End of June.
299 <i>Herbida</i>	Green Arches	<i>St.</i> 3, <i>p.</i> 30, <i>t.</i> 27, <i>f.</i> 3. 6267 POLIA.	Darenth Wood; also in Norfolk, and at Tun- bridge, Kent. Mr. Bentley. June.
300 <i>Polymita</i>	White Arches	<i>St.</i> 3, <i>p.</i> 31, <i>t.</i> 26, <i>f.</i> 2. 6269 POLIA.	In the Cabinets of Mr. Stephens and Mr. Vigors.
301 <i>Templi</i>	Brindled Ochre	<i>St.</i> 3, <i>p.</i> 31, <i>t.</i> 26, <i>f.</i> 1. 6268 POLIA.	Mr. Bentley's Cabinet.
302 <i>Flavocincta</i>	Large Ranunculus	<i>W.</i> <i>t.</i> 14, <i>upper fig.</i> <i>D.</i> 10, <i>t.</i> 334. <i>St.</i> 3, <i>p.</i> 32. 6270 POLIA.	Hertford, York, Epping; gar- dens and hedges. End of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found</i>
303 <i>Occulta</i>	Great Brocade	<i>St.</i> 3, <i>p.</i> 29. 6265 <i>POLIA</i> .	Taken in Epping Forest by Mr. Hatchett, and also at Alder- ley, Cheshire, by the Rev. E. Stanley. Very rare. July.
304 <i>Albimacula</i>	White-spotted Coronet	<i>St.</i> 3, <i>p.</i> 26. 6261 <i>MISELIA</i> .	British Museum.
305 <i>Dysodea</i>	Ranunculus	<i>W. t.</i> 14, <i>lower fig.</i> <i>St.</i> 3, <i>p.</i> 32. 6271 <i>POLIA</i> .	Darenth Wood, Epping, Hert- ford, &c., gar- dens and hedges. Middle of July.
306 <i>Serena</i>	Broad-barred White	<i>D.</i> 10, <i>t.</i> 338, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 33. 6272 <i>POLIA</i> .	Near Dartford, &c. End of June.
307 <i>Seladonia</i>	Brindled Green	<i>St.</i> 3, <i>p.</i> 33. 6273 <i>POLIA</i> .	Darenth, Birch and Coombe Woods, &c. End of Septem- ber.
308 <i>Chi</i>	July Chi	<i>A. t.</i> 83, <i>f.</i> C. D. <i>D.</i> 12, <i>t.</i> 406. <i>St.</i> 3, <i>p.</i> 34. 6274 <i>POLIA</i> .	Derbyshire, Cumberland, North Wales, &c. July.
309 <i>Leporina</i>	Miller	<i>D.</i> 10, <i>t.</i> 327, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 35. 6275 <i>APATELA</i> .	Darenth, Coombe and Birch Woods; but not common. Middle of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
310 <i>Brady- porina</i>	Ashy Miller	<i>St.</i> 3, <i>p.</i> 36, <i>t.</i> 26, <i>f.</i> 3. 6276 APATELA.	Birch and Darenth Woods, &c. Beginning of June.
311 <i>Aceris</i>	Sycamore	<i>A.</i> <i>t.</i> 83, <i>f.</i> a—d. <i>W.</i> <i>t.</i> 67. <i>D.</i> 10, <i>t.</i> 330. <i>St.</i> 3, <i>p.</i> 36. 6277 APATELA.	Essex, Cambridge, &c. End of June.
312 <i>Megace- phala</i>	Poplar Grey	<i>St.</i> 3, <i>p.</i> 37. 6278 ACHRONYCTA.	Darenth Wood, Hertford, Cambridge, &c. Beginning of June and in the autumn.
313 <i>Ligustri</i>	Coronet	<i>St.</i> 3, <i>p.</i> 38. 6279 ACHRONYCTA.	Darenth Wood ; also near Croydon, &c. End of June.
314 <i>Alni</i>	Alder	<i>D.</i> 10, <i>t.</i> 327, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 38. 6280 ACHRONYCTA.	Found in several counties ; but rare. Beginning of June.
315 <i>Psi</i>	Dagger	<i>A.</i> <i>t.</i> 86. <i>W.</i> <i>t.</i> 60. <i>H.</i> <i>t.</i> 15. <i>D.</i> 4, <i>t.</i> 133. <i>St.</i> 3, <i>p.</i> 39. 6282 ACHRONYCTA.	Very common on pales, &c., near woods, in different counties. End of June.
316 <i>Tridens</i>	Dark Dagger	<i>St.</i> 3, <i>p.</i> 40. 6283 ACHRONYCTA.	Woods and shady places, Middlesex, Essex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
317 <i>Auricoma</i>	Scarce Dagger	<i>St.</i> 3, <i>p.</i> 41. 6285 ACHRONYCTA.	Birch trees in Coombe Wood and Richmond Park. Beginning of June.
318 <i>Menyanthes</i>	Light Knot-grass	<i>St.</i> 3, <i>p.</i> 42, <i>t.</i> 27, <i>f.</i> 1. 6287 ACHRONYCTA.	In the neighbourhood of Manchester. June.
319 <i>Rumicis</i>	Bramble	<i>A.</i> <i>t.</i> 22, <i>f.</i> c—i. <i>W.</i> <i>t.</i> 56. <i>D.</i> 4, <i>t.</i> 126. <i>St.</i> 3, <i>p.</i> 42. 6288 ACHRONYCTA.	Common in Middlesex and other counties. Middle of May.
320 <i>Euphorbiæ</i>	Spurge	<i>St.</i> 3, <i>p.</i> 43. 6289 ACHRONYCTA.	Near London, and in the New Forest; but rare. Beginning of May.
321 <i>Euphrasiæ</i>	Dark Spurge	<i>St.</i> 3, <i>p.</i> 43. 6290 ACHRONYCTA.	Mr. Stephens's specimen was taken near London in June.
322 <i>Glandifera</i>	Marbled green	<i>D.</i> 7, <i>t.</i> 223, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 44. 6291 BRYOPHILA.	Walls near London, &c. End of June.
323 <i>Perla</i>	Marbled Beauty	<i>St.</i> 3, <i>p.</i> 45. 6292 BRYOPHILA.	Common on old walls near London, &c. End of July.
324 <i>Orion</i>	Scarce Marvel du Jour	<i>H.</i> <i>t.</i> 42, <i>f.</i> c. <i>D.</i> 10, <i>t.</i> 347, <i>f.</i> 1. <i>C.</i> 9, <i>t.</i> 404. <i>St.</i> 3, <i>p.</i> 46. 6295 DIPHTHERA.	Birch Wood, &c. Beginning of June.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
325 Derasa	Buff Arches	<i>D. 7, t. 223, f. 1. St. 3, p. 47.</i> 6296 THYATIRA.	Darenth Wood, Epping Forest, &c. Rare. End of July.
326 Batis	Peach Blossom	<i>St. 3, p. 48.</i> 6297 THYATIRA.	Darenth and Coombe Woods, Epping Forest, &c.; but not common. Mid- dle of June to the end of July.
327 Libatrix	Furbelow	<i>A. t. 32, f. 50, a—c. D. 6, t. 216. St. 3, p. 50.</i> 6299 CALYPTRA.	Common near willow-trees, and under bridges, &c. End of July.
328 Fluctuosa	Satin Carpet	<i>St. 3, p. 51.</i> 6300 CEROPACHA.	Darenth and Birch Woods; not common. Middle of June.
329 Duplaris	Lesser Satin Carpet	<i>St. 3, p. 52.</i> 6301 CEROPACHA.	Epping, Darenth Wood, &c. Middle of June.
330 Diluta	Lesser Lute- string	<i>H. t. 35, f. 6—8. St. 3, p. 52.</i> 6302 CEROPACHA.	Darenth Wood, the New Forest, &c.; but rare. End of August.
331 Or	Poplar Lute- string	<i>D. 10, t. 347, f. 3. St. 3, p. 53.</i> 6303 CEROPACHA.	Epping Forest, Darenth Wood, &c.; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
332 <i>Octogesima</i>	Figure of 80	<i>C. 6, t. 272. St. 3, p. 53, t. 27, f. 2.</i> 6304 CEROPACHIA.	Mr. Stephens has a specimen taken near Birmingham. End of May or beginning of June.
333 <i>Flavicornis</i>	Yellow horned	<i>D. 10, t. 352, f. 3. St. 3, p. 54.</i> 6305 CEROPACHIA.	Coombe and Darenth Woods; but rare. End of February or beginning of March.
334 <i>Ridens</i>	Frosted-green	<i>St. 3, p. 55.</i> 6306 CEROPACHIA.	Epping Forest, Coombe Wood, &c. Rare. Middle of April.
335 <i>Subtusa</i>	Olive	<i>St. 3, p. 56.</i> 6307 TETHEA.	Coombe and Darenth Woods; not common. June.
336 <i>Retusa</i>	Double Kidney	<i>D. 10, t. 350, f. 2. St. 3, p. 56.</i> 6308 TETHEA.	Frequents the same place as the preceding; but not common. End of July.
337 <i>Gracilis</i>	Slender bodied	<i>St. 3, p. 57.</i> 6309 TETHEA.	The same time and place as the preceding.
338 <i>Viminalis</i>	Minor Shoulder-knot	<i>St. 3, p. 58.</i> 6310 BOMBYCIA.	Coombe and Darenth Woods, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
339 Oo	Heart	<i>W. t. 11. D. 5, t. 179.</i> <i>St. 3, p. 59.</i> 6311 CYMATOPHORA.	Epping Forest, Darenth Wood, &c. Beginning of June.
340 Diffinis	White-spotted Pinion	<i>St. 3, p. 60.</i> 6312 COSMIA.	Middlesex, Es- sex, &c. Fre- quents elm- trees. Middle of August.
341 Affinis	Lesser-spotted Pinion	<i>A. t. 31, f. 49, f—i. St. 3,</i> <i>p. 61.</i> 6313 COSMIA.	Near London, &c., on elm- trees. End of July.
342 <i>Pyralina</i>	Lunar-spotted Pinion	<i>St. 3, p. 61.</i> 6314 COSMIA.	Taken near Birch Wood ; but rare. End of July.
343 <i>Trapezina</i>	Dun-bar	<i>H. t. 10, f. n—r. St. 3,</i> <i>p. 62.</i> 6315 COSMIA.	Very common in woods and lanes in several coun- ties. End of July.
344 <i>Fulvago</i>	Angle-striped Sallow	<i>St. 3, p. 62.</i> 6316 COSMIA.	Taken on the borders of Birch Wood ; but very rare. End of July.
345 <i>Flavago</i>	Pink-barred Sallow	<i>A. t. 63, f. a—d. St. 3,</i> <i>p. 64.</i> 6317 XANTHIA.	Woods at Syden- ham ; Darenth Wood, &c. Be- ginning of Sep- tember.



233 a +



242 a



241 a



240 a +



234 a +



243 a



252 a +



261 a +



235 a +



244 a



253 a +



262 a



236 a +



245 a +



254 a +



263 a +



237 a +



246 a +



255 a +



264 a



238 a +



247 a +



256 a +



265 a



239 a +



248 a +



257 a +



266 a



240 a



249 a +



258 a +



267 a



241 a



250 a +



259 a



268 a



269 a +



276 n



287 a +



296 a +



270 a +



279 n



288 a +



297 b



271 a



280 n



289 a +



298 b



272 a



281 n



290 a +



299 a +



273 n



282 a



291 b



300 b



274 a



283 a



292 a +



301 b



275 n



284 n



293 a +



302 a +



276 n



285 a



294 a



303 b +



277 n



286 a



295 b



304 a +



305 a



314 a +



323 a



332 a +



306 a



315 a +



324 a +



333 a +



307 a +



316 a +



325 a +



334 a +



308 a +




317 a +




326 a +



335 a



309 a +




318 a +



327 a +



336 a



310 a +



319 a +




328 a +



337 a



311 a +




320 a +




329 a +




338 a



312 a +




321 a +




330 a +




339 a



313 a +



322 a



331 a +



340 a

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
346 <i>Fulvago</i>	Sallow	<i>A. t.</i> 33, <i>f.</i> 52, a—d. <i>D.</i> 10, <i>t.</i> 338, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 64. 6318 <i>XANTHIA</i> .	Common among birch trees, in woods and plantations. Middle of Sep- tember.
347 <i>Gilvago</i>	Lemon Sallow	<i>St.</i> 3, <i>p.</i> 65. 6319 <i>XANTHIA</i> .	Darenth and Birch Woods. Rare. Middle of September.
348 <i>Aurago</i>	Barred Sallow	<i>St.</i> 3, <i>p.</i> 65. 6320 <i>XANTHIA</i> .	Darenth Wood. Beginning of September.
349 <i>Centrago</i>	Centre-barred Sallow	<i>C.</i> 2, <i>t.</i> 34. <i>St.</i> 3, <i>p.</i> 65. 6321 <i>XANTHIA</i> .	North of En- gland; but rare.
350 <i>Citrago</i>	Orange Sallow	<i>St.</i> 3, <i>p.</i> 66. 6322 <i>XANTHIA</i> .	Epping Forest. Middle of Au- gust.
351 <i>Fimbriago</i>	Scarce border- ed Sallow	<i>St.</i> 3, <i>p.</i> 67. 6323 <i>XANTHIA</i> .	Mr. Stephens's Cabinet.
352 <i>Croceago</i>	OrangeUpper- wing	<i>A. t.</i> 15, <i>f.</i> 22, e—h. <i>St.</i> 3, <i>p.</i> 67. 6324 <i>XANTHIA</i> .	Oak woods of Surrey; Kent, &c. September.
353 <i>Micacea</i>	Rosy Rustic	<i>St.</i> 3, <i>p.</i> 69. 6326 <i>GORTYNA</i> .	The neigh- bourhood of London; also the New Forest, &c. Middle of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
354 <i>Flavago</i>	Frosted Orange	<i>H. t. 35, f. a—c. D. 10, t. 340, f. 1. 6327 GORTYNA.</i>	In different counties, by way sides, among the common Bur- dock. Middle of September.
355 <i>Typhæ</i>	Bullrush	<i>St. 3, p. 71. 6329 NONAGRIA.</i>	Among bull- rushes at Ed- monton, Ep- ping, &c. Mid- dle of August.
356 <i>Pilicornis</i>	Hairy-horned Wainscot	<i>St. 3, p. 72, t. 29, f. 1. 6330 NONAGRIA.</i>	Mr. Stephens's Cabinet. Taken in September 1826 near Croy- don.
357 <i>Crassicornis</i>	Large Wain- scot	<i>St. 3, p. 72. 6331 NONAGRIA.</i>	Mr. Curtis's Ca- binet. Taken in Norfolk.
358 <i>Cannæ</i>	Spotted Wain- scot	<i>St. 3, p. 73. 6332 NONAGRIA.</i>	Mr. Bentley's Cabinet. Taken near Scar- borough.
359 <i>Commia</i>	Shoulder- stripe Wain- scot	<i>St. 3, p. 73. 6333 LEUCANIA.</i>	Gardens near Epping; also near Dartford, &c. Beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
360 <i>Littoralis</i>	Shore Wain- scot	<i>C. 4, t. 157. St. 3, p. 74.</i> 6334 LEUCANIA.	Coast of Hamp- shire and Cum- berland. Rare.
361 <i>Obsoleta</i>	Obscure Wain- scot	<i>St. 3, p. 74.</i> 6335 LEUCANIA.	Cabinet of Mr. Chant. Taken by him in the City Road.
362 <i>Impura</i>	Smoky Wain- scot	<i>A. t. 33, f. 53, c—h.</i> <i>St. 3, p. 75.</i> 6336 LEUCANIA.	Very common in several parts of the country. Middle of July.
363 <i>Punctina</i>	Dotted-bor- dered Wain- scot	<i>St. 3, p. 75.</i> 6337 LEUCANIA.	Taken near Lon- don, with No. 362.
364 <i>Arcuata</i>	Bowed Wain- scot	<i>St. 3, p. 76.</i> 6338 LEUCANIA.	Two specimens taken by Mr. Stephens at Ripley. Begin- ning of July 1827.
365 <i>Pallens</i>	Common Wainscot	<i>St. 3, p. 76.</i> 6339 LEUCANIA.	Gardens, hedges, &c ; not un- common. Mid- dle of July.
366 <i>Rufescens</i>	Red Wainscot	<i>St. 3, p. 76.</i> 6340 LEUCANIA.	The same time and place as the foregoing.
367 <i>Suffusa</i>	Clouded Wainscot	<i>St. 3, p. 77.</i> 6341 LEUCANIA.	Isle of Dogs. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
368 <i>Ochracca</i>	Ochreous Wainscot	<i>St. 3, p. 77.</i> 6342 LEUCANIA.	Darenth Wood and Whittlesea Mere. Rare. End of August.
369 <i>Fluxa</i>	Tawny Wain- scot	<i>St. 3, p. 77.</i> 6343 LEUCANIA.	Whittlesea Mere. End of July.
370 <i>Pygmina</i>	Small Wain- scot	<i>St. 3, p. 78.</i> 6344 LEUCANIA.	Battersea Fields. middle of Sep- tember.
371 <i>Pallida</i>	Pale Wainscot	<i>St. 3, p. 78.</i> 6345 LEUCANIA.	Taken in the marshes near West Ham, Essex.
372 <i>Neurica</i>	White Wain- scot	<i>St. 3, p. 79.</i> 6346 LEUCANIA.	Marshes near Lea Bridge. Mr. Stephens has seen but two specimens.
373 <i>Gemini- punctata</i>	Twin-spotted Wainscot	<i>St. 3, p. 79.</i> 6347 LEUCANIA.	Cabinet of Mr. Hatchet, and in the British Museum.
374 <i>Pudorina</i>	Striped Wain- scot	<i>St. 3, p. 80.</i> 6348 LEUCANIA.	Whittlesea Mere. June.
375 <i>Musculosa</i>	Glossy Wain- scot	<i>St. 3, p. 81.</i> 6350 SIMYRA.	Whittlesea and Yaxley Meres. June.
376 <i>Rufina</i>	Flounced Rustic	<i>St. 3, p. 68.</i> 6325 XANTHIA.	Woods in Kent, &c. Middle of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
377 <i>Scrophularia</i> .	Water Betony	<i>W. t. 15. St. 3, p. 35.</i> 6354 CUCULLIA.	Near Croydon, Cheltenham, &c. May.
— 378 <i>Verbasci</i>	Mullein	<i>A. t. 13, f. 13, i—k.</i> <i>H.t. 3, f. a—c. St. 3, p. 35.</i> 6355 CUCULLIA.	Darenth and Birch Woods, &c. April.
379 <i>Asteris</i>	Starwort	<i>C. 1, t. 45. St. 3, p. 36.</i> 6356 CUCULLIA.	Darenth Wood, Downs near Croydon, but not common. Beginning of July.
— 380 <i>Meticulosa</i>	Angle-shades	<i>A. t. 30, f. 46, 47, a—c.</i> <i>W.t. 3. H.t. 41, f. c—e.</i> <i>D. 4, t. 139. St. 3, p. 34.</i> 6353 PHLOGOPHORA.	Common in gar- dens and shady places in many counties. End of April, June, and September.
381 <i>Umbratica</i>	Large pale Shark	<i>D. 3, t. 262, f. 2. St. 3, p. 37.</i> 6358. CUCULLIA.	Wimbleton Common, Ep- ping, &c. Mid- dle of July.
382 <i>Tanaceti</i>	Tansy Shark	<i>St. 3, p. 33.</i> 6360. CUCULLIA.	Woods near Lon- don. End of July.
383 <i>Lucifuga</i>	Large dark Shark	<i>St. 3, p. 39.</i> 6361 CUCULLIA.	Darenth and Birch Woods. Beginning of July.
384 <i>Lactucæ</i>	Lettuce Shark	<i>St. 3, p. 38.</i> 6359 CUCULLIA.	Darenth and Birch Woods. Middle of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
385 <i>Chamo- millæ</i>	Chamomile Shark	<i>St. 3, p. 89.</i> 6362 CUCULLIA.	Near Birch Wood and Wimbledon Common, &c.; but rare. June.
386 <i>Fiscina</i>	Twin-tailed Shark	<i>St. 3, p. 90.</i> 6363 CUCULLIA.	Birch Wood, &c. June.
387 <i>Absinthii</i>	Wormwood	<i>D. 9, t. 304. St. 3, p. 91.</i> 6365 CUCULLIA.	South Wales and Devonshire. Beginning of July.
388 <i>Delphinii</i>	Pease-blossom	<i>W. t. 3, f. 4. D. 10, t. 331.</i> 6368 CHARCILEA.	Near Windsor; but very rare. June.
389 <i>Thapsi- phaga</i>	Shepherd's Purse	<i>St. 3, p. 87.</i> 6357 CUCULLIA.	British Museum. Taken near Birch Wood. June.
390 <i>Artemisiæ</i>	Green Silver Spangle	<i>St. 3, p. 91.</i> 6366 CUCULLIA.	British Museum.
391 <i>Linariæ</i>	Flax	<i>St. 3, p. 94, t. 29, f. 2.</i> 6367 CALOPHASIA.	British Museum and Mr. Ste- phens's Cabi- net. Taken at Woodside near Epping in June 1817.
392 <i>Ochroleuca</i>	Dusky Sallow	<i>D. 10, t. 310, f. 2. St. 3, p. 95.</i> 6369 EREMOBIA.	Hills near Dover, South Downs, &c. July.
393 <i>Triplasia</i>	Dark Spec- tacle	<i>St. 3, p. 96.</i> 6370 ABROSTOLA.	Gardens and wood-sides, &c. Hertford, Ep- ping, &c. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
394 <i>Urticæ</i>	Spectacle	<i>D. 9, t. 298. St. 3, p. 97.</i> 6371 ABROSTOLA.	Common in shady places near London, &c. End of July.
395 <i>Venosa</i>	Powdered Wainscot	<i>St. 3, p. 32.</i> 6351 SIMYRA.	Fenny places. Whittlesea Mere, &c. Mid- dle of June.
396 <i>Illustris</i>	Purple shades	<i>St. 3, p. 98.</i> 6373 ABROSTOLA.	Taken formerly on Salisbury Plain. Now very rare. June or July.
397 <i>Percontationis</i>	Plain Golden Y	<i>D. 8, t. 256, f. 1. St. 3, p. 101.</i> 6376 PLUSIA.	Lanes near Da- renth Wood and Hertford. End of June.
398 <i>Iota</i>	Beautiful Golden Y	<i>St. 3, p. 100.</i> 6375 PLUSIA.	Coombe and Da- renth Woods, &c. Beginning of July.
399 <i>Bimaculata</i>	Double-spotted Spangle	<i>St. 3, p. 102.</i> 6377 PLUSIA.	Mr. Stephens's Cabinet.
400 <i>Interrogationis</i>	Scarce Silver Y	<i>D. 13, t. 453. St. 3, p. 102.</i> 6378 PLUSIA.	North of En- gland. End of June.
401 <i>Gamma</i>	Silver Y	<i>A. t. 79, f. c—h. W. t. 69.</i> <i>D. 8, t. 265, f. 2. St. 3, p. 103.</i> 6379 PLUSIA.	Common in fields and hedges. April, June, and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
402 <i>Chrysitis</i>	Burnished Brass	<i>A. t. 71, f. a—d.</i> <i>H. t. 22, f. a—c. D. 4, t. 137. St. 3, p. 105.</i> 6383 <i>PLUSIA.</i>	Gardens, hedges, meadows, &c. End of June.
403 <i>Aurifera</i>	Slender burnished Brass	<i>St. 3, p. 104.</i> 6382 <i>PLUSIA.</i>	British Museum. Taken near Dover.
404 <i>Circumflexa</i>	Yorkshire Y	<i>D. 12, t. 412. St. 3, p. 103.</i> 6380 <i>PLUSIA.</i>	Mr. Stephens's Cabinet. Taken in Yorkshire.
405 <i>Aurichalcea</i>	Scarce burnished Brass	<i>St. 3, p. 105.</i> 6384 <i>PLUSIA.</i>	Near Crayford, Kent, and Newbury, Berkshire; but rare. June.
406 <i>Bractea</i>	Gold Spangle	<i>St. 3, p. 106.</i> 6385 <i>PLUSIA.</i>	North of England and near Edinburgh. June.
407 <i>Festucæ</i>	Gold Spot	<i>At. 34, f. e—h. W. t. 17.</i> <i>D. 2, t. 46. St. 3, p. 107.</i> 6386 <i>PLUSIA.</i>	Ditches and marshy places near London, &c. Middle of August.
408 <i>Marginata</i>	Bordered Sallow	<i>D. 5, t. 150, f. 1. St. 3, p. 108.</i> 6387 <i>HELIOTHIS.</i>	Darent and Birch Woods. Beginning of June.
409 <i>Pelligera</i>	Bordered Straw	<i>D. 2, t. 61. St. 3, p. 109.</i> 6388 <i>HELIOTHIS.</i>	Taken occasionally near Dover, Brighton, &c., but very rare.



341 a



350 a



359 a



368 a



342 a



351 a



360 a



369 n



343 a



352 a



361 a



370 n



344 a +



353 a +



362 a



371 n



345 a



354 a +



363 a



372 n



346 a



355 a +



364 a



373 n



347 a



356 b



365 a



374 a +



348 a



357 b



366 a



375 a



349 a



358 a +



367 a



376 a +





377 a +



386 a +



395 a



404 a +



378 a +



387 a +



396 a +



405 a +



379 a +



388 a



397 a +



406 a +



380 b



389 a +



398 a +



407 a +



381 b



390 a +



399 a +



408 a +



382 b



391 a



400 a +



409 a +



383 b



392 a



401 a +



410 a



384 b



393 a +



402 a +



411 a



385 a +



394 a +



403 a +



412 a +

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
410 <i>Dipsacea</i>	Marbled Clover	<i>D. 10, t. 327, f. 3. St. 3,</i> <i>p. 109.</i> 6389 <i>HELIOTHIS.</i>	Clover fields near Darenth Wood, &c.; but not common. Mid- dle of July.
411 <i>Myrtilli</i>	Beautiful Yel- low Under- wing	<i>D. 7, t. 221. C. 3, t. 145.</i> <i>St. 3, p. 111.</i> 6390 <i>ANARTA.</i>	Heaths in several counties. Mid- dle of June to the end of July.
412 <i>Nervosa</i>	Tawny veined Wainscot	<i>St. 3, p. 82.</i> 6352 <i>SIMYRA.</i>	Taken near Da- renth Wood; but very rare. June.
413 <i>Vidua</i>	Dark Yellow Underwing		Mr. Curtis's Ca- binet.
414 <i>Heliaca</i>	Small Yellow Underwing	<i>D. 10, t. 343, f. 3. St. 3,</i> <i>p. 112.</i> 6392 <i>ANARTA.</i>	Lanes and mea- dows, Middle- sex, Kent, Es- sex, &c. July.
415 <i>Luctuosa</i>	Four spotted	<i>St. 3, p. 113.</i> 6393 <i>ACONTIA.</i>	Clover fields near Darenth Wood, but not com- mon. June.
416 <i>Solaris</i>	Pale Shoulder	<i>St. 3, p. 113, t. 29, f. 3.</i> 6395 <i>ACONTIA.</i>	Mr. Stephens's Cabinet.
417 <i>Caloris</i>	Marbled Beauty.	<i>St. 3, p. 114.</i> 6396 <i>ACONTIA.</i>	Mr. Curtis's Ca- binet.
418 <i>Ostrina</i>	Purple Marble	<i>C. 3, t. 140. St. 3, p. 119.</i> 6404 <i>ERASTRIA.</i>	Mr. Curtis's Ca- binet. Taken in Devonshire by Cap. Blomer, June 1825.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
419 <i>Sulphuralis</i>	Spotted Sulphur	<i>D. 10, t. 339, f. 1. St. 3, p. 117.</i> 6399 ERASTRIA.	Battersea Fields. Middle of July.
420 <i>Uncana</i>	Silver hook	<i>St. 3, p. 117.</i> 6400 ERASTRIA.	Whittlesea Mere, &c. End of June.
421 <i>Bankiana</i> $\frac{3}{4}$	Silver barred	<i>St. 3, p. 117.</i> 6401 ERASTRIA.	Mr. Stephens's Cabinet. Taken by the late Mr. Haworth in Norfolk. Be- ginning of July.
422 <i>Venustula</i>	Rosy Marbled	<i>St. 3, p. 118.</i> 6402 ERASTRIA.	Mr. Stephens's Cabinet. Taken in Epping Forest. Very rare.
423 <i>Minuta</i>	Small Marble	<i>St. 3, p. 119.</i> 6403 ERASTRIA.	Mr. Stephens's Cabinet. Very rare.
424 <i>Catena</i>	Brixton Beauty	<i>C. 6, t. 276. St. 3, p. 116.</i> 6398 DESMOPHORA.	Mr. Curtis's Ca- binet.
425 <i>Apicosa</i>	Blossom tip	<i>St. 3, p. 119.</i> 6405 ERASTRIA.	Mr. Bentley's Cabinet.
426 <i>Fuscula</i>	Marbled White spot	<i>St. 3, p. 119.</i> 6406 ERASTRIA.	Chiselhurst and Bexley Woods. End of June.
427 <i>Albidilinea</i>	Marbled White line	<i>St. 3, p. 120.</i> 6407 ERASTRIA.	Found at the same time and place as 426 ; but rare.

<i>Finn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
428 <i>Ænea</i>	Small Purple barred	<i>St.</i> 3, <i>p.</i> 121. 6408 PHYTOMETRA.	Heaths near London; also near Birch and Darenth Woods, &c. End of August.
429 <i>Lutescens</i>	Reddish Buff	<i>St.</i> 3, <i>p.</i> 122. 6409 ACOSMETIA.	Mr. Stephens's Cabinet. Taken near Lyndhurst. July 1821.
430 <i>Caliginosa</i>	Dingy	<i>St.</i> 3, <i>p.</i> 122. 6410 ACOSMETIA.	Mr. Stephens's Cabinet. Taken in the New Forest. June.
431 <i>Rufa</i>	Small Rufous	<i>St.</i> 3, <i>p.</i> 123. 6411 ACOSMETIA.	Whittlesea Mere. Rare. June.
432 <i>Lincola</i>	Lineated Ru- fous	<i>St.</i> 3, <i>p.</i> 123. 6412 ACOSMETIA.	Mr. Stephens's Cabinet.
433 <i>Arcuosa</i>	Small dotted Buff	<i>St.</i> 3, <i>p.</i> 123. 6413 ACOSMETIA.	Near London, Hertford, Ep- ping. June.
434 <i>Lusoria</i>	Black-neck	<i>D.</i> 10, <i>t.</i> 354, <i>f.</i> 2. <i>C.</i> 10, <i>t.</i> 475. <i>St.</i> 3, <i>p.</i> 126. 6416 OPHIUSA.	Fields near Birch and Da- renth Woods. Beginning of August.
435 <i>Anomalata</i>	Anomalous	<i>St.</i> 3, <i>p.</i> 125. 6415 STILBIA.	Hampshire, De- vonshire. Au- tumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera</i>	<i>Habitat, and when found.</i>
436 <i>Crassus- cula</i>	Double-barr- ed	<i>St. 3, p. 126.</i> 6418 OPHIUSA.	Mr. Stephens's Cabinet. Taken in the North of England.
437 <i>Trifasciata</i>	Triple streak- ed	<i>St. 3, p. 128.</i> 6421 CATEPIHA.	Mr. Stephens's Cabinet. Taken by the Rev. W. Kirby.
438 <i>Maura</i>	Great Brown- bar	<i>D. 7, t. 230, f. 1. St. 3,</i> <i>p. 129.</i> 6422 MORMO.	Common in gar- dens and fields near London, &c. Beginning of August.
439 <i>Fraxini</i>	Clifden Non- pareil	<i>W.t.90. H.t.31, f.a—e.</i> <i>D. 5, t. 171. St. 3,</i> <i>p. 131.</i> 6423 CATOCALA.	Taken in York- shire, &c.; but very rare. Au- tumn.
440 <i>Nupta</i>	Red Under- wing	<i>A. t.80, f.a—d. W.t.35.</i> <i>H.t.18, f.g—m. D.7,</i> <i>t. 224. St. 3, p. 132.</i> 6425 CATOCALA.	Among willows in Middlesex Kent, Essex, &c. Beginning of August.
441 <i>Sponsa</i>	Dark Crimson Underwing	<i>D.9,t.324. St.3,p.133.</i> 6427 CATOCALA.	Birch and Da- renth Woods, near Lyndhurst, &c. End of June.
442 <i>Promissa</i>	Light Crimson Underwing	<i>St. 3, p. 134.</i> 6428 CATOCALA.	New Forest ; Richmond Park. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
443 <i>Conjuncta</i>	Lesser Crimson Underwing	<i>St. 3, p. 135.</i> 6429 CATOCALA.	Mr. Stephens's Cabinet; very rare.
444 <i>Parthenias</i>	Orange Underwing	<i>H. t. 35, f. 1. D. 7, t. 246.</i> <i>f. 1. St. 3, p. 136.</i> 6430 BREPHA.	Birch and Darenth Woods, &c. End of March.
445 <i>Puella</i>	Pale Orange Underwing	<i>St. 3, p. 137.</i> 6431 BREPHA.	British Museum.
446 <i>Notha</i>	Light Orange Underwing	<i>C. 3, t. 121. St. 3, p. 137.</i> 6432 BREPHA.	Coombe and Birch Woods, &c. End of March.
447 <i>Glyphica</i>	Burnet	<i>St. 3, p. 133.</i> 6433 EUCLIDIA.	Clover fields and borders of woods. June.
448 <i>Mi</i>	Shipton	<i>H. t. 41, f. 5. St. 3, p. 139.</i> 6435 EUCLIDIA.	Common in fields and woods in several counties. End of June.
449 <i>Trepidaria</i>	Black Mountain	<i>St. 3, p. 144.</i> 6436 PSODOS.	Mr. Bentley's Cabinet. Taken in Scotland. June.
450 <i>Alpinata</i>	Gold four-spot	<i>C. 9, t. 424. St. 3, p. 144.</i> 6437 PSODOS.	Mr. Curtis's Cabinet.
451 <i>Brunneata</i>	Rannoch Geometra	<i>C. 5, t. 225. St. 3, p. 145.</i> 6439 SPERANZA.	Scotland, on heaths near Loch Rannoch. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
452 <i>Limbaria</i>	Frosted Yellow	<i>St. 3, p. 145.</i> 6438 SPERANZA.	Near Birch Wood, among broom. May, July.
453 <i>Piniarius</i> , M. and F.	Bordered White	<i>D. 10, t. 336. St. 3,</i> <i>p. 147.</i> 6444 BUPALUS.	Fir plantations near Ripley, &c. June.
454 <i>Atomaria</i>	Common Heath	<i>D. 7, t. 248, f. 1, 2. St. 3,</i> <i>p. 148.</i> 6441 FIDONIA.	Heathy places, in several coun- ties. May or June, and Au- gust.
455 <i>Carbonaria</i>	Black Heath	<i>St. 3, p. 149.</i> 6442 FIDONIA.	Heaths near London. Mid- dle of June.
456 <i>Fuliginaria</i>	Waved Black	<i>St. 3, p. 149.</i> 6440 FIDONIA.	Taken near Lon- don; but very rare. Mr. Bent- ley's Cabinet.
457 <i>Ericetaria</i>	Bordered Grey	<i>St. 3, p. 149.</i> 6443 FIDONIA.	Fir-trees near Birch Wood; Ringwood in the New Forest. August.
458 <i>Favillacea-</i> <i>rius</i>	Grey Scollop- ed	<i>H. t. 33, f. m. D. 13,</i> <i>t. 461, f. 1. C. 1, t. 33.</i> <i>St. 3, p. 150. Maesia.</i> 6445 BUPALUS.	New Forest, Hants. June.
459 <i>Leucophe-</i> <i>aria</i> , M. and F.	Spring Usher	<i>H. t. 43, f. m, n, o, q.</i> <i>St. 3, p. 151.</i> 6446 ANISOPTERYX.	Oak woods near London, &c. End of Febru- ary and in March.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
460 <i>Æscularia</i> , M. and F.	March	<i>St. 3, p. 152.</i> 6447 <i>ANISOPTERYX</i> .	Palings and trunks of trees. March.
461 <i>Capreola- ria</i> , M. and F.	Dotted border	<i>A.t. 44, f. 72, a—d. St. 3,</i> <i>p. 153. Hibernia.</i> 6448 LAMPETIA . HIBERNIA	Wood sides and heathy places, &c. End of February, and in March.
462 <i>Connecta- ria</i>	Connecting Umbre	<i>St. 3, p. 154. Hibernia.</i> 6449 LAMPETIA . HIBERNIA	Middlesex and Essex. Novem- ber and Decem- ber.
463 <i>Prosapi- aria</i> , M. and F.	Scarce Umbre	<i>St. 3, p. 154. Hibernia.</i> 6450 LAMPETIA . HIBERNIA	Coombe and Da- renth Woods ; Epping, &c. October or No- vember.
164 <i>Defoliaria</i> , M. and F.	Mottled Um- bre	<i>A.t. 100, f. e—h. W.t. 72.</i> <i>H. t. 14, f. n—r. St. 3,</i> <i>p. 155. Hibernia.</i> 6451 LAMPETIA . HIBERNIA	Common in woods and copses. End of autumn.
465 <i>Pilosaria</i> , M. and F.	Pale Brindled Beauty	<i>A. t. 91, f. e—i. W. t. 87.</i> <i>St. 3, p. 156. Phigalia.</i> 6452 AMPHIDASIS . PHIGALIA	Near London, &c. ; but not common. March.
466 <i>Hispidaria</i> , M. and F.	Small Brin- dled Beauty	<i>D. 13, t. 447. St. 3,</i> <i>p. 167. Nyssia.</i> 6453 AMPHIDASIS . NYSSIA	Richmond Park ; Coombe and Birch Woods ; but rare. End of March.
— 467 <i>Prodroma- ria</i>	Oak Beauty	<i>D. 7, t. 219. St. 3, p. 158.</i> 6454 <i>BISTON</i> .	Woods near Lon- don. April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
468 <i>Betularius</i>	Spotted Elm	<i>A. t.</i> 40, <i>f.</i> 64, a—d. <i>W. t.</i> 77. <i>H. t.</i> 18, <i>f.</i> a—f. <i>St.</i> 3, <i>p.</i> 159. 6455 BISTON.	Woods near Lon- don, &c. June.
469 <i>Hirtarius</i>	Brindled Beauty	<i>A. t.</i> 39, <i>f.</i> 62, a—d. <i>W. t.</i> 70. <i>H. t.</i> 9, <i>f.</i> a—f. <i>St.</i> 3, <i>p.</i> 159. 6456 BISTON.	Common on poplars and lime-trees near London. April.
470 <i>Pennaria</i>	October	<i>W. t.</i> 79. <i>H. t.</i> 43, <i>f.</i> g—i. <i>D.</i> 8, <i>t.</i> 287, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 160. Himera. 6457 METRA.	Woods near Lon- don, &c. Be- ginning of Oc- tober.
471 <i>Elinguaria</i>	Scolloped Oak	<i>A. t.</i> 39, <i>f.</i> 63, e—h. <i>St.</i> 3, <i>p.</i> 162. 6458 CROCALLIS.	Woods round London, &c. June.
472 <i>Bidentata</i>	Scolloped Hazel	<i>A. t.</i> 96, <i>f.</i> a—c. <i>H. t.</i> 10, <i>f.</i> s—z. <i>St.</i> 3, <i>p.</i> 163. 6459 ODONTOPERA.	Woods near Lon- don. April and June.
473 <i>Tiliaria</i>	Canary-shoul- dred Thorn	<i>St.</i> 3, <i>p.</i> 164. 6460 GEOMETRA, Al- niaria.	Darenth and Birch Woods. End of August.
474 <i>Canaria</i>	Pale Thorn	<i>St.</i> 3, <i>p.</i> 165. 6461 GEOMETRA.	Darenth Wood. End of August.
475 <i>Ochraria</i>	Ochreous Thorn	<i>St.</i> 3, <i>p.</i> 165. 6462 GEOMETRA.	Same as above.
476 <i>Erasaria</i>	September Thorn	<i>St.</i> 3, <i>p.</i> 165. 6463 GEOMETRA.	Common in woods, parks, &c. August.
477 <i>Quercina- ria</i> , M. and F.	Plain August Thorn	<i>D.</i> 8, <i>t.</i> 275, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 166. 6464 GEOMETRA.	Common round London, &c. August.



413 n



422 n



431 n



440 c



414 n



423 n



432 n



441 c



415 a



424 a



433 n



442 b



416 a



425 n



434 a +



443 b



417 a +



426 n



435 a



444 a +



418 n



427 n



436 a +



445 a +



419 n



428 n



437 b



446 a +



420 n



429 a



438 b +



447 a



421 n



430 n



W. Woodman?

439 c +



448 a





449 n



457 a +



463 a +



468 a +



450 a



458 a +



463 n



469 a +



451 n



459 a +



464 a +



470 a +



452 a



459 n



464 n



471 a +



453 a +



460 a +



465 a +



472 a +



453 a +



460 n



465 n



473 a +



454 a



461 a +



466 a



474 a +



455 n



461 n



466 n



475 a +



456 n



462 a +



467 a +



476 a +

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
478 <i>Quercaria</i> , M. and F.	Clouded Au- gust Thorn	<i>St.</i> 3, <i>p.</i> 166. 6465 GEOMETRA.	Taken near Lon- don; but rare. August.
479 <i>Angularia</i>	Angled Thorn	<i>St.</i> 3, <i>p.</i> 166. 6466 GEOMETRA.	Common in woods and lanes. August and September.
480 <i>Carpiniaria</i>	Flounced Thorn	<i>St.</i> 3, <i>p.</i> 167. 6467 GEOMETRA.	Woods, &c.; but rare. End of August and be- ginning of Sep- tember.
481 <i>Illunaria</i>	Early Thorn	<i>W. t.</i> 81. <i>St.</i> 3, <i>p.</i> 168. 6469 GEOMETRA.	Woods and bushy lanes. End of March.
482 <i>Juliaria</i>	July Thorn	<i>A. t.</i> 42, <i>f.</i> 68, a—d. <i>St.</i> 3, <i>p.</i> 168. 6470 GEOMETRA.	Woods and lanes near London, &c. Beginning of July.
483 <i>Lunaria</i>	Lunar Thorn	<i>A. t.</i> 15, <i>f.</i> a—d. <i>W. t.</i> 83. <i>D. 4, t.</i> 132. <i>St.</i> 3, <i>p.</i> 169. 6471 GEOMETRA.	Coombe and Da- renth Woods, &c. June.
484 <i>Delunaria</i>	Simple Thorn	<i>St.</i> 3, <i>p.</i> 170. 6472 GEOMETRA.	Birch Wood. July.
485 <i>Fuscantaria</i>	Dusky Thorn	<i>St.</i> 3, <i>p.</i> 167. 6468 GEOMETRA.	Mr. Chant's Ca- binet. June.
486 <i>Sublunaria</i>	Crescent Thorn	<i>St.</i> 3, <i>p.</i> 170, <i>t.</i> 28, <i>f.</i> 1. 6473 GEOMETRA.	Mr. Stephens has seen but three, all taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
487 <i>Illustraria</i>	Purple Thorn	<i>A. t.</i> 42, <i>f.</i> 69, e—h. <i>St.</i> 3, <i>p.</i> 170, <i>t.</i> 28, <i>f.</i> 2. 6474 GEOMETRA.	Near Birch Wood, &c.; but rare. June.
488 <i>Syringaria</i>	Lilac Beauty	<i>W. t.</i> 82. <i>D.</i> 6, <i>t.</i> 181. <i>St.</i> 3, <i>p.</i> 171. 6475 PERICALLIA.	Birch Wood; also near Highgate, Epping, &c. June or July.
489 <i>Prunaria</i> , M. and F.	Orange	<i>A. t.</i> 43, <i>f.</i> 70, a—c. <i>W. t.</i> 84. <i>D.</i> 1, <i>t.</i> 87. <i>St.</i> 3, <i>p.</i> 172. 6476 ANGERONA.	Common in woods, &c. End of June.
490 <i>Cratægata</i>	Brimstone	<i>A. t.</i> 60, <i>f.</i> 65, e—h. <i>W. t.</i> 80. <i>H. t.</i> 29, <i>f.</i> g, l, m. <i>St.</i> 3, <i>p.</i> 174. 6477 RUMIA.	Woods and hedges: common in several counties. April, June, August, and October.
491 <i>Sambucaria</i>	Swallow-tail	<i>A. t.</i> 94, <i>f.</i> a—d. <i>W. t.</i> 78. <i>D.</i> 5, <i>t.</i> 170. <i>C.</i> 11, <i>t.</i> 508. <i>St.</i> 3, <i>p.</i> 175. 6478 OURAPTERYX.	Woods and gardens, Middlesex, Surrey, Essex, &c. End of June or beginning of July.
492 <i>Margaritata</i>	Light Emerald	<i>D.</i> 16, <i>t.</i> 543. <i>St.</i> 3, <i>p.</i> 176. <i>Campæa</i> . 6479 PHALÆNA.	Woods near London; also in Kent, Essex, &c. Middle of July or beginning of August.
493 <i>Fasciaria</i>	Barred Red	<i>St.</i> 3, <i>p.</i> 177. 6480 ELLOPIA.	Fir-trees, Birch Wood, Ripley, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera</i>	<i>Habitat, and when found.</i>
494 <i>Papilionarius</i>	Large Emerald	<i>D. 3, t. 237, f. 1. St. 3, p. 173.</i> 6481 HIPPARCHUS.	Darenth Wood, Waldershare, Kent, &c. Middle of July.
495 <i>Vernarius</i>	Small Emerald	<i>D. 3, t. 97. St. 3, p. 179.</i> Hemithea. 6482 HIPPARCHUS.	Darenth Wood; but rare. End of July.
496 <i>Smaragdarius</i>	Essex Emerald	<i>C. 7, t. 300. St. 3, p. 179.</i> Hemithea. HIPPARCHUS.	Mr. Parsons's Cabinet; taken near South Church, Essex.
497 <i>Cythisaria</i>	Grass Emerald	<i>W. t. 75. St. 3, p. 180.</i> Hemithea. 6485 HIPPARCHUS.	Heaths near London, Epping, Coombe Wood, &c. End of July.
498 <i>Bajularia</i>	Blotch'd Emerald	<i>H. t. 41, f. r. D. 6, t. 202, f. 1.</i> 6486 CLEORA.	Darenth and Birch Woods. Beginning of July.
499 <i>Lichenaria</i>	Lime-Moss	<i>W. t. 76. D. 10, t. 342, f. 1.</i> 6487 CLEORA.	Brockenhurst in the New Forest, Coombe Wood, &c. End of July.
500 <i>Viduaria</i>	Speckled Beauty	<i>St. 3, p. 182.</i> 6488 CLEORA.	Near Lyndhurst in the New Forest; but rare. June.
501 <i>Teneraria</i>	Dotted Carpet	<i>St. 3, p. 182.</i> 6489 CLEORA. M 2	New Forest, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
502 <i>Cinctaria</i>	Ringed Carpet	<i>C. 2, t. 88. St. 3, p. 183.</i> 6490 CLEORA.	Near Lyndhurst and Brocken- hurst in the New Forest. May and June.
503 <i>Pictaria</i>	Grey Carpet	<i>C. 10, t. 447. St. 3, p. 183.</i> 6491 CLEORA.	Mr. Stephens has seen but two specimens, taken between Eltham and Birch Wood in the spring.
504 <i>Repandata</i>	Mottled Beauty	<i>D. 10, t. 333, f. 1. St. 3, p. 184.</i> 6492 ALCIS.	Woods and forests. End of July.
505 <i>Distrigaria</i>	Light Mottled Beauty	<i>St. 3, p. 185.</i> 6493 ALCIS.	Woods near Lon- don. July.
506 <i>Muraria</i>	Dark Mottled Beauty	<i>St. 3, p. 185.</i> 6494 ALCIS.	Old walls in the North of En- gland.
507 <i>Conver- saria</i>	Large Carpet	<i>D. 10, t. 333, f. 2. St. 3, p. 186.</i> 6495 ALCIS.	Coombe, Birch, and Darenth Woods. Middle of July.
508 <i>Sericcaria</i>	Satin Carpet	<i>C. 3, t. 113. St. 3, p. 186.</i> 6496 ALCIS.	New Forest, be- tween Lynd- hurst and Brockenhurst. July. Mr. Chant's Cabi- net.




477 a +



484 a +



492 a +



501 a



477 a +



485 a +



493 a +



502 a +



478 a +



486 a +



494 b



503 a



478 a +



487 a +



495 a +



504 b



479 a +



488 a +



496 a +



505 b



480 a +



489 a +



497 a +



506 a +



481 a +



489 a +



498 a



507 a +



482 a



490 a +



499 a



508 b



483 a +



491 b



500 a



509 b

W. Wood Junr

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
509 <i>Consortaria</i>	Pale Oak Beauty	<i>D.</i> 10, <i>t.</i> 333, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 186. 6497 <i>ALCIS.</i>	Coombe, Birch, and Darenth Woods. Middle of June.
510 <i>Roboraria</i>	Great Oak Beauty	<i>A. t.</i> 93, <i>f.</i> a—d. <i>D.</i> 15, <i>t.</i> 527. <i>St.</i> 3, <i>p.</i> 187. 6498 <i>ALCIS.</i>	Birch and Coombe Woods. End of June.
511 <i>Rhomboidea</i>	Willow Beauty	<i>St.</i> 3, <i>p.</i> 187. 6500 <i>ALCIS.</i>	Common in gardens near London, &c. Beginning of July.
512 <i>Consobrinaria</i>	Tawny Beauty	<i>St.</i> 3, <i>p.</i> 188. 6501 <i>ALCIS.</i>	New Forest and Devonshire. July.
513 <i>Fimbriaria</i>	Bordered Beauty	<i>St.</i> 3, <i>p.</i> 188, <i>t.</i> 30, <i>f.</i> 1. 6502 <i>ALCIS.</i>	Mr. Stephens possesses a single specimen, which he believes was taken in Suffolk.
514 <i>Abruptaria</i>	Waved Umbre	<i>D.</i> 7, <i>t.</i> 251, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 189. 6503 <i>HEMEROPHILA.</i>	On walls in gardens; also in woods, &c. May.
515 <i>Tretragonaria</i>	Square-spot	<i>C.</i> 6, <i>t.</i> 280. <i>St.</i> 3, <i>p.</i> 190. 6504 <i>BOARMIA.</i>	Birch Wood. Rare. Beginning of May.
516 <i>Abietaria</i>	Ingrailed	<i>St.</i> 3, <i>p.</i> 191. 6505 <i>BOARMIA.</i>	Coombe and Birch Woods, &c. March and April.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
517 <i>Crepuscularia</i>	Small Ingrailed	<i>St. 3, p. 191.</i> 6506 BOARMIA.	Coombe and Birch Woods, Epping, &c. Middle of May, and in June.
518 <i>Consonaria</i>	Brindled Grey	<i>St. 3, p. 192.</i> 6507 BOARMIA.	Darenth Wood; but rare. July.
519 <i>Strigularia</i>	Streaked Beauty	<i>St. 3, p. 192.</i> 6508 BOARMIA.	Darenth Wood; but very rarely. July.
520 <i>Extersaria</i>	Brindled White-spot	<i>St. 3, p. 192.</i> 6509 BOARMIA.	Darenth Wood; but very rare. Beginning of June.
521 <i>Punctularia</i>	Grey Birch	<i>St. 3, p. 193.</i> 6510 BOARMIA.	Common in Coombe, Birch, and Darenth Woods, &c. Middle of May.
522 <i>Vauaria</i>	Common V Moth	<i>A. t. 47, f. 78, a—d.</i> <i>W. t. 86. H. t. 34,</i> <i>f. g—i. D. 6, t. 196,</i> <i>St. 3, p. 194. Italia.</i> 6511 GRAMMATOPHORA.	Common in gardens in many parts of England. June and July.
523 <i>Pulveraria</i>	Barred Umber	<i>A. t. 96, f. d—f. H. t. 42,</i> <i>f. a. St. 3, p. 194.</i> Numaria. 6513 AZINEPHORA.	Woods near London, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
524 <i>Pusaria</i>	Common White Wave	<i>A. t.</i> 118, <i>f.</i> c—h. <i>H. t.</i> 44, <i>f.</i> h. <i>St.</i> 3, <i>p.</i> 196. 6514 CABERA.	Common in woods and copses in May; and also in Au- gust.
525 <i>Rotundaria</i>	Round-winged Wave	<i>St.</i> 3, <i>p.</i> 196. 6515 CABERA.	Coombe, Birch, and Darenth Woods; not common. May and August.
526 <i>Exanthema</i>	Common Wave	<i>A. t.</i> 92, <i>f.</i> c—h. & <i>t.</i> 99, <i>f.</i> a—d. <i>St.</i> 3, <i>p.</i> 197. 6516 CABERA.	Abundant in woods and bushy lanes, Epping, &c. May and Au- gust.
527 <i>Omicronaria</i>	Mocha	<i>St.</i> 3, <i>p.</i> 198. Ephyra. 6517 CYCLOPHORA.	Darenth Wood, Epping, &c. End of August.
528 <i>Pendularia</i>	Birch Mocha	<i>A. t.</i> 85, <i>f.</i> a—d. <i>St.</i> 3, <i>p.</i> 199. Ephyra. 6519 CYCLOPHORA.	Woods in Mid- dlesex, Kent, and Essex, &c. May and Au- gust.
529 <i>Orbicularia</i>	Dingy Mocha	<i>St.</i> 3, <i>p.</i> 199. Ephyra. 6521 CYCLOPHORA.	Coombe Wood; also woods near Erith, &c.; but rare. Beginning of June.
530 <i>Porata</i>	False Mocha	<i>A. t.</i> 49, <i>f.</i> 82, a—d. <i>St.</i> 3, <i>p.</i> 200. Ephyra. 6518 CYCLOPHORA <i>o-</i> <i>cellaria</i> .	Common in Coombe, Birch, and Darenth Woods. May and August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
531 <i>Punctaria</i>	Buff Argus	<i>W.t.</i> 74, lower fig. <i>D.</i> 13, <i>t.</i> 456. <i>St.</i> 3, <i>p.</i> 201. Ephyra. 6522 <i>CYCLOPHORA</i> .	Woods, lanes, &c. Middlesex, Kent, Essex, &c. May and August.
532 <i>Trilinearia</i>	Clay Triple- lines	<i>St.</i> 3, <i>p.</i> 201. Ephyra. 6523 <i>CYCLOPHORA</i> .	New Forest, and occasionally at Birch Wood. July.
533 <i>Amataria</i>	Blood vein	<i>D.</i> 2, <i>t.</i> 33, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 202. 6524 <i>BRADYEPETES</i> .	Lanes near Rip- ley, Darenth Wood, &c. End of June.
534 <i>Apiciaria</i>	Bordered Beauty	<i>D.</i> 7, <i>t.</i> 233, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 203. Epione. 6527 <i>BRADYEPETES</i> :	Epping Forest, a marshy lane near Ripley, &c. End of July.
535 <i>Vesper- taria</i>	Dark-bordered Beauty	<i>St.</i> 3, <i>p.</i> 204. Epione. 6528 <i>BRADYEPETES</i> .	Taken in York- shire; but very rare. Middle of July.
536 <i>Advenaria</i>	Little Thorn	<i>St.</i> 3, <i>p.</i> 204. Epione. 6525 <i>BRADYEPETES</i> .	Found, but rarely, in the woods between Hampstead and Highgate. Mid- dle of June.
537 <i>Dolabraria</i>	Scorched Wing	<i>D.</i> 10, <i>t.</i> 341, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 205. Eurymene. 6529 <i>BRADYEPETES</i> .	Richmond Park, Coombe and Darenth Woods, Epping, Dover, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
538 <i>Vibicaria</i>	Purple-bar	<i>St. 3, p. 207.</i> Pellonia. 6735 PTYCHOPODA.	Mr. Swainson's Cabinet.
539 <i>Purpuraria</i>	Purple-bar- red Yellow	<i>C. 10, t. 467. St. 3, p. 207.</i> 6530 ASPILATES.	Mr. Swainson's Cabinet.
540 <i>Citraria</i>	Yellow Belle	<i>St. 3, p. 208.</i> 6531 ASPILATES.	Clover fields, Kent and Hert- fordshire. June and August.
541 <i>Gilvaria</i>	Straw Belle	<i>St. 3, p. 208.</i> 6532 ASPILATES.	Grassy fields east of Dover Castle; abundantly. August.
542 <i>Respersa- ria</i>	Grass Wave	<i>St. 3, p. 209.</i> 6534 ASPILATES.	Heaths near Coombe Wood, and near Brock- enhurst in the New Forest. Middle of June.
543 <i>Plumba- ria</i>	Belle	<i>St. 3, p. 209.</i> Phasiane. 6533 ASPILATES.	Common on heaths by the sides of woods. June.
544 <i>Cervinata</i>	Mallow	<i>St. 3, p. 211.</i> 6535 LARENTIA.	Darenth and Coombe Woods; also near London, &c. Middle of October.
545 <i>Chenopo- diata</i>	Small Mallow	<i>H. t. 33, f. n. St. 3, p. 211.</i> 6536 LARENTIA.	Common in se- veral counties. End of June and in August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
547 <i>Bipuncta- ria</i>	Chalk Carpet	<i>St. 3, p. 212.</i> 6537 LARENTIA.	Chalky places, fields near Darenth Wood, &c. Middle of June.
548 <i>Multistri- garia</i>	Mottled Grey	<i>St. 3, p. 212.</i> 6538 LARENTIA.	Hampstead- Heath, and Ep- ping; but rare. March.
549 <i>Didymata</i>	Twin-spot Carpet	<i>C. 7, t. 296. St. 3, p. 214.</i> 6539 CIDARIA.	Westerham, Kent; also near Ripley; and in Devonshire, &c. June.
550 <i>Munitata</i>	Rufous Car- pet	<i>D. 13, t. 461, f. 2. St. 3, p. 214.</i> 6540 CIDARIA.	North of En- gland; also at Epping, and near London; but rarely. End of June.
551 <i>Unidenta- ria</i>	Dark-barred Twin-spot	<i>A. t. 97, f. c—h. St. 3, p. 215.</i> 6541 CIDARIA.	Coombe and Da- renth Woods, &c.; common. Beginning of June and again in August.
552 <i>Quadrifas- ciaria</i>	Large Twin- spot	<i>St. 3, p. 215.</i> 6542 CIDARIA.	Darenth Wood; also at Hertford, and Ripley. End of July.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
553 <i>Ferrugata</i>	Red Twin-spot	<i>St.</i> 3, <i>p.</i> 216. 6543 <i>CIDARIA</i> .	Common in Middlesex, Essex, Kent, &c. May and August.
554 <i>Latentaria</i>	Northern Twin-spot	<i>St.</i> 3, <i>p.</i> 217. 6545 <i>CIDARIA</i> .	North of England; neighbourhood of Ambleside. July.
555 <i>Salicata</i>	Striped Twin-spot	<i>St.</i> 3, <i>p.</i> 217. 6544 <i>CIDARIA</i> .	Mr. Bentley's Cabinet. June.
556 <i>Miaria</i>	Green Carpet	<i>St.</i> 3, <i>p.</i> 218. 6546 <i>CIDARIA</i> .	Abundant in several counties. Middle of June.
557 <i>Olivata</i>	Beech Green Carpet	<i>D.</i> 14, <i>t.</i> 479, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 218. 6547 <i>CIDARIA</i> .	Darenth Wood; the New Forest, &c. June.
558 <i>Montanata</i>	Silver ground	<i>St.</i> 3, <i>p.</i> 219. 6548 <i>CIDARIA</i> .	Very common in Middlesex, Surrey, Kent, Essex, &c. Middle of June.
559 <i>Fluctuata</i>	Garden Carpet	<i>A. t.</i> 99, <i>f.</i> e—h. <i>St.</i> 3, <i>p.</i> 219. 6549 <i>CIDARIA</i> .	Common in gardens near London; also in Surrey, Kent, &c. April till September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
560 <i>Propugnata</i>	Flame Carpet	<i>D. 10, t. 349, f. 3. St. 3, p. 220. 6551 CIDARIA.</i>	Near London ; Hertford ; Coombe and Darenth Woods ; &c. June.
561 <i>Fulvata</i>	Barred Yellow	<i>H. t. 35, f. 1. St. 3, p. 221. 6552 HARPALYCE.</i>	Borders of woods Mid- dlesex, Essex, &c. End of June.
562 <i>Ocellata</i>	Purple-bar	<i>St. 3, p. 222. 6553 HARPALYCE.</i>	Coombe, Birch, and Darenth Woods.
563 <i>Galiata</i>	Galium Carpet	<i>St. 3, p. 222. 6554 HARPALYCE.</i>	Near Dover, and Dublin, &c. Beginning of June, and mid- dle of August.
564 <i>Unilobata</i>	Blue-angled Carpet	<i>St. 3, p. 223. 6555 HARPALYCE.</i>	Taken near Scar- borough in Yorkshire. Mr. Bentley's Cabi- net. June.
565 <i>Quadrian- nolata</i>	Necklace Car- pet	<i>St. 3, p. 223. 6556 HARPALYCE.</i>	Mr. Bentley's Cabinet.
566 <i>Tristata</i>	Small Argent and Sable	<i>St. 3, p. 223. 6565 HARPALYCE.</i>	Found in Devon- shire ; and common at Rae Hills. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
567 <i>Substriata</i>	Common Carpet	<i>D. 15, t. 510, f. 2. St. 3, p. 224.</i> 6564 HARPALYCE.	Bushy lanes and borders of woods. June and August.
568 <i>Sylvaticata</i>	Wood Carpet	<i>St. 3, p. 225.</i> 6563 HARPALYCE.	Darenth Wood. July.
569 <i>Unangulata</i>	Sharp-angled Carpet	<i>St. 3, p. 225.</i> 6562 HARPALYCE.	Birch, Darenth, and Coombe Woods. End of June.
570 <i>Biangulata</i>	Cloaked Carpet	<i>St. 3, p. 225.</i> 6561 HARPALYCE.	Darenth Wood and neighbourhood, Epping, &c. June.
571 <i>Silaceata</i>	Small Phoenix	<i>D. 14, t. 487, f. 2. St. 3, p. 226.</i> 6566 HARPALYCE.	Dover, Epping, Newby Cross, &c. End of July or beginning of August.
572 <i>Corylata</i>	Broken-barr'd Carpet	<i>A. t. 98, f. a—d. D. 14, t. 479, f. 2. St. 3, p. 227.</i> 6567 HARPALYCE.	Common at Coombe Wood, &c. Middle of July.
573 <i>Immanata</i>	Dark Marbled Carpet	<i>St. 3, p. 228. Polyphasia.</i> 6570 HARPALYCE.	Woody places Epping, &c. Beginning of July.
574 <i>Amœnata</i>	Pretty Marbled Carpet	<i>St. 3, p. 228. Polyphasia.</i> 6571 HARPALYCE.	Taken near Ashburton in Devonshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
575 <i>Marmoreata</i>	Marbled Carpet	<i>St. 3, p. 229.</i> Polyphasia. 6572 HARPALYCE.	Woods in Kent, Essex, &c. June.
576 <i>Concinnata</i>	Beautiful Marbled Carpet	<i>St. 3, p. 229.</i> Polyphasia. 6573 HARPALYCE.	Taken in Scotland. Mr. Stephens's Cabinet.
577 <i>Commannotata</i>	Yellow Marbled Carpet	<i>St. 3, p. 230.</i> Polyphasia. 6574 HARPALYCE.	Woody places in Middlesex, Surrey, Kent, Essex, &c. July.
578 <i>Centumnotata</i>	Common Marbled Carpet	<i>St. 3, p. 230.</i> Polyphasia. 6575 HARPALYCE.	Very common in woody places. End of July.
579 <i>Saturata</i>	Dusky Marbled Carpet	<i>St. 3, p. 231.</i> Polyphasia. 6576 HARPALYCE.	Middlesex, Essex, Kent, Surrey, &c. July.
580 <i>Perfuscata</i>	Brown Marbled Carpet	<i>St. 3, p. 231.</i> Polyphasia. 6577 HARPALYCE.	Darenth, Birch, and Coombe Woods. July.
581 <i>Prunata</i>	Clouded Carpet	<i>D. 7, t. 233, f. 1. St. 3, p. 232.</i> 6579 STEGANOLOPHIA.	Gardens at Epping; also at Ripley, Hertford, &c. End of July.
582 <i>Suffumata</i>	Water Carpet	<i>St. 3, p. 234.</i> Lampropteryx. 6578 HARPALYCE.	Epping, Rae Hills, Hertford; but not common. July.



510 b



519 a +



523 a



537 a



511 a +



520 a



529 a



538 a



512 a +



521 a



530 a



539 a +



513 a +



522 a



531 a



540 a



514 a +



523 a



532 a



541 a +



515 a +



524 a



533 a



542 a +



516 a +



525 a



534 a



543 a +



517 a +



526 a



535 a



544 a +



518 a



527 a



536 a



545 a +



347 a +




348 a



349 a



350 a



348 a



355 a



356 n



355 a



349 n




358 a +



357 n



356 a



350 n



359 a



360 a



357 a



361 n



360 n



369 a



358 a +



362 a



361 n



360 a



359 a



363 n



362 a



361 a



360 a +



364 n



363 n



362 a



361 a +



365 n



364 a



363 a +



362 a



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
583 <i>Piceata</i>	Glossy Carpet	<i>St. 3, p. 234.</i> Lampropteryx.	Mr. Stephens has seen but three of this species, taken in the North of England.
584 <i>Badiata</i>	Shoulder Stripe	<i>D. 14, t. 493, f. 1. St. 3, p. 235.</i> Lampropteryx. 6608 PHIBALAPTERYX.	Woody places in Middlesex, Surrey, Essex, &c. February, and again in June or July.
585 <i>Berberata</i>	Raspberry Carpet	<i>St. 3, p. 236.</i> Anticlea. 6560 HARPALYCE.	Found in Berkshire; and at Weston on the Green, Oxfordshire. Middle of June.
586 <i>Rubidata</i>	Flame	<i>St. 3, p. 236.</i> Anticlea. 6559 HARPALYCE.	Darenth and Birch Woods; also at Epping. End of June.
587 <i>Sinuata</i>	Royal Mantle	<i>St. 3, p. 237.</i> Anticlea. 6557 HARPALYCE.	Taken in a lane between Darenth and Birch Woods; but very rare. End of June.
588 <i>Derivata</i>	Streamer	<i>St. 3, p. 237.</i> Anticlea. 6558 HARPALYCE.	Coombe and Darenth Woods, Epping, &c. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
589 Comitata	Dark Spinach	<i>A. t.</i> 47, <i>f.</i> 79, <i>f</i> —i. <i>W.</i> <i>t.</i> 71. <i>St.</i> 3, <i>p.</i> 239. 6581 ELECTRA.	Middlesex, Essex, &c. Beginning of July.
590 Populata	Poplar	<i>St.</i> 3, <i>p.</i> 239. 6582 ELECTRA.	Common in the North of England, and in Scotland. July.
591 <i>Spinachita</i>	Spinach	<i>St.</i> 3, <i>p.</i> 240. 6580 ELECTRA.	Gardens near London; abundant at Ripley in Surrey. Middle of July.
592 Testata	Chevron	<i>St.</i> 3, <i>p.</i> 240. 6583 ELECTRA.	Middlesex, Essex, Devon, Cheshire, &c. May and September.
593 <i>Achatinata</i>	Agate	<i>St.</i> 3, <i>p.</i> 241. 6584 ELECTRA.	The New Forest. End of June.
594 <i>Pyraliata</i>	Barred Straw	<i>A. t.</i> 14, <i>f.</i> 75, <i>a</i> — <i>g.</i> <i>St.</i> 3, <i>p.</i> 241. 6585 ELECTRA.	Gardens and bushy lanes in several counties. End of July.
595 <i>Imbutata</i>	Manchester Treble-bar	<i>St.</i> 3, <i>p.</i> 242. <i>Celma.</i> 6586 ELECTRA.	Heath in the North of England. July.
596 <i>Plagiata</i>	Slender Treble-bar	<i>H. t.</i> 23, <i>f.</i> k. <i>D. t.</i> 233, <i>f.</i> 2. <i>C. t.</i> 7, <i>t.</i> 324. <i>St.</i> 3, <i>p.</i> 243. <i>Ani-</i> <i>atis.</i> 6624 APLOCERA.	Coombe and Darenth Woods, Epping Forest, &c. June.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
597 Perfor- mata	Purple Treble- bar	<i>St.</i> 3, <i>p.</i> 244. <i>Amiatis.</i>	Coombe Wood? June.
598 Dealbata	Black veined	<i>St.</i> 3, <i>p.</i> 245. <i>Scoria.</i> 6587 <i>IDEA.</i>	Kent, near Tun- bridge Wells, and Charing; but rare. June.
599 <i>Ulmata</i>	Scarce Magpie	<i>D.</i> 9, <i>t.</i> 293, <i>f.</i> 1. <i>C.</i> 11, <i>t.</i> 515. <i>St.</i> 3, <i>p.</i> 246. 6589 <i>ABRAXAS.</i>	Rare near Lon- don; but com- mon in several counties. Mid- dle of June. Dr. Bromfield found it near Bath, in May.
600 Pantaria	Panther	<i>St.</i> 3, <i>p.</i> 246, <i>t.</i> 32, <i>f.</i> 1. 6588 <i>ABRAXAS.</i>	Near Oakhamp- ton Park, Somersetshire; but very rare.
601 <i>Grossula-</i> <i>riata</i>	Magpie	<i>A.</i> <i>t.</i> 43, <i>f.</i> 71, d—g. <i>W.</i> <i>t.</i> 35. <i>H.</i> <i>t.</i> 12, <i>f.</i> f—k. <i>D.</i> 1, <i>t.</i> 4. <i>St.</i> 3, <i>p.</i> 247. 6590 <i>ABRAXAS.</i>	Very common in different parts of the country. Middle of July.
602 Hastata	Argent and Sa- ble	<i>H.</i> <i>t.</i> 15. <i>D.</i> 4, <i>t.</i> 129. <i>St.</i> 3, <i>p.</i> 248. <i>Melan-</i> <i>ippe.</i> 6592 <i>XERENE.</i>	Darenth and Coombe Woods; not common. Beginning of June.
603 Albicillata	Beautiful Car- pet	<i>D.</i> 6, <i>t.</i> 202, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 249. 6593 <i>XERENE.</i>	Kent and Nor- folk; rare near London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
604 <i>Procellata</i>	Chalk Carpet	<i>D. 6, t. 202, f. 3. St. 3, p. 250.</i> 6594 XERENE.	Darenth and Birch Woods; near Dover, &c. June.
605 <i>Adustata</i>	Scorched Carpet	<i>St. 3, p. 250.</i> 6595 XERENE.	Darenth and Coombe Woods, &c. Middle or end of August.
606 <i>Rubiginata</i>	Blue-bordered Carpet	<i>St. 3, p. 251.</i> 6596 XERENE.	Surrey, Middlesex, Kent, &c. End of June and August.
607 <i>Plumbata</i>	Dark Blue bordered Carpet	<i>St. 3, p. 251.</i> XERENE.	Forfarshire. July.
608 <i>Miata</i>	Autumn Green Carpet	<i>A. t. 50, f. 36. D. 14, t. 479, f. 3. St. 3, p. 253. Euthalia.</i> 6568 HARPALYCE.	Middlesex, Essex, Cambridgeshire, Kent, &c. The Autumn.
609 <i>Psittacata</i>	Red-green Carpet	<i>D. 14, t. 485, f. 3. St. 3, p. 253. Euthalia.</i> 6569 HARPALYCE.	Essex, Cambridgeshire, Surrey, &c. September.
610 <i>Impluviata</i>	May Highflyer	<i>D. 14, t. 499, f. 2. St. 3, p. 254. Euthalia.</i> 6598 YPSIPETES.	Darenth and Coombe Woods; but not common. End of May.
611 <i>Elutata</i>	July Highflyer	<i>A. t. 44, f. 73, e—h. St. 3, p. 254. Euthalia.</i> 6599 YPSIPETES.	Very common in many counties. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
612 <i>Tersata</i>	Fern	<i>St.</i> 3, <i>p.</i> 256. 6601 PHIBALAPTE- RYX.	Near Darenth and Birch Woods; Hert- ford and Ripley. June.
613 <i>Vitalbata</i>	Small waved Umber	<i>St.</i> 3, <i>p.</i> 256. 6602 PHIBALAPTE- RYX.	Darenth and Birch Woods; &c. June.
614 <i>Lignata</i>	Oblique Car- pet	<i>D.</i> 14, <i>t.</i> 485, <i>f.</i> 1 & 2. <i>St.</i> 3, <i>p.</i> 257. 6603 PHIBALAPTE- RYX.	Near Cambridge; the New Forest, and in Battersea Fields. Begin- ning of July.
615 <i>Lineolata</i>	Oblique Striped	<i>St.</i> 3, <i>p.</i> 257. 6605 PHIBALAPTE- RYX.	Near Brighton and Lewes. End of June or beginning of July.
616 <i>Angustata</i>	Narrow-bar- red Carpet	<i>St.</i> 3, <i>p.</i> 258. 6607 PHIBALAPTE- RYX.	Taken in a gar- den at Camden Town. The end of Septem- ber. Very rare.
617 <i>Petraria</i>	Brown Silver lines	<i>St.</i> 3, <i>p.</i> 259. 6623 LOZOGRAMMA.	Heaths near London, Coombe Wood, &c. End of June.
618 <i>Rhamnata</i>	Dark Umber	<i>St.</i> 3, <i>p.</i> 260. 6609 SCOTOSIA.	Darenth Wood, Epping, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
619 <i>Vetulata</i>	Brown Scollop	<i>St. 3, p. 260.</i> 6610 SCOTOSIA.	Darenth and Coombe Woods; Ep- ping Forest, &c. End of June.
620 <i>Sparsaria</i>	Small Scollop	<i>St. 3, p. 261.</i> 6611 SCOTOSIA.	New Forest. End of June.
621 <i>Cervinata</i>	Scarce Tissue	<i>St. 3, p. 262.</i> 6614 TRIPHOSA.	Taken in the neighbourhood of London; but rare. April.
622 <i>Dubitata</i>	Common Tissue	<i>D. 7, t. 246, f. 2. St. 3,</i> <i>p. 262.</i> 6612 TRIPHOSA.	Darenth and Birch Woods, &c. Middle of July.
623 <i>Cinereata</i>	Ashy Tissue	<i>St. 3, p. 263.</i> 6613 TRIPHOSA.	Taken near Rip- ley. July.
624 <i>Bilineata</i>	Yellow Shell	<i>D. 8, t. 287, f. 3. St. 3,</i> <i>p. 264. Camptogram-</i> <i>ma.</i> 6615 ———	Hedges near London and elsewhere; very common. End of June and beginning of July.
625 <i>Undulata</i>	Scollop Shell	<i>D. 10, t. 324, f. 3. St. 3,</i> <i>p. 265. Eucosmia.</i> 6616 ———	Darenth and Coombe Woods; Ep- ping, &c. End of June.
626 <i>Obscuraria</i>	Dark Annulet	<i>St. 3, p. 266.</i> 6617 CHARISSA.	New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
627 <i>Dilucidaria</i>	Pale Annulet	<i>St.</i> 3, <i>p.</i> 267. 6618 CHARISSA.	Devonshire. June.
628 <i>Pullata</i>	Brown Annulet	<i>D.</i> 13, <i>t.</i> 463. <i>St.</i> 3, <i>p.</i> 267. 6619 CHARISSA.	Common behind Dover Castle, in August.
629 <i>Serotina- ria</i>	Large Mocha	<i>St.</i> 3, <i>p.</i> 267. 6620 CHARISSA.	Found in Sussex. July.
630 <i>Operaria</i>	Scotch Annulet	<i>St.</i> 3, <i>p.</i> 267. 6621 CHARISSA.	Found at Flisk in Scotland. About the end of July.
631 <i>Hippocastanaria</i>	Chestnut Carpet	<i>St.</i> 3, <i>p.</i> 269. 6622 PACHYCNEMIA.	Near Birch Wood; Roch- ford in Essex, and the New Forest. July.
632 <i>Spartata</i>	Streak	<i>D.</i> 10, <i>t.</i> 342, <i>f.</i> 2. <i>St.</i> 3, <i>p.</i> 270. 6627 CHESIAS.	Near Coombe Wood. End of September.
633 <i>Obliquaria</i>	Chevron	<i>D.</i> 11, <i>t.</i> 336, <i>f.</i> 4. <i>St.</i> 3, <i>p.</i> 270. 6628 CHESIAS.	Near Coombe Wood House; also at Epping. May.
634 <i>Simulata</i>	Brick Carpet	<i>St.</i> 3, <i>p.</i> 271. Thera. 6629 ———	Birch Wood. End of June.
635 <i>Variata</i>	Grey Carpet	<i>St.</i> 3, <i>p.</i> 372. Thera. 6630 ———	Birch Wood; Hertford, Ep- ping, &c. June and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
636 <i>Fulvata</i>	Red-barred Grey Carpet	<i>St. 3, p. 272.</i> Thera. 6631 ———	Midland counties of England. June and Sep- tember.
637 <i>Coniferata</i>	Northern Car- pet	<i>C. 11, t. 519.</i> <i>St. 3,</i> <i>p. 272.</i> Thera.	
638 <i>Juniperata</i>	Juniper Carpet	<i>St. 3, p. 272.</i> Thera. 6632 ———	Mr. Stephens has seen but two specimens taken in Sep- tember, among Juniper bushes in Birch Wood.
639 <i>Dilutata</i>	November	<i>A. t. 14, f. 74, a—c.</i> <i>D. 15, t. 517.</i> <i>St. 3,</i> <i>p. 273.</i> Oporabia. 6633 ———	Common in the South of En- gland; also near Newcastle, Epping, &c.
640 <i>Brumata</i> , M. and F.	Winter	<i>St. 3, p. 275.</i> 6634 CHEIMATOBIA.	Epping, &c.; very common. End of November.
641 <i>Rupica- praria</i> , M. and F.	Early	<i>A. t. 49, f. 83. e—g?</i> <i>St. 3,</i> <i>p. 275.</i> 6635 CHEIMATOBIA.	Epping, &c. End of January.
642 <i>Polycom- mata</i>	Spring Carpet	<i>C. 2, t. 81.</i> <i>St. 3, p. 276.</i> 6636 LOBOPHORA.	Near Dartford, and in a lane between Elt- ham and Birch Wood. March.
643 <i>Dentistri- gata</i>	Early Tooth- striped	<i>St. 3, p. 277.</i> 6638 LOBOPHORA.	Birch and Da- renth Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
644 <i>Costæstri-gata</i>	Twin-striped Pinion.	<i>St.</i> 3, <i>p.</i> 277. 6637 LOBOPHORA.	Near London. July.
645 <i>Rupestrata</i>	Double lined	<i>St.</i> 3, <i>p.</i> 277. Lobophora.	Mr. Stephens's Cabinet. Taken in Devonshire, in June.
646 <i>Viretata</i>	Brindle-barred Yellow	<i>D.</i> 14, <i>t.</i> 499, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 278. 6339 LOBOPHORA.	Birch Wood and Epping; but rare. June.
647 <i>Hexapterata</i>	Prominent	<i>D.</i> 6, <i>t.</i> 192. <i>St.</i> 3, <i>p.</i> 278. 6340 LOBOPHORA.	Birch Wood, Epping, &c. June
648 <i>Sexalisata</i>	Small Seraphim	<i>St.</i> 3, <i>p.</i> 278. 6641 LOBOPHORA.	Coombe Wood, and in the New Forest. June and August.
649 <i>Linariata</i>	Beautiful Pug	<i>C.</i> 2, <i>t.</i> 64. <i>St.</i> 3, <i>p.</i> 279. 6642 EUPITHECIA.	Near Darent and Birch Woods; also near Dover. August.
650 <i>Pulchellata</i>	Pretty Pug	<i>St.</i> 3, <i>p.</i> 280. 6643 EUPITHECIA.	Near Coombe and Birch Woods. July.
651 <i>Rectangulata</i>	Green Pug	<i>St.</i> 3, <i>p.</i> 280. 6644 EUPITHECIA.	Common in gardens near London, Epping, &c. Middle and end of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
652 <i>Subærata</i>	Greenish Pug	<i>St. 3, p. 280.</i> 6645 EUPITHECIA.	Taken in Devon- shire by Messrs. Chant and Bentley. June.
653 <i>Nigro- punctata</i>	Little Pug	<i>Entomol. Mag. 1. p. 134.</i> <i>t. 24. St. 4, p. 392.</i> Eupithecia.	Mr. Chant's Ca- binet. Taken near Ashbur- ton, Devon- shire, in June.
654 <i>Nigroscri- ceata</i>	Black-silk Pug	<i>St. 3, p. 281.</i> 6646 EUPITHECIA.	Found near Lon- don; but rare.
655 <i>V. ata.</i>	V. Pug	<i>St. 3, p. 281.</i> 6648 EUPITHECIA.	Near Ripley, at Darenth Wood, and Epping. July.
656 <i>Strobilata</i>	Double- striped Pug	<i>St. 3, p. 282.</i> 6649 EUPITHECIA.	Fir plantations near Ripley; also, but not common, near London. June.
657 <i>Rufifasci- ata</i>	Red-barred Pug	<i>St. 3, p. 282.</i> 6650 EUPITHECIA.	Near London, and in Devon- shire. April.
658 <i>Lævigata</i>	Juniper Pug	<i>St. 3, p. 282.</i> 6651 EUPITHECIA.	Woods in Kent. July or August.
659 <i>Exiguata</i>	Little Pug	<i>St. 3, p. 283.</i> 6652 EUPITHECIA.	Woods in the neighbourhood of London. End of June.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
660 <i>Abbreviata</i>	Short Pug	<i>St. 3, p. 283.</i> 6655 EUPITHECIA.	Taken at Darenth, also at York. June.
661 <i>Singulariata</i>	Grey Pug	<i>St. 3, p. 283.</i> 6656 EUPITHECIA.	Found near Darenth Wood; but rare. June.
662 <i>Nebulata</i>	Brindled Pug	<i>St. 3, p. 283.</i> 6657 EUPITHECIA.	Middlesex, Surrey, Essex, &c.; in woody places. June.
663 <i>Albipunctata</i>	Speckled Pug	<i>St. 3, p. 284.</i> 6658 EUPITHECIA.	Woods in Middlesex, &c. June.
664 <i>Subumbriata</i>	Small Brindled Pug	<i>St. 3, p. 284.</i> 6659 EUPITHECIA.	Woody places; but not common. June or July.
665 <i>Subfasciata</i>	False-barred Pug	<i>St. 3, p. 284.</i> 6660 EUPITHECIA.	Mr. Stephens has seen but one specimen, taken at Darenth Wood in June.
666 <i>Vulgata</i>	Common Pug	<i>St. 3, p. 285.</i> 6661 EUPITHECIA.	Common in gardens round London, &c. June.
667 <i>Subfuscata</i>	Brown-grey Pug	<i>St. 3, p. 285.</i> 6662 EUPITHECIA.	In the same place as the last, but not so common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
668 <i>Innotata</i>	Simple Pug	<i>St.</i> 3, <i>p.</i> 285. 6663 EUPITHECIA.	Taken in a garden near Darenth Wood in June. Mr. Stephens's Cabinet.
669 <i>Absinthiata</i>	Wormwood Pug	<i>St.</i> 3, <i>p.</i> 286. 6664 EUPITHECIA.	Common in gardens round London, &c. June.
670 <i>Notata</i>	Spotted Pug	<i>St.</i> 3, <i>p.</i> 286. 6665 EUPITHECIA.	Found near London in June. Mr. Stephens's Cabinet.
671 <i>Elongata</i>	Long-winged Pug	<i>St.</i> 3, <i>p.</i> 286. 6666 EUPITHECIA.	Taken in gardens. End of June.
672 <i>Simpliciata</i>	Plain Pug	<i>St.</i> 3, <i>p.</i> 287. 6667 EUPITHECIA.	Bushy lanes near Darenth Wood, &c. Beginning of July.
673 <i>Pusillata</i>	Small Grey Pug	<i>St.</i> 3, <i>p.</i> 287. 6668 EUPITHECIA.	Near Birch Wood, &c. June.
674 <i>Plumbeolata</i>	Lead-coloured Pug	<i>St.</i> 3, <i>p.</i> 287. 6669 EUPITHECIA.	Lanes near Darenth Wood. End of May and beginning of June.
675 <i>Subfulvata</i>	Tawny Speck	<i>St.</i> 3, <i>p.</i> 287. 6670 EUPITHECIA.	Darenth and Birch Woods. Beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
676 <i>Cognata</i>	Scarce Tawny Speck	<i>St.</i> 3, <i>p.</i> 288. 6671 EUPITHECIA.	Taken near Edinburgh; rare. July.
677 <i>Succenturiata</i>	Bordered Lime Speck	<i>St.</i> 3, <i>p.</i> 288. 6672 EUPITHECIA.	Coombe and Darenth Woods July.
678 <i>Piperata</i>	Peppered Pug	<i>St.</i> 3, <i>p.</i> 288. 6674 EUPITHECIA.	Taken on Riddlesdown, near Croydon. Beginning of July
679 <i>Centaureata</i>	Lime Speck	<i>St.</i> 3, <i>p.</i> 289. 6673 EUPITHECIA.	Middlesex, Surrey, Essex, &c. in gardens. June.
680 <i>Angustata</i>	Narrow-winged	<i>St.</i> 3, <i>p.</i> 289. 6675 EUPITHECIA.	Darenth and Birch Woods, &c. August.
681 <i>Variegata</i>	Marble	<i>St.</i> 3, <i>p.</i> 290. 6676 EUPITHECIA.	Darenth and Birch Woods; but rare. June.
682 <i>Consignata</i>	Pinion Spotted	<i>St.</i> 3, <i>p.</i> 290. 6677 EUPITHECIA.	Taken near London and Birch Wood; but rare. End of June or beginning of July.
683 <i>Venosata</i>	Netted	<i>D.</i> 8, <i>t.</i> 266, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 290. 6678 EUPITHECIA.	Lane near Darenth Wood. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
684 <i>Niveata</i>	Snow	<i>St. 3, p. 291.</i> 6682 CLEOGENE.	Mr. Stephens's Cabinet. Re- ceived from Scotland.
685 <i>Auroraria</i>	Purple border- ed Gold	<i>C. 11, t. 523. St. 3, p. 292.</i> 6706 HYRIA.	Near Croydon ; also in Norfolk. June.
686 <i>Chæro- phyllata</i>	Looping Chim- ney-sweeper	<i>H. t. 30, f. o. D. 7, t. 253, f. 4. St. 3, p. 293.</i> 6679 MINOA.	Richmond Park, Kensington Gardens, &c.; very common. Beginning of June.
687 <i>Euphorbi- ata</i>	Drab looper	<i>D. t. 153, f. 1. St. 3, p. 294.</i> 6680 MINOA.	Coombe and Da- renth Woods, &c. End of May.
688 <i>Bimaculata</i>	White Pinion Spotted	<i>St. 3, p. 294.</i> 6683 BAPTA.	Lanes between Darenth and Birch Woods. June.
689 <i>Punctata</i>	Clouded Silver	<i>St. 3, p. 295.</i> 6684 BAPTA.	Darenth Wood, Epping, &c. June.
690 <i>Cæciata</i>	February Car- pet	<i>St. 3, p. 295.</i> 6625 APLOCERA.	On old walls. North of En- gland. June.
691 <i>Flavicincta</i>	Yellow ringed	<i>St. 3, p. 296, t. 30, f. 3.</i> 6626 APLOCERA.	North of En- gland. June.



583 a



582 a +



601 a +



610 a



584 a



593 a



602 a +



611 a



585 a



594 a +



603 a



612 a



586 a



595 n



604 a



613 a



587 a



596 a +



605 a



614 n



588 a



597 a +



606 n



615 n



589 a



598 a +



607 n



616 n



590 a



599 a +



608 a



617 a



591 a



600 a +



609 a



618 a

W. Wood, Junr.



619 a



628 a +




637 n



644 a +



620 n



629 a



638 n



645 a



621 a +



630 a +



639 a



646 n



622 a +



631 a



640 a



647 a



623 a +



632 a +



640 n



648 n



624 a



633 a



641 a



649 n



625 a +



634 a



641 n



650 n



626 a



635 a



642 a



651 n



627 a +



636 a



643 a +



652 n



653 n



662 n



671 n



680 n



654 n



663 n



672 n



681 n



655 n



664 n



673 n



682 n



656 n



665 n



674 n



683 n



657 n



666 n



675 n



684 n



658 n



667 n



676 n



685 n



659 n



668 n



677 n



686 n



660 n



669 n



678 n



687 n



661 n



670 n



679 n



688 n

W. Wood Junr



<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
692 <i>Decolorata</i>	Sandy Carpet	<i>St. 3, p. 297.</i> 6685 EMMELESIA.	Hedges and lanes between Pen- tonville and Highgate. End of June.
693 <i>Affinitata</i>	Allied	<i>St. 3, p. 297.</i> 6686 EMMELESIA.	Copenhagen Fields; also near Hertford, Ep- ping, &c. June.
694 <i>Turbaria</i>	Middle Rivulet	<i>St. 3, p. 298.</i> 6688 EMMELESIA.	Middlesex, near Kentish Town, &c. End of June and be- ginning of July.
695 <i>Rivulata</i>	Small Rivulet	<i>St. 3, p. 298.</i> 6689 EMMELESIA.	Grassy places near woods. Middle of June.
696 <i>Ericetata</i>	Heath Rivulet	<i>St. 3, p. 298, t. 32, f. 2.</i> 6690 EMMELESIA.	North of En- gland and in Scotland. June.
697 <i>Blandiata</i>	Barred Rivulet	<i>St. 3, p. 299.</i> 6693 EMMELESIA.	North of En- gland. June.
698 <i>Albulata</i>	Grass Rivulet	<i>St. 3, p. 299.</i> 6691 EMMELESIA.	Battersea Fields, Epping Forest, Meldon Park near Morpeth, &c. End of June or begin- ning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
699 <i>Trigonata</i>	Small Blue-border	<i>St.</i> 3, <i>p.</i> 299. 6692 EMMELESIA.	Near Westerham, Kent; and in Cumberland. June.
700 <i>Tæniata</i>	Banded Rivulet	<i>St.</i> 3, <i>p.</i> 299, <i>t.</i> 32, <i>f.</i> 3. EMMELESIA.	Mr. Stephens has seen but four specimens, all taken in Cumberland in July 1827.
701 <i>Unifasciata</i>	Single-barred Rivulet	<i>St.</i> 3, <i>p.</i> 300. 6694 EMMELESIA.	Westerham, and Birch Wood; but rare. June.
702 <i>Bifasciata</i>	Double-barred Rivulet	<i>St.</i> 3, <i>p.</i> 300. 6695 EMMELESIA.	Birch Wood; also near Dover, &c.; but rare. June.
703 <i>Rusticata</i>	Least Carpet	<i>St.</i> 3, <i>p.</i> 300. 6696 EMMELESIA.	On palings near Eltham and Bexley in Kent. June.
704 <i>Sylvata</i>	Waved Carpet	<i>D.</i> 14, <i>t.</i> 487, <i>f.</i> 1. <i>St.</i> 3, <i>p.</i> 301. 6699 EMMELESIA.	Coombe Wood. June.
705 <i>Blomeri</i>	Blomer's	<i>C.</i> 9, 416. EMMELESIA.	Castle Eden Dene, Durham. July.
706 <i>Candidata</i>	Small white Wave	<i>St.</i> 3, <i>p.</i> 301. 6700 EMMELESIA.	Middlesex, Surrey, Kent, &c.; very common. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
707 <i>Luteata</i>	Small yellow Wave	<i>D. 9, t. 386, f. 1. 2. St. 3,</i> <i>p. 301.</i> 6701 EMMELESIA.	Darenth and Birch Woods; near Dover, &c. June.
708 <i>Heparata</i>	Dingy Shell	<i>St. 3, p. 302.</i> 6702 EMMELESIA.	Coombe and Da- renth Woods; beginning of July.
709 <i>Clathrata</i>	Latticed Heath	<i>D. 7, t. 248, f. 2. St. 3,</i> <i>p. 303. Strenia.</i> 6703 HERCYNIA.	Darenth, Ep- ping, Hertford, &c. End of May, and mid- dle of July.
710 <i>Maculata</i>	Speckled Yel- low	<i>H. t. 28, f. f. D. 7, t. 251,</i> <i>f. 3. St. 3, p. 304.</i> Venilia. 6704 HERCYNIA.	Common in woods about London and elsewhere. End of May.
711 <i>Quadrima- culata</i>	Pinion-spotted Yellow	<i>St. 3, p. 304. Venilia.</i> 6705 HERCYNIA.	In a wood near Colney Hatch, Middlesex. Beginning of May.
712 <i>Dilutaria</i>	Small fan- footed Wave	<i>St. 3, p. 305.</i> 6713 PTYCHOPODA.	Coombe and Da- renth Woods; Epping, &c. May.
713 <i>Fimbriola- ta</i>	Bordered Wave	<i>St. 3, p. 306.</i> 6714 PTYCHOPODA.	Near London. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
714 <i>Cinereata</i>	Ashy Wave	<i>St. 3, p. 306.</i> 6712 PTYCHOPODA.	Found in woody places about London. June.
715 <i>Lividata</i>	Small dotted Wave	<i>St. 3, p. 306.</i> 6710 PTYCHOPODA.	Woods and hedges near London, &c. June.
716 <i>Bisetata</i>	Treble Twin-spot	<i>St. 3, p. 307.</i> 6711 PTYCHOPODA.	Darenth and Birch Woods. June.
717 <i>Ornata</i>	Lace border	<i>St. 3, p. 307.</i> 6727 PTYCHOPODA.	Darenth Wood; the New Forest, &c. June.
718 <i>Incanata</i>	Mullein Wave	<i>St. 3, p. 308.</i> 6722 PTYCHOPODA.	Coast of Norfolk; also near Dover, &c. End of June.
719 <i>Degeneraria</i>	Portland ribbon Wave	<i>C. 8, t. 384.</i> PTYCHOPODA.	Isle of Portland. June.
720 <i>Contiguaria</i>	Tooth-striped Wave	<i>St. 3, p. 308.</i> 6723 PTYCHOPODA.	Norfolk and near Dover. End of June.
721 <i>Immutata</i>	Lesser Cream Wave	<i>St. 3, p. 308.</i> 6729 PTYCHOPODA.	Marshy places in Norfolk; also on the borders of Yaxley Mere. End of June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
722 <i>Rubricata</i>	Reddish Wave	<i>St. 3, p. 308, t. 31, f. 1.</i> Ptychopoda. 6697 EMMELESIA.	Mr. Stephens's specimen was taken near York; another was captured near Dover.
723 <i>Osseata</i>	Dwarf Cream Wave	<i>St. 3, p. 309.</i> Acidalia. 6707 PTYCHOPODA.	Coombe and Darenth Woods, &c. June.
724 <i>Margine-punctata</i>	Dotted Border-ed Wave	<i>St. 3, p. 310.</i> Acidalia. 6709 PTYCHOPODA.	Brockenhurst in the New Forest. June.
725 <i>Virgularia</i>	Small Dusty Wave	<i>St. 3, p. 310.</i> Acidalia. 6715 PTYCHOPODA.	Common in gardens, &c., near London. June.
726 <i>Subsericeata</i>	Satiny Wave	<i>St. 3, p. 311.</i> Acidalia. 6716 PTYCHOPODA.	Hedges near Darenth Wood. June.
727 <i>Inornata</i>	Plain Wave	<i>St. 3, p. 311.</i> Acidalia. 6717 PTYCHOPODA.	Darenth Wood. June.
728 <i>Aversata</i>	Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6719 PTYCHOPODA.	Woods near London; Epping, &c. June.
729 <i>Remutata</i>	False Ribband Wave	<i>St. 3, p. 311.</i> Acidalia. 6718 PTYCHOPODA.	Woods in Middlesex, Surrey, Essex, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
730 <i>Fumata</i>	Smoky Wave	<i>St.</i> 3, <i>p.</i> 312. <i>Acidalia</i> . 6721 <i>PTYCHOPODA</i> .	North of England, and Scotland. June.
731 <i>Lactata</i>	Pale Cream Wave	<i>St.</i> 3, <i>p.</i> 313. <i>Acidalia</i> . 6724 <i>PTYCHOPODA</i> .	Woods in Middlesex and elsewhere. June.
732 <i>Floslactata</i>	Cream Wave	<i>St.</i> 3, <i>p.</i> 313. <i>Acidalia</i> . 6726 <i>PTYCHOPODA</i> .	Woods and hedges. June.
733 <i>Marginata</i>	Clouded-border	<i>St.</i> 3, <i>p.</i> 314. <i>Pæcilo- phasia</i> . 6731 <i>PTYCHOPODA</i> .	Very common in woods and hedges, &c. From May to August.
734 <i>Viridata</i>	Small Grass Emerald	<i>A. t.</i> 48, <i>f.</i> 80, a—c. <i>C.</i> 7, <i>t.</i> 300. <i>St.</i> 3, <i>p.</i> 336. <i>Chlorissa</i> . 6483 <i>HIPPARCHUS</i> .	New Forest. Middle of June.
735 <i>Cloraria</i>	Middle Grass Emerald	<i>St.</i> 3, <i>p.</i> 316. <i>Chlorissa</i> . 6484 <i>HIPPARCHUS</i> .	Mr. Stephens's Cabinet.
736 <i>Thymiaria</i>	Common Emerald	<i>A. t.</i> 48, <i>f.</i> 81, d—g. <i>H. t.</i> 3. <i>D.</i> 9, <i>t.</i> 310. <i>St.</i> 3, <i>p.</i> 316. <i>Chlorissa</i> . 6733 <i>PTYCHOPODA</i> .	Woods and hedges round London; very common. June.
737 <i>Putataria</i>	Little Emerald	<i>St.</i> 3, <i>p.</i> 317. <i>Chlorissa</i> . 6732 <i>PTYCHOPODA</i> .	Very common in woody places round London, &c. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
738 <i>Imitaria</i>	Small Blood- vein	<i>St.</i> 3, p. 318. <i>Timandra</i> . 6737 <i>MACARIA</i> .	Darenth Wood; New Forest, &c. June.
739 <i>Variegata</i>	Subangled Wave	<i>St.</i> 3, p. 318. <i>Timandra</i> . 6738 <i>MACARIA</i> .	Mr. Stephens's specimens were taken in a lane near Darenth, in June.
740 <i>Emutaria</i>	Dusky Wave	<i>St.</i> 3, p. 318. <i>Timandra</i> . 6739 <i>MACARIA</i> .	New Forest near Lyndhurst. July.
741 <i>Pallidaria</i>	Pale Wave	<i>C.</i> 8, p. 384. <i>Acidalia</i> . —— <i>MACARIA</i> .	Mr. Bentley's Cabinet. The only specimen Mr. Curtis has seen he received from Kent.
742 <i>Notata</i>	Peacock	<i>St.</i> 3, p. 319. 6740 <i>MACARIA</i> .	Darenth, Birch, and Coombe Woods. Begin- ning of June.
743 <i>Alternata</i>	Sharp-angled Peacock	<i>St.</i> 3, p. 320. 6741 <i>MACARIA</i> .	Darenth Wood; but rare. June.
744 <i>Subrufata</i>	Slender- striped Ru- fous	<i>St.</i> 3, p. 320. 6742 <i>MACARIA</i> .	Mr. Bentley's Cabinet.
745 <i>Liturata</i>	Tawny-barred Angle	<i>C.</i> 3, t. 132. <i>St.</i> 3, p. 320. 6743 <i>MACARIA</i> .	Near Brocken- hurst in the New Forest. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
746 <i>Præatomata</i>	Dingy Angled	<i>St.</i> 3, <i>p.</i> 321. 6744 <i>MACARIA</i> .	Mr. Bentley's Cabinet.
747 <i>Unipunctata</i>	White Spot	<i>St.</i> 3, <i>p.</i> 321, <i>t.</i> 31, <i>f.</i> 3. 6745 <i>MACARIA</i> .	Mr. Stephens's Cabinet.
748 <i>Limbata</i>	Bordered Chequer	<i>St.</i> 3, <i>p.</i> 322. <i>Ania</i> . 6746 <i>MACARIA</i> .	Mr. Chant's Cabinet.
749 <i>Emarginata</i>	Scalloped Double-line	<i>D.</i> 14, <i>t.</i> 493, <i>f.</i> 3. <i>St.</i> 3, <i>p.</i> 322. <i>Ania</i> . 6747 <i>MACARIA</i> .	Woods and hedges round London, &c. End of July.
750 <i>Flexula</i>	Beautiful Hook-tip	<i>St.</i> 3, <i>p.</i> 323. 6748 <i>ENNOMOS</i> .	Woods in Middlesex, Surrey, Essex, &c.; but not common. End of July.
751 <i>Lacertula</i>	Scallop Hook-tip	<i>D.</i> 7, <i>t.</i> 251, <i>f.</i> 2, <i>St.</i> 4, <i>p.</i> 4. 6749 <i>PLATYPTERYX</i> .	Coombe and Darenth Woods among birch-trees, &c. May.
752 <i>Cultraria</i>	Pale Scallop Hook-tip	<i>St.</i> 4, <i>p.</i> 5. 6750 <i>PLATYPTERYX</i> .	Monks Wood, Huntingdonshire. June.
753 <i>Falcataria</i>	Pebble Hook-tip	<i>St.</i> 4, <i>p.</i> 6. 6751 <i>DREPANA</i> .	Coombe, Darenth, and Birch Woods, &c. End of May or beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found</i>
754 <i>Hamula</i>	Oak Hook-tip	<i>A.t.</i> 65, <i>f.</i> a—d. <i>H.t.</i> 41, <i>f.</i> a. b. <i>St.</i> 4, <i>p.</i> 7. 6752 DREPANA.	Coombe Wood, the New Forest, &c. End of May.
755 <i>Uncula</i>	Pale Oak Hook-tip	<i>St.</i> 4, <i>p.</i> 7. 6753 DREPANA.	Mr. Stephens's Cabinet.
756 <i>Unguicula</i>	Barred Hook-tip	<i>St.</i> 4, <i>p.</i> 7. 6754 DREPANA.	Epping. Beginning of June.
757 <i>Compressa</i>	Chinese Character	<i>A.t.</i> 65, <i>f.</i> e—h. <i>D.</i> 7, <i>t.</i> 239, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 9. 6756 CILIX.	Common round London, &c. End of May.
758 <i>Proboscidalis</i>	Snout Eggar likeness	<i>H.t.</i> 31, <i>f.</i> f—h. <i>St.</i> 4, <i>p.</i> 11. 6757 HYPENA.	Woods, hedges, gardens, &c., near London; Epping, Hertford, &c. End of June to the middle of August.
759 <i>Obesalis</i>	Pinion Snout	<i>St.</i> 4, <i>p.</i> 11. 6758 HYPENA.	Mr. Chant's Cabinet.
760 <i>Palpalis</i>	Dark Snout	<i>St.</i> 4, <i>p.</i> 12. 6759 HYPENA.	Mr. Chant's Cabinet.
761 <i>Rostralis</i>	Buttoned Snout	<i>St.</i> 4, <i>p.</i> 12. 6759 HYPENA.	Gardens at Chelsea, Battersea, &c. June and July.
762 <i>Crassalis</i>	Beautiful Snout	<i>C.</i> 6, <i>t.</i> 288. <i>St.</i> 4, <i>p.</i> 13. 6760 HYPENA.	Taken by Messrs. Chant and Bentley in Devonshire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
763 <i>Cribralis</i>	Dotted Fan-foot	<i>C.11, t. 527. St. 4, p. 14.</i> <i>Macrochica.</i> 6761 POLYPOGON.	Wittlesea Mere. End of June or beginning of July.
764 <i>Barbalis</i>	Common Fan-foot	<i>A. t. 74, f. e—h. H. t. 43,</i> <i>f. l, t.</i> 6762 POLYPOGON.	Very common in woody places in the neigh- bourhood of London. Mid- dle of May to the beginning of July.
765 <i>Derivalis</i>	Clay Fan-foot	<i>St. 4, p. 16, t. 33, f. 2.</i> <i>Paracolax.</i> 6763 POLYPOGON.	Bexley and Da- renth Wood; near Woolwich and at Dover. June.
766 <i>Nemoralis</i>	Small Fan-foot	<i>St. 4, p. 16. Paracolax.</i> 6765 POLYPOGON.	Woods in Mid- dlesex, Surrey, Essex, &c. June.
767 <i>Tarsicri- nalis</i>	Fan-foot	<i>St. 4, p. 17. Paracolax.</i> 6764 POLYPOGON.	Coombe and Da- renth Woods, Epping, &c. Middle of June.
768 <i>Emortualis</i>	Olive Crescent	<i>St. 4, p. 18. Æthia.</i> 6766 POLYPOGON.	Taken in Devon- shire. End of May. Very rare.
769 <i>Salicalis</i>	Lesser Bell	<i>St. 4, p. 18. Colobochyla.</i> 6767 MADOPA.	Neighbourhood of Bexley in Kent; but very rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
770 <i>Angustalis</i>	Small Snout	<i>St. 4, p. 19.</i> Synaphe. 6768 CLEDEOBIA.	Coombe and Darenth Woods. Middle of July.
771 <i>Albistrigatus</i>	White-line Snout	<i>St. 4, p. 20.</i> 6769 CLEDEOBIA.	At Darenth, also in Norfolk; but rare.
772 <i>Costæstrigalis</i>	Dark-line Snout	<i>St. 4, p. 21.</i> 6770 CLEDEOBIA.	Whittlesea Mere; but rare. Mr. Bentley's Cabinet. June.
773 <i>Undulalis</i>	Waved Tabby	<i>St. 4, p. 22.</i> Camptylochila. 6771 CLEDEOBIA.	Very rare. Mr. Stephens possesses a single specimen.
774 <i>Bistrigalis</i>	Twin-striped Tabby	<i>St. 4, p. 22.</i> Camptylochila. 6772 CLEDEOBIA.	Mr. Stephens has seen but two, one of which is in his Cabinet.
775 <i>Pinguinalis</i>	Large Tabby	<i>St. 4, p. 23.</i> 6773 AGLOSSA.	Common in the neighbourhood of London, &c. End of July.
776 <i>Cuprealis</i>	Small Tabby	<i>St. 4, p. 23.</i> 6774 AGLOSSA.	Near London, Hertford, Ripley.
777 <i>Streatfeildii</i>	Streatfeild's Tabby	<i>C. 10, t. 455. St. 4, p. 24.</i> — AGLOSSA.	Taken at Compton Bishop, Somersetshire. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
778 <i>Farinalis</i>	Meal Moth	<i>St. 4, p. 25.</i> 6776 <i>PYRALIS.</i>	Common in houses, &c. End of August.
779 <i>Pictalis</i>	Painted Meal Moth	<i>C. 11, t. 503. St. 4, p. 395.</i> —— <i>PYRALIS.</i>	Found in a house near Poplar. July.
780 <i>Glaucinalis</i>	Double-striped	<i>St. 4, p. 26.</i> 6778 <i>PYRALIS.</i>	Taken near Lon- don, &c. June.
781 <i>Costalis</i>	Gold Fringe	<i>St. 4, p. 27. Hypsopygia.</i> 6779 <i>AGROTERA.</i>	Houses and gar- dens near Lon- don, &c. July and August.
782 <i>Flammealis</i>	Rosy Flounced	<i>St. 4, p. 28.</i> 6780 <i>AGROTERA.</i>	Coombe, Da- renth, and Birch Woods. End of June.
783 <i>Fabriciana</i>	Autumn Net- tle-tap	<i>St. 4, p. 29.</i> 6781 <i>SIMAËTHIS.</i>	Common on flowers from April to Octo- ber.
784 <i>Pariana</i>	Double-barred Nettle-tap	<i>St. 4, p. 29.</i> 6782 <i>SIMAËTHIS.</i>	Birch and Da- renth Woods; also near Rip- ley, &c. June.
785 <i>Lutosa</i>	Early Nettle- tap	<i>St. 4, p. 29.</i> 6783 <i>SIMAËTHIS.</i>	In the neighbour- hood of London, &c.; but rare. March and June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
786 <i>Myllerana</i>	Myller's Nettle tap	<i>C. 7, t. 320. St. 4, p. 30.</i> 6784 <i>SIMAËTHIS.</i>	Birch Wood and near London, &c., on nettles. June and October.
787 <i>Punctuosa</i>	Narrow Silver-dotted	<i>St. 4, p. 30.</i> 6785 <i>SIMAËTHIS.</i>	Ashdown Forest; also in Devonshire. July.
788 <i>Cingulata</i>	Silver-barred Sable	<i>C. 3, t. 128. St. 4, p. 32.</i> 6788 <i>ENNYCHIA.</i>	In Devonshire and the North of England. June and August.
— 789 <i>Anguinalis</i>	Wavy-barred Sable	<i>St. 4, p. 32.</i> 6787 <i>ENNYCHIA.</i>	Darenth and Birch Woods, &c. June.
790 <i>Rufofascialis</i>	Flounced	<i>St. 4, p. 33.</i> 6789 <i>ENNYCHIA.</i>	Mr. Chant's Cabinet.
791 <i>Cespitalis</i>	Straw-barred	<i>St. 4, p. 34.</i> 6795 <i>PYRAUSTA.</i>	Darenth and Coombe Woods, Dover, &c. End of June and middle of August.
792 <i>Sordidalis</i>	Dingy Straw-barred	<i>St. 4, p. 34.</i> 6796 <i>PYRAUSTA.</i>	Habitat the same as above.
793 <i>Purpuralis</i>	Crimson and Gold	<i>H. t. 23, f. m. D. 10, t. 339. f. 2. St. 4, p. 35.</i> 6791 <i>PYRAUSTA.</i>	Coombe, Birch, and Darenth Woods; also at Hertford, Epping, &c. May and the middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
794 <i>Punicealis</i>	Purple and Gold	<i>St.</i> 4, <i>p.</i> 35. 6792 PYRAUSTA.	Common on grassy banks near London and elsewhere. Beginning of June and middle of August.
795 <i>Ostrinalis</i>	Scarce Purple and Gold	<i>St.</i> 4, <i>p.</i> 36. 6793 PYRAUSTA.	Reigate, Ripley, and the New Forest. June.
796 <i>Porphyralis</i>	Porphyry	<i>St.</i> 4, <i>p.</i> 36. 6794 PYRAUSTA.	Middlesex, Surrey, Kent, &c. June and August
797 <i>Octomaculata</i>	White-spot	<i>H. t.</i> 27, <i>f. p.</i> <i>D.</i> 8, <i>t.</i> 266, <i>f.</i> 4. <i>St.</i> 4, <i>p.</i> 31. <i>Anania.</i> 6786 ENNYCHIA.	Darenth and Birch Woods. June and August.
798 <i>Literalis</i>	Lettered China-mark	<i>St.</i> 4, <i>p.</i> 37. <i>Diasemia.</i> 6797 HYDROCAMPA.	Near Brockenhurst in the New Forest, and occasionally near the middle of Darenth Wood. Beginning of June.
799 <i>Potamogata</i>	Brown China-mark	<i>H. t.</i> 41, <i>f.</i> o—q. <i>D.</i> 9, <i>t.</i> 363, <i>f.</i> 1. <i>St.</i> 4, <i>p.</i> 38. 6799 HYDROCAMPA.	Very common in marshy places, and on the borders of ponds in several counties. June.



688 a



688 n



707 n



716 n



689 a +



689 n



708 n



717 n



691 a +



700 n



709 a



718 a



692 n



701



710 a



719 n



695 a



702 n



711 a



720 a



694 n



703 n



712 n



721 n



695 n




704 n



713 n



722 n



696 n



705 a



714 n



723 n



697 n



706 n



715 n



724 n

Revised Jan 5



725 n



734 n



743 a



732 a



726 n



733 n



741 a




733 a +



727 a



736 a



743 a



734 a



728 a



737 n



746 a



735 a



729 a




738 a




747 a



736 a



730 a



739 a



748 n



737 n



731 a



740 n



749 n



758 a +



732 n



741 n



730 a



739 a



733 n



742 a



751 a



760 a +

W. Wood Junr





761 a



770 n



779 n



788 n



762 a



771 n



780 n



789 n



763 a



772 n



781 n



790 n



764 a



773 n



782 n



791 n



765 a



774 n



783 n



792 n



766 n



775 a



784 n



793 n



767 a



776 n



785 n



794 n



768 a



777 a



786 n



795 n



769 n



778 a



787 n



796 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
800 <i>Nymphæata</i>	Beautiful China-mark	<i>D. 11. t. 363, f. 3. St. 4,</i> <i>p. 39.</i> 6800 <i>HYDROCAMPA.</i>	Cambridgeshire fens, and other marshy places. Middle of July.
801 <i>Lemnata</i> M. and F.	Small China- mark	<i>H. t. 7, f. k—m. D. 8,</i> <i>t. 266, f. 1 & 2. St. 4,</i> <i>p. 40. Cataclysta.</i> 6801 <i>HYDROCAMPA.</i>	Very common nearditches and ponds covered with duckweed. Middle of June.
802 <i>Stratitotata</i>	Ringed China- mark	<i>C. 11. t. 495. St. 4, p. 41.</i> <i>Paraponyx.</i> 6802 <i>HYDROCAMPA.</i>	Near ponds, and in marshy pla- ces. End of June or begin- ning of July.
803 <i>Sambucalis</i>	Garden China- mark	<i>A. t. 37, f. 59. a—d. St. 4,</i> <i>p. 42. Phlyctænia.</i> 6798 <i>HYDROCAMPA.</i>	Common in gar- dens near Lon- don and else- where. Middle of June.
804 <i>Lucernalis</i>	Transparent China-mark	<i>St. 4, p. 43. Eudiotis.</i> 6804 <i>DIAPHANIA.</i>	Mr. Stephens's Cabinet. Taken near Plymouth.
805 <i>Urticata</i>	Small Magpie	<i>A. t. 37, f. 60. i—m. D. 10,</i> <i>t. 349, f. 2. St. 4, p. 44.</i> <i>Eurrhypara.</i> 6806 <i>BOTYS.</i>	Very common in gardens and hedges. May or early in June.
806 <i>Forficalis</i>	Garden Pebble	<i>St. 4, p. 45. Mesographe.</i> 6805 <i>DIAPHANIA.</i>	Very common in gardens and fields from the middle of May till October.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
807 <i>Diversalis</i>	Yellow under- wing Pearl	<i>St. 4, p. 47.</i> 6807 MARGARITIA.	British Museum. Taken near Bristol in July, 1815.
808 <i>Asinalis</i>	Dingy Pearl	<i>St. 4, p. 47.</i> —— MARGARITIA.	Mr. Stephens's Cabinet.
809 <i>Lancealis</i>	Long-winged Pearl	<i>St. 4, p. 48.</i> 6808 MARGARITIA.	Birch Wood, Charlton, &c.; but rare. End of June.
810 <i>Verticalis</i>	Mother of Pearl	<i>A. t. 72, f. a—d. W. t. 51,</i> <i>H. t. 33, f. h—l. D. 16,</i> <i>t. 556. St. 4, p. 48.</i> 6809 MARGARITIA.	Abundant among nettles, in gar- dens, fields, &c. June.
811 <i>Centro- strigalis</i>	Central- striped Pearl	<i>St. 4, p. 49.</i> 6811 MARGARITIA.	A single speci- men in Mr. Ste- phens's Cabi- net. Taken in Devonshire.
812 <i>Cinctalis</i>	Lesser Pearl	<i>St. 4, p. 49.</i> 6812 MARGARITIA.	Darenth Wood and Ripley, &c.; also in clover- fields and hed- ges. End of June or begin- ning of July.
813 <i>Palcalis</i>	Sulphur	<i>St. 4, p. 50.</i> 6810 MARGARITIA.	Near Dover, and in Norfolk; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
814 <i>Hyalinalis</i>	Scarce Pearl	<i>St.</i> 4, <i>p.</i> 51. 6813 MARGARITIA.	Near Darenth Wood. June.
815 <i>Angustalis</i>	Narrow- winged Pearl	<i>St.</i> 4, <i>p.</i> 51. 6815 MARGARITIA.	Darenth Wood. Beginning of June.
816 <i>Terminalis</i>	Bordered Pearl	<i>St.</i> 4, <i>p.</i> 51. 6816 MARGARITIA.	Darenth Wood, and near Do- ver; but rare. June.
817 <i>Glabralis</i>	Dingy Pearl	<i>St.</i> 4, <i>p.</i> 52. 6814 MARGARITIA.	Mr. Stephens's Cabinet.
818 <i>Pallidalis</i>	Delicate Pearl	<i>St.</i> 4, <i>p.</i> 52. 6817 MARGARITIA.	Mr. Stephens's Cabinet.
819 <i>Flavalis</i>	Gold China- mark	<i>St.</i> 4, <i>p.</i> 52. 6822 MARGARITIA.	Woody places near London; but rare. Mid- dle of July.
820 <i>Ochrealis</i>	Small Straw China-mark	<i>St.</i> 4, <i>p.</i> 53. 6819 MARGARITIA.	Darenth Wood, and near Lon- don; also at Hertford and Ripley. June.
821 <i>Cilialis</i>	Orange Cloud	<i>C.</i> 12, <i>t.</i> 559. <i>St.</i> 4, <i>p.</i> 53. 6830 MARGARITIA.	Mr. Curtis's Ca- binet.
822 <i>Ferrugalis</i>	Rusty Dot	<i>St.</i> 4, <i>p.</i> 53. 6823 MARGARITIA.	Near Darenth Wood and Herne Bay; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
823 <i>Fulvalis</i>	Fulvous Dot	<i>St. 4, p. 54.</i> —— MARGARITIA.	Mr. Stephens's Cabinet.
824 <i>Verbascalis</i>	Rusty China- mark	<i>St. 4, p. 54.</i> 6821 MARGARITIA.	Coombe and Darenth Woods, &c. July.
825 <i>Longipedalis</i>	Long-legged Pearl	<i>St. 4, p. 55.</i> 6820 MARGARITIA.	Taken near Teignmouth, by Captain Blomer. July.
826 <i>Pulveralis</i>	Dusted Pearl	<i>St. 4, p. 55.</i> 6824 MARGARITIA.	Darenth Wood. June.
827 <i>Fuscalis</i>	Cinereous Pearl	<i>St. 4, p. 56.</i> 6825 MARGARITIA cineralis.	Birch, Darenth, and Coombe Woods, &c. June.
828 <i>Fimbrialis</i>	Edged Pearl	<i>St. 4, p. 56.</i> 6826 MARGARITIA.	Darenth Wood, and near Dover. June.
829 <i>Institialis</i>	Pale Straw	<i>St. 4, p. 56.</i> 6828 MARGARITIA lutealis.	Woods and hed- ges in Kent, Cambridge- shire, &c. End of June.
830 <i>Stramentalis</i>	Chequered Straw	<i>St. 4, p. 57.</i> 6833 MARGARITIA elutalis.	Marshy places in Norfolk. July.
831 <i>Margaritalis</i>	Clouded Yel- low Pearl	<i>St. 4, p. 57.</i> 6832 MARGARITIA.	Bristol; near Bedford, and in Berkshire. June.



797 n



805 a



814 a



823 n



798 n



806 a



815 a



824 n



799 n



807 a



816 n



825 n



800 n



808 a



817 n



826 n



801 n



809 a




818 n



827 n



801 n



810 a +



819 n



828 n



802 n



811 a



820 n



829 n



803 n



812 a



821 a



830 n



804 a



813 a



822 n



831 a

W. Wood Junr

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
832 <i>Sericealis</i>	Straw Dot	<i>St. 4, p. 58.</i> 6831 MARGARITIA.	Woods, hedges, and shrubby places, in Middlesex, Kent, &c. July.
833 <i>Alpinalis</i>	Alpine Pearl	<i>St. 4, p. 58.</i> 6827 MARGARITIA uliginosalis.	Taken by Mr. Dale on the summit of Ben Lawers in July 1827. Mr. Stephens's Cabinet.
834 <i>Sticticalis</i>	Diamond Spot	<i>St. 4, p. 59.</i> 6829 MARGARITIA tetragonalis.	Near Coombe Wood; Dover, and Ripley; but rare, July.
835 <i>Olivalis</i>	White Brindled	<i>H. t. 29, f. p.—s. St. 4,</i> <i>p. 59. Margaritia.</i> 6836 SCOPULA nivea- lis	Common near London, &c. End of June.
836 <i>Prunalis</i>	Clouded Pearl	<i>St. 4, p. 60. Margaritalis.</i> 6834 SCOPULA.	Common in hedges in Middlesex, Surrey, Kent, &c. End of June.
837 <i>Dentalis</i>	Starry Brindle	<i>C. 12, t. 563. St. 4, p. 61.</i> <i>Cynæda.</i> 6838 SCOPULA.	A single specimen in Mr. Stephens's Cabinet; also another in Mr. Bentley's Collection.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
838 <i>Strigulalis</i>	Least Black-arches	<i>St. 4, p. 62.</i> 6840 NOLA.	Coombe and Darenth Woods. End of May or beginning of June.
839 <i>Monachalis</i>	Small Black-arches	<i>C. 9, t. 428. St. 4, p. 62.</i> 6839 NOLA.	Near London, also at Coombe and Colney Hatch Wood; but rare. June.
840 <i>Cucullatella</i>	Short-cloaked	<i>St. 4, p. 62.</i> 6841 NOLA.	Common in gardens and hedges in several parts of the country; about the middle or end of June.
841 <i>Prasinana</i>	Green Silver lines	<i>W. t. 30. H. t. 30, f. i—m. D. 8, t. 280, fagana. St. 4, p. 66. Hylophila.</i> 6843 CHLOEPHORA.	Coombe, Darenth, and Birch Woods, &c. June.
842 <i>Quercana</i>	Scarce Silver lines	<i>H. t. 30, f. e—h. D. 2, t. 40. St. 4, p. 67. Hylophila.</i> 6844 CHLOEPHORA prasinana.	Woody places in Middlesex, Kent, Surrey, Essex, &c. Middle of June.
843 <i>Clorana</i>	Small Green Oak	<i>W. t. 5. St. 4, p. 68. Earis.</i> 6845 TORTRIX.	On willows in marshy places, Battersea Fields, Plumstead, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
844 <i>Viridana</i>	Pea Green	<i>A. t. 72, f. c—h. H. t. 10,</i> <i>f. 1. 2. D. 4, t. 144.</i> <i>St. 4, p. 68.</i> 6846 <i>TORTRIX.</i>	On Oak trees, &c., in several parts of the country. End of June.
845 <i>Galiana</i>	Glossy Golden- brown	<i>St. 4, p. 396.</i> —— <i>TORTRIX.</i>	Whittlesea Mere. July.
846 <i>Palleana</i>	Plain Yellow	<i>St. 4, p. 69.</i> 6847 <i>TORTRIX.</i>	Near Dover. July and Au- gust.
847 <i>Viburnana</i>	Viburnian	<i>St. 4, p. 69.</i> 6848 <i>TORTRIX.</i>	Whittlesea Mere; but not com- mon. July.
848 <i>Forsterana</i>	Forsterian	<i>A. t. 72, f. a—d. St 4,</i> <i>p. 70.</i> 6850 <i>LOZOTÆNIA.</i>	Coombe and Da- renth Woods, also in the New Forest. June.
849 <i>Sorbiana</i>	Hazel Tortrix	<i>St. 4, p. 70.</i> 6851 <i>LOZOTÆNIA a-</i> <i>vellana.</i>	Darenth and Birch Woods. June.
850 <i>Heparana</i>	Dark Oblique- bar	<i>St. 4, p. 71.</i> 6852 <i>LOZOTÆNIA.</i>	Very common in woods and shrubby places in several parts. June and July.
851 <i>Cinnamo- meana</i>	Cinnamon	<i>St. 4, p. 71.</i> —— <i>LOZOTÆNIA.</i>	A single speci- men in Mr. Ste- phens's Cabi- net. Taken by him in Coombe Wood, in June 1832.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
852 <i>Ribeana</i>	Common Ob- lique-bar	<i>St.</i> 4, <i>p.</i> 72. 6853 LOZOTÆNIA.	Common in woods and gar- dens. June.
853 <i>Grossula- riana</i>	Gooseberry	<i>St.</i> 4, <i>p.</i> 72. 6854 LOZOTÆNIA.	Woods and gar- dens, Middle- sex, Essex, Kent, &c. June.
854 <i>Cerasana</i>	Hollow Ob- lique-bar	<i>St.</i> 4, <i>p.</i> 72. 6855 LOZOTÆNIA.	Coombe, Birch, and Darenth Woods. End of June.
855 <i>Corylana</i>	Great Chec- quered	<i>St.</i> 4, <i>p.</i> 73. 6857 LOZOTÆNIA.	Middlesex, Es- sex, Kent, Sur- rey, &c. End of June or be- ginning of July.
856 <i>Croceana</i>	Saffron	<i>St.</i> 2, <i>p.</i> 73. 6875 LOZOTÆNIA.	Woods and hedges in seve- ral parts; but not common. June.
857 <i>Lævigana</i>	Glossy Ob- lique-bar	<i>St.</i> 4, <i>p.</i> 74. 6856 LOZOTÆNIA.	Hedges and gar- dens near Lon- don, and else- where. Middle of June.
858 <i>Nebulana</i>	Rose	<i>St.</i> 4, <i>p.</i> 74. 6858 LOZOTÆNIA RO- SANA.	Common with the last, towards the end of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
859 <i>Subocellana</i>	Ocellated Oblique-bar	<i>St.</i> 4, <i>p.</i> 75. 6861 LOZOTÆNIA.	Mr. Stephens has seen two specimens only, taken either in Devonshire or Cornwall.
860 <i>Oporana</i>	Great Hook-tipped	<i>A. t.</i> 86, <i>f.</i> 38, <i>f.</i> —1. <i>W. t.</i> 34. <i>St.</i> 4, <i>p.</i> 75. 6864 LOZOTÆNIA.	Hedges and gardens near London, &c. Middle of June.
861 <i>Rosana</i> M. and F.	Great Brown	<i>St.</i> 4, <i>p.</i> 75. 6862 LOZOTÆNIA fus- cana.	Gardens near London. End of June.
862 <i>Branderiana</i>	Branderian	<i>St.</i> 4, <i>p.</i> 76. 6863 LOZOTÆNIA.	Near Brockenhurst in the New Forest; but rare. End of June.
863 <i>Xylosteana</i>	Forked Red-bar	<i>St.</i> 4, <i>p.</i> 76. 6866 LOZOTÆNIA.	Woods round London, &c. End of June or beginning of July.
864 <i>Roborana</i>	Oak Red-bar	<i>St.</i> 4, <i>p.</i> 77. 6867 LOZOTÆNIA.	Taken at Darenth Wood and occasionally near London. Beginning of July.
865 <i>Obliquana</i>	Oblique-barred	<i>St.</i> 4, <i>p.</i> 77. 6868 LOZOTÆNIA.	Darenth and Coombe Woods; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
866 <i>Costana</i>	Straw Ob- lique-bar	<i>D.t.</i> 369, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 78. 6869 LOZOTÆNIA.	Near London, Battersea Fields; Coombe Wood, &c.; but not common. June.
867 <i>Biustulana</i>	Double Spot- ted Oblique- bar	<i>St.</i> 4, <i>p.</i> 78. 6870 LOZOTÆNIA.	Mr. Stephens has seen but two specimens, taken, he thinks, in the West of England.
868 <i>Modeeriana</i>	Modeerian	<i>St.</i> 4, <i>p.</i> 78. 6871 LOZOTÆNIA.	Darenth Wood; but very rare. Beginning of July.
869 <i>Acerana</i>	Maple	<i>St.</i> 4, <i>p.</i> 79. 6872 LOZOTÆNIA.	Coombe and Da- renth Woods. June.
870 <i>Trifasciana</i>	Afternoon	<i>St.</i> 4, <i>p.</i> 79. 6873 LOZOTÆNIA.	Found with the above, and also in the New Forest.
871 <i>Grotiana</i>	Grotian	<i>St.</i> 4, <i>p.</i> 79. 6874 LOZOTÆNIA.	Darenth Wood and the New Forest. End of June.
872 <i>Ochreana</i>	Saffron	<i>St.</i> 4, <i>p.</i> 80. 6874 LOZOTÆNIA.	Near London; but rare. End of June.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
873 <i>Cruciana</i>	Red Cross	<i>St. 4, p. 80.</i> 6876 <i>LOZOTÆNIA.</i>	Near London; also at Coombe, Darenth, and Birch Woods. Middle of June.
874 <i>Holmiana</i>	Holmian	<i>St. 4, p. 81.</i> 6878 <i>LOZOTÆNIA.</i>	Common in gar- dens and hedges near London. End of June.
875 <i>Schreberi- ana</i>	Schreberian	<i>St. 4, p. 81.</i> 6879 <i>LOZOTÆNIA.</i>	Mr. Stephens has seen but two specimens, both taken in Corn- wall.
876 <i>Gerningi- ana</i>	Gerningian	<i>St. 4, p. 82.</i> <i>Philedone.</i> 6880 <i>AMPHISA.</i>	Near Birming- ham. June.
877 <i>Walker- ana</i>	Walkerian	<i>St. 4, p. 82.</i> <i>Philedone.</i> 6881 <i>AMPHISA.</i>	Found by Mr. Walker near New Lanark, in Scotland.
878 <i>Rotundana</i>	Round-tipped Red-bar	<i>St. 4, p. 84.</i> 6883 <i>DITULA.</i>	Near London, Dover, &c.; but very rare. July.
879 <i>Angustio- rana</i>	Narrow-wing- ed Red-bar	<i>St. 4, p. 83.</i> 6882 <i>DITULA.</i>	Common in Middlesex, Sur- rey, Kent, &c. June and July.
880 <i>Porphyra- na</i>	Bright Ob- lique-barred	<i>St. 4, p. 84.</i> 6884 <i>DITULA.</i>	Darenth and Birch Woods; but not com- mon. End of June and be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
881 <i>Nebulana</i>	Clouded Iron	<i>D.</i> 13, <i>t.</i> 364, <i>f.</i> 3. <i>St.</i> 4, <i>p.</i> 85. 6885 <i>DITULA</i> .	Darenth and Birch Woods, New Forest, and, though rarely, in the neighbourhood of London. June.
882 <i>Wellensi- ana</i>	Barred Blotch- back	<i>St.</i> 4, <i>p.</i> 85. 6887 <i>DITULA</i> <i>As- seclana</i> .	Darenth Wood, New Forest, &c. June.
883 <i>Æthiopi- ana</i>	Negro	<i>St.</i> 4, <i>p.</i> 85. 6888 <i>DITULA</i> .	Taken with the above in June.
884 <i>Scriptana</i>	Short-barred White	<i>St.</i> 4, <i>p.</i> 86. 6889 <i>DITULA</i> .	Middlesex, Es- sex, Surrey; also in Devonshire. July.
885 <i>Semifasci- ana</i>	Short-barred Grey	<i>St.</i> 4, <i>p.</i> 86. 6890 <i>DITULA</i> .	New Forest; also occasion- ally in Kent. July.
886 <i>Corticana</i>	Marbled Long- cloak	<i>St.</i> 4, <i>p.</i> 87. 6891 <i>ANTITHESIA</i> .	Coombe and Da- renth Woods. Middle of July.
887 <i>Betulata- na</i>	Birch Long- cloak	<i>St.</i> 4, <i>p.</i> 87. 6892 <i>ANTITHESIA</i> .	Very common in Middlesex, Kent, Surrey, &c. June and July.
888 <i>Tripunc- tata</i>	Common Long-cloak	<i>St.</i> 4, <i>p.</i> 88. 6893 <i>ANTITHESIA</i> .	Woods in Surrey, Essex, &c. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
889 <i>Grevilleana</i>	Grevilleian	<i>C. t.</i> 567.	Taken in Sutherlandshire in July by Dr. Greville. Mr. Curtis's Cabinet.
890 <i>Pruniana</i>	Lesser Long-cloak	<i>St. 4, p.</i> 88. 6894 ANTITHESIA.	Wood in Surrey, &c. End of July.
891 <i>Pullana</i>	DingyMarbled	<i>St. 4, p.</i> 88. 6895 ANTITHESIA.	Near London; but very rare. June.
892 <i>Marginana</i>	Bordered Long-cloak	<i>St. 4, p.</i> 89. 6896 ANTITHESIA.	Darenth Wood; but very rare. July.
893 <i>Oblongana</i>	Narrow Long-cloak	<i>St. 4, p.</i> 89. 6897 ANTITHESIA.	Woods near London; but rare. July.
894 <i>Gentianæ-nana</i>	Gentian	<i>St. 4, p.</i> 89. 6898 ANTITHESIA.	Near Walthamstow, also in Devonshire; but very rare. August.
895 <i>Salicella</i>	White-backed	<i>St. 4, p.</i> 89. 6899 ANTITHESIA.	Battersea Fields, &c. End of July or beginning of August.
896 <i>Nubiferana</i>	Cloudy White	<i>St. 4, p.</i> 91. 6900 SPILONOTA.	Hedges near Darenth Wood; very rare. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
897 <i>Cynosbatella</i>	Black-cloaked	<i>St. 4, p. 91.</i> 6901 SPILONOTA.	Gardens near London, &c. July and Au- gust.
898 <i>Aquana</i>	Brown-cloaked	<i>St. 4, p. 91.</i> 6902 SPILONOTA.	Gardens in Mid- dlesex, Kent, Surrey, Essex, &c. End of June.
899 <i>Trimaculana</i>	Triple Blotched	<i>St. 4, p. 91.</i> 6903 SPILONOTA.	Hedges, woods, &c., with the last.
900 <i>Comitana</i>	Cream Short- cloak	<i>St. 4, p. 92.</i> 6914 SPILONOTA.	Common in hedges and woods near London, &c. Middle of June.
901 <i>Fœnella</i>	White-foot	<i>D. 2, t. 65, f. 1. St. 4, p. 92.</i> 6904 SPILONOTA.	Epping Forest; very rare. Au- gust.
902 <i>Sylvana</i>	Red Blotch- back	<i>St. 4, p. 84.</i> 6886 DITULA.	Darenth Wood, and in Norfolk; but rare. June.
902 <i>Pflugiana</i> Pl. 31.	Pflugian	<i>St. 4, p. 93.</i> 6906 SPILONOTA.	Darenth and Birch Woods. June.
903 <i>Stræmiana</i>	Stræmian	<i>St. 4, p. 93.</i> 6907 SPILONOTA.	Darenth and Coombe Woods, &c. End of July.




832 n



841 a



850 n



859 n



833 a



842 a



851 n



860 n



834 n



843 n



852 n



861 n



835 n



844 n



853 n



862 n



836 n



845 n



854 n



863 n



837 n



846 n



855 n



864 n



838 n



847 n



856 n



865 n



839 n



848 n



857 n



866 n



840 n



849 a



858 n



867 n



867 n



876 n



885 n



894 n



868 n



877 n



886 n



895 n



869 n



878 n



887 n



896 n



870 n



879 n



888 n



897 n



871 n



880 n



889 n



898 n



872 n



881 n



890 n



899 n



873 n



882 n



891 n



900 n



874 n



883 n



892 n



901 n



875 n



884 n



893 n



902 n

W. Wood Junr

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
904 <i>Rusticana</i>	Tawny Blotch- back	<i>St.</i> 4, <i>p.</i> 93. 6905 SPILONOTA.	Near London. June.
905 <i>Trigemi- nana</i>	Three-spotted	<i>St.</i> 4, <i>p.</i> 94. 6908 SPILONOTA.	Mr. Stephens has seen but one specimen, which he caught at Ripley, in July 1827.
906 <i>Sticticana</i>	Brown Blotch- back	<i>St.</i> 4, <i>p.</i> 94. 6909 SPILONOTA.	Hedges at Peck- ham, and also at Coombe Wood. End of July.
907 <i>Costipunc- tana</i>	Lesser Blotch- back	<i>St.</i> 4, <i>p.</i> 95. 6910 SPILONOTA.	Near London; but rare. July.
908 <i>Argyrana</i>	Silver Blotch- back	<i>St.</i> 4, <i>p.</i> 95. — — — SPILONOTA.	Highlands of Scotland. Au- gust.
909 <i>Quadrana</i>	Highland Blotch-back	<i>St.</i> 4, <i>p.</i> 95. —— SPILONOTA.	Taken in Scot- land in July.
910 <i>Tetrago- nana</i>	Four-angled Blotch-back	<i>St.</i> 4, <i>p.</i> 96. 6911 SPILONOTA.	Coombe and Da- renth Woods; but very rare. July.
911 <i>Nigricos- tana</i>	Black-edged Marble	<i>St.</i> 4, <i>p.</i> 96. 6912 SPILONOTA.	On Elm trees near Hertford. June.
912 <i>Ustulana</i>	Scorched Blunt-wing	<i>St.</i> 4, <i>p.</i> 96. 6913 SPILONOTA.	Coombe Wood, Norfolk, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
913 <i>Fimbriana</i>	Brown Border- ed	<i>St.</i> 4, <i>p.</i> 97. <i>Heusimene</i> .	Taken by Mr. Stephens at Coombe Wood, in March.
914 <i>Obscurana</i>	Obscurè Blotch-back	<i>St.</i> 4, <i>p.</i> 98. 6916 <i>PSEUDOTOMIA</i> .	Very rare. Taken near London.
915 <i>Fraternana</i>	Cinereous Sil- ver-barred	<i>St.</i> 4, <i>p.</i> 98. 6917 <i>PSEUDOTOMIA</i> .	Found in the spring, at Coombe Wood; rare.
916 <i>Atromar- gana</i>	Black, Border- ed	<i>St.</i> 4, <i>p.</i> 99. 6918 <i>PSEUDOTOMIA</i> .	Darent, Birch, and Coombe Woods; among Oaks, &c. June.
917 <i>Strobilella</i>	Light Silver- striped	<i>St.</i> 4, <i>p.</i> 99. 6919 <i>PSEUDOTOMIA</i> .	Fir Woods. End of May.
918 <i>Sequana</i>	Silver Blotch- back	<i>St.</i> 4, <i>p.</i> 99. 6920 <i>PSEUDOTOMIA</i> .	Woods in Mid- dlesex and in Norfolk. Be- ginning of June.
919 <i>Petiverella</i>	<i>Petiverian</i>	<i>St.</i> 4, <i>p.</i> 100. 6921 <i>PSEUDOTOMIA</i> .	Woods near London, also in the New Fo- rest, Devon- shire, &c. End of May, or be- ginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
920 <i>Lunulana</i>	Crescent	<i>St. 4, p. 100.</i> 6922 <i>PSEUDOTOMIA</i> <i>concinna</i> .	Taken in Hamp- shire by the Rev. G. T. Rudd. June.
921 <i>Simplicia- na</i>	Plain Silver- fringed	<i>St. 4, p. 100.</i> 6923 <i>PSEUDOTOMIA.</i>	Norfolk. Middle of June.
922 <i>Jacquini- ana</i>	Jacquinian	<i>St. 4, p. 100.</i> 6924 <i>PSEUDOTOMIA.</i>	Coombe and Da- renth Woods; the New Fo- rest, &c. June.
923 <i>Strigana</i>	Plain Gold- fringed	<i>St. 4, p. 101.</i> 6025 <i>PSEUDOTOMIA.</i>	Coombe Wood, Hertford, Brockenhurst, &c. June.
924 <i>Atropur- purana</i>	Purple Black	<i>St. 4, p. 101.</i> 6926 <i>PSEUDOTOMIA.</i>	Coombe Wood. End of July.
925 <i>Nigricana</i>	Black Striped- edge	<i>St. 4, p. 101.</i> 6927 <i>PSEUDOTOMIA.</i>	Darenth and Coombe Woods, &c. Middle of June.
926 <i>Proximana</i>	Pale Brown Striped-edge	<i>St. 4, p. 101.</i> 6928 <i>PSEUDOTOMIA.</i>	Devonshire, &c. Middle of June.
927 <i>Puncticos- tata</i>	Sector-spotted	<i>St. 4, p. 102.</i> 6929 <i>PSEUDOTOMIA.</i>	Ripley, in grassy places; but rare. June.
928 <i>Populana</i>	Pygmy Y	<i>St. 4, p. 102.</i> 6931 <i>PSEUDOTOMIA.</i>	Norfolk, &c., on Nettles; but scarce. Au- tumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
929 <i>Ephippana</i>	Three-angled Blotch-back	<i>St. 4, p. 102.</i> 6932 PSEUDOTOMIA trigonana.	Birch and Da- renth Woods. June.
930 <i>Trauniana</i>	Traunian	<i>St. 4, p. 103.</i> 6930 PSEUDOTOMIA..	Near Holt in Norfolk; but very rare. June.
931 <i>Compositella</i>	Triple-striped Blotch-back	<i>St. 4, p. 103, t. 37, f. 2.</i> 6936 PSEUDOTOMIA.	Birch and Da- renth Woods. June.
932 <i>Gundiana</i>	Gundian	<i>St. 4, p. 103.</i> 6935 PSEUDOTOMIA.	Same time and place as 931.
933 <i>Dorsana</i>	Single-striped Blotch-back	<i>St. 4, p. 103.</i> 6937 PSEUDOTOMIA.	Birch and Da- renth Woods; but very rare. June.
934 <i>Lediana</i>	Ledian	<i>St. 4, p. 104.</i> 6933 PSEUDOTOMIA.	Woods in Nor- folk, Devon- shire, &c. June.
935 <i>Nitidana</i>	Dark Silver- striped	<i>St. 4, p. 104.</i> 6939 PSEUDOTOMIA.	Darenth-Wood, the New Fo- rest, &c. June.
936 <i>Aurana</i>	Double Orange-spot	<i>D. 2, t. 57, f. 2. St. 4, p. 105.</i> 6938 PSEUDOTOMIA.	Near London, Ripley, and Hertford, &c. June.



902 n



911 n



920 n



929 n



903 n



912 n



921 n



930 n



904 n



913 n



922 n



931 n



905 n



914 n



923 n



932 n



906 n



915 n



924 n



933 n



907 n



916 n



925 n



934 n



908 n



917 n



926 n



935 n



909 n



918 n



927 n



936 n



910 n



919 n



928 n



937 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
937 <i>Tetraque- trana</i>	Square-barred Single-dot	<i>St. 4, p. 105.</i> 6940 STEGANOPTY- CHA.	On the margin of Darenth and Coombe Woods; but rare. June.
938 <i>Angulana</i>	Angle-striped Single-dot	<i>St. 4, p. 106.</i> 6943 STEGANOPTY- CHA.	Darenth Wood. June.
939 <i>Unipunc- tana</i>	Marbled Sin- gle-dot	<i>St. 4, p. 106.</i> 6941 STEGANOPTY- CHA.	Near London, and in the New Forest. June.
940 <i>Triquetra- na</i>	Angle-barred Single-dot	<i>St. 4, p. 106.</i> 6942 STEGANOPTY- CHA.	Middlesex, the West of En- gland, and in the New Fo- rest. End of June.
941 <i>Pavonana</i>	Blotch-backed Grey	<i>D. 2, t. 58, f. 3. St. 4, p. 107.</i> 6945 STEGANOPTY- CHA rubiana.	Epping Forest, Darenth Wood, &c. August.
942 <i>Bæberana</i>	Bæberian	<i>St. 4, p. 107.</i> 6944 STEGANOPTY- CHA.	Woods near Lon- don, also in the New Forest. August.
943 <i>Cuspidana</i>	Pointed Bar	<i>St. 4, p. 107.</i> 6946 STEGANOPTY- CHA.	Darenth and Coombe Woods. Beginning of August.
944 <i>Rhombifas- ciana</i>	Square Bar	<i>St. 4, p. 108.</i> 6948 STEGANOPTY- CHA.	Darenth Wood; but rare. End of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
945 <i>Stictana</i>	Spotted Red	<i>St.</i> 4, <i>p.</i> 108. 6947 STEGANOPTY- CHA.	Taken near Lon- don; but very rare. August.
946 <i>Cinerana</i>	Mottled Grey	<i>St.</i> 4, <i>p.</i> 108. 6949 STEGANOPTY- CHA.	Taken near Lon- don.
947 <i>Retusana</i>	Variable Red	<i>St.</i> 4, <i>p.</i> 108. Stegano- ptycha. 6950 ANCHYLOPERA.	Common in hedges near Darenth Wood, &c. June.
948 <i>Subuncana</i>	Red Hook-tip	<i>St.</i> 4, <i>p.</i> 109. Stegano- ptycha. 6951 ANCHYLOPERA.	Woods in Mid- dlesex, Kent, Surrey, &c. June.
949 <i>Obtusana</i>	Blunt-winged Blotch-back	<i>St.</i> 4, <i>p.</i> 110. 6952 ANCHYLOPERA.	Darenth and Coombe Woods. Beginning of June.
950 <i>Unculana</i>	Hook-tipped Blotch-back	<i>St.</i> 4, <i>p.</i> 110. 6953 ANCHYLOPERA.	Birch and Da- renth Woods, &c. June.
951 <i>Lundana</i>	Lundian	<i>D.</i> 11, <i>t.</i> 374, <i>f.</i> 1. <i>St.</i> 4, <i>p.</i> 110. 6954 ANCHYLOPERA.	Darenth and Coombe Woods. End of May.
952 <i>Lyellana</i>	Lyell's	<i>C. fol.</i> 376. <i>St.</i> 4, <i>p.</i> 111. —— ANCHYLOPERA.	Taken at Kin- nordy in Scot- land, by C. Lyell, Esq. Mr. Curtis's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found</i>
953 <i>Fractifasciana</i>	Broken-barred	<i>St.</i> 4, <i>p.</i> 111, <i>t.</i> 34, <i>f.</i> 3. 6955 ANCHYLOPERA.	Brockenhurst in the New Forest. June.
954 <i>Siculana</i>	Hook-tipped Streak	<i>St.</i> 4, <i>p.</i> 111. 6956 ANCHYLOPERA.	Coombe and Darenth Woods, &c. End of May.
955 <i>Diminutana</i>	Festoon Tortrix	<i>St.</i> 4, <i>p.</i> 112. 6957 ANCHYLOPERA.	In woody places near London, also at Coombe and Darenth Woods; but rare. June.
956 <i>Funalana</i>	Dark Festoon	<i>St.</i> 4, <i>p.</i> 112. 6958 ANCHYLOPERA.	Mr. Stephens mentions it as being once taken at Coombe Wood in June. Mr. Chant's Cabinet.
957 <i>Uncana</i>	Bridge	<i>St.</i> 4, <i>p.</i> 112. 6959 ANCHYLOPERA.	Darenth and Coombe Woods. Beginning of June.
958 <i>Ustomaculana</i>	Loch Ranoch	<i>C.</i> 8, <i>t.</i> 376. <i>St.</i> 4, <i>p.</i> 112. —— ANCHYLOPERA.	Mr. Curtis's Cabinet, taken in the Black wood of Loch Ranoch, in June.
959 <i>Cuspidana</i>	Sharp-angled	<i>St.</i> 4, <i>p.</i> 113. 6960 ANCHYLOPERA.	Taken in May, by Mr. Chant at Coombe Wood.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
960 <i>Derasana</i>	Naked-winged	<i>St.</i> 4, <i>p.</i> 113. — ANCHYLOPERA.	Taken at Spitch- week, in Devon- shire by Mr. Chant in June.
961 <i>Harpana</i>	Hooked Mar- ble	<i>St.</i> 4, <i>p.</i> 114. 6961 ANTICLEA.	Darenth Wood. June.
962 <i>Nigroman- culata</i>	Beautiful Mar- ble	<i>St.</i> 4, <i>p.</i> 114. 6962 ANTICLEA.	Tunbridge Wells, &c.; but very rare. Begin- ning of July.
963 <i>Albana</i>	Light Mar- bled	<i>St.</i> 4, <i>p.</i> 114. Anticlea. 7135 EUPÆCILIA.	Darenth Wood; but rare. End of June.
964 <i>Nævana</i>	Spotted Short- cloak	<i>St.</i> 4, <i>p.</i> 115. Anticlea. 6963 —.	Darenth and Birch Woods. June.
965 <i>Sociana</i>	White Short- cloak	<i>St.</i> 4, <i>p.</i> 115. Anticlea. 6964 —.	Darenth Wood, &c. June.
966 <i>Incarvana</i>	Marbled Short- cloak	<i>St.</i> 4, <i>p.</i> 115. Anticlea. 6965 —.	Darenth Wood, &c. August.
967 <i>Paykulliana</i>	Paykullian	<i>St.</i> 4, <i>p.</i> 116. Anticlea. 6966 —.	Darenth Wood. End of March.
968 <i>Fimbriana</i>	Double-cres- cent	<i>St.</i> 4, <i>p.</i> 116. Anticlea. 6967 —.	Birch, Darenth and Coombe Woods. June.
969 <i>Bilunana</i>	Hoary Double- crescent	<i>St.</i> 4, <i>p.</i> 116. Anticlea. 7134 EUPÆCILIA.	Darenth and Birch Woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
970 <i>Subocellana</i>	Retuse Marble	<i>D. 12, t. 381, f. 1. St. 4, p. 116. Anticlea. 6968 —.</i>	Hedges near London. End of June and beginning of July.
971 <i>Asseclana</i>	Obtuse Marble	<i>St. 4, p. 117. Anticlea. 6969 —.</i>	Darenth Wood. July.
972 <i>Mitterbacheriana</i>	Mitterbachian	<i>D. 11, t. 369, f. 1. St. 4, p. 117. Anticlea. 6970 —.</i>	On Elm trees near London; common in the summer.
— 973 <i>Arcuana</i>	Arched	<i>D. 11, t. 364, f. 1. St. 4, p. 118. Roxana. 6984 —.</i>	Near London, also at Darenth and Coombe Woods, &c. End of June.
974 <i>Pomonella</i>	Apple-tree	<i>W. t. 9. St. 4, p. 119. Carpocapsa. 6971 SEMASIA.</i>	Gardens and orchards, near London, &c. June.
975 <i>Splendana</i>	Splendid	<i>St. 4, p. 119. Carpocapsa. 6972 SEMASIA.</i>	Epping Forest and Darenth Wood; but rare. June.
976 <i>Grossana</i>	Smoky Marble	<i>St. 4, p. 120. Carpocapsa. 6973 SEMASIA.</i>	Birch Wood; rare. June.
977 <i>Weberana</i>	Weberian	<i>St. 4, p. 120. Carpocapsa. 6974 SEMASIA.</i>	Apple-orchards, and the borders of woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
978 <i>Aspidisca-na</i>	Spotted Tortrix	<i>St. 4, p. 120.</i> Carpocapsa. — SEMASIA.	Near London, and in the North of England, but very rare.
979 <i>Rheediella</i>	Rheedian	<i>D. 12, t. 377, f. 1. St. 4, p. 121.</i> Carpocapsa. 6975 SEMASIA.	Near London; the New Forest, &c. June.
980 <i>Lanceolana</i>	Light-striped-edge	<i>St. 4, p. 121.</i> Carpocapsa. 6976 SEMASIA.	Coombe Wood; in hedges, among nettles, &c. Spring.
981 <i>Hypericana</i>	Yellow-striped-edge	<i>St. 4, p. 121.</i> Carpocapsa. 6977 SEMASIA.	Coombe and Darenth Woods. June.
982 <i>Leplastriana</i>	Leplastrian	<i>C. 8, t. 352. St. 4, p. 121.</i> Carpocapsa. — SEMASIA.	Near Dover. Beginning of June.
983 <i>Perlepida-na</i>	Beautiful Crescent	<i>St. 4, p. 122.</i> Carpocapsa. 6978 SEMASIA.	Darenth Wood, but rare. June.
984 <i>Stelliferana</i>	Starry Tortrix	<i>St. 4, p. 122.</i> Carpocapsa. — SEMASIA.	Mr. Curtis's Cabinet. Taken in Perthshire.
985 <i>Pupillana</i>	Wormwood Tortrix	<i>St. 4, p. 122, t. 34, f. 2.</i> Carpocapsa. 6979 SEMASIA.	Coasts of England, especially Devonshire. June.
986 <i>Fulvana</i>	Fulvous Sealed	<i>St. 4, p. 123.</i> Carpocapsa. 6980 SEMASIA.	Near London, in meadows adjoining woods. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
987 <i>Cana</i>	Hoary Sealed	<i>St. 4, p. 123.</i> Carpocapsa. 6981 SEMASIA.	Coombe and Darenth Woods, &c. June.
988 <i>Scopoliana</i>	Scopolian	<i>St. 4, p. 123.</i> Carpocapsa. 6982 SEMASIA.	Near London ; the New Forest, &c. June.
989 <i>Rufana</i>	Red Sealed	<i>St. 4, p. 124.</i> Carpocapsa. 6983 SEMASIA.	Darenth Wood. July.
990 <i>Egenana</i>	Dusty Drab	<i>St. 4, p. 124.</i> Bactra. 6985 APHELIA.	Moist places near Coombe Wood. June.
991 <i>Pauperana</i>	Spotted Drab	<i>St. 4, p. 125.</i> Bactra. 6986 APHELIA.	Marshy places on Wimbledon Common, &c. July.
992 <i>Egestana</i>	Lesser Drab	<i>St. 4, p. 125.</i> Bactra. 6987 APHELIA.	Marshy places ; end of June.
993 <i>Plagana</i>	Broad-streak- ed Drab	<i>St. 4, p. 125.</i> Bactra. 6988 APHELIA.	Near London, but rare. June.
994 <i>Expallidana</i>	Pale Drab	<i>St. 4, p. 125.</i> Bactra. 6989 APHELIA.	Taken near Coombe Wood. June.
995 <i>Quadripunctata</i>	Dotted Drab	<i>St. 4, p. 126.</i> Ablabia. 6990 APHELIA.	Near Dover. August.
996 <i>Penziana</i>	Penzian	<i>St. 4, p. 127.</i> 6992 CNEPHASIA.	North of En- gland and Scot- land. Begin- ning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
997 <i>Longana</i>	Long-winged	<i>St.</i> 4, <i>p.</i> 127. 6994 CNEPHASIA.	Meadows and marshy places near London. June.
998 <i>Icteriana</i>	Jaundiced Drab	<i>St.</i> 4, <i>p.</i> 128. 6995 CNEPHASIA.	Meadows near London. June.
999 <i>Simuana</i>	Waved Elm	<i>St.</i> 4, <i>p.</i> 128. 6996 CNEPHASIA.	Mr. Stephens has seen but one specimen, taken at Da- renth in June.
1000 <i>Assinana</i>	Large Grey Elm	<i>St.</i> 4, <i>p.</i> 128. 6998 CNEPHASIA.	Near London, and in the New Forest. Middle of June.
1001 <i>Interjec- tana</i>	Lesser Grey Elm	<i>St.</i> 4, <i>p.</i> 129. 6999 CNEPHASIA.	Near London, &c. June.
1002 <i>Logiana</i>	Logian	<i>St.</i> 4, <i>p.</i> 129. 7000 CNEPHASIA.	Very common near London, and in other places. June.
1003 <i>Obsole- tana</i>	Obscure Elm	<i>St.</i> 4, <i>p.</i> 129. 6997 CNEPHASIA.	Taken by Mr. Stephens near Ripley in Sur- rey, in June, 1827.
1004 <i>Rutilfas- ciana</i>	Straight- barred Elm	<i>D.</i> 11, <i>t.</i> 370, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 130. 7001 CNEPHASIA.	Darenth and Coombe Woods. June.



938 n



947 n



956 n



965 n



939 n



948 n



957 n



966 n



940 n



949 n



958 n



967 n



941 n



950 n



959 n



968 n



942 n



951 n



960 n



969 n



943 n



952 n



961 n



970 n



944 n



953 n



962 n



971 n



945 n



954 n



963 n



972 n



946 n



955 n



964 n



973 n



974 n



983 n



992 n



1001 n



975 n



984 n



993 n



1002 n



976 n



985 n



994 n



1003 n



977 n



986 n



995 n



1004 n



978 n



987 n



996 n



1005 n



979 n



988 n



997 n



1006 n



980 n



989 n



998 n



1007 n



981 n



990 n



999 n



1008 n



982 n



991 n



1000 n



1009 n

W. Wood, Junr.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1005 <i>Curvifasci- ana</i>	Curve Barred Elm	<i>St. 4, p. 130.</i> —— <i>CNEPHASIA.</i>	Darenth and Birch Woods and near Do- ver. June.
1006 <i>Nubilana</i>	Smoky Grey	<i>St. 4, p. 130.</i> 7004 <i>CNEPHASIA.</i>	Common near London in mea- dows, &c. June.
1007 <i>Perfus- cana</i>	Deep Brown	<i>St. 4, p. 131.</i> 7005 <i>CNEPHASIA.</i>	Taken at the same time and place as the above.
1008 <i>Quadri- maculana</i>	Blotched Drab	<i>St. 4, p. 131.</i> <i>Sericoris.</i> 7006 <i>ORTHOTÆNIA.</i>	Near London ; also at Ripley and in Norfolk. June.
1009 <i>Striana</i>	Straight Bar- red	<i>St. 4, p. 132.</i> <i>Sericoris.</i> 7007 <i>ORTHOTÆNIA fas- ciana.</i>	Woods and hedges near London ; at Coombe and Darenth Woods, &c. June.
1010 <i>Fascio- lana</i>	Small Barred	<i>St. 4, p. 132.</i> <i>Sericoris.</i> —— <i>ORTHOTÆNIA.</i>	Mr. Stephens's Cabinet.
1011 <i>Urticana</i>	Barred Nettle	<i>St. 4, p. 132.</i> <i>Sericoris.</i> 7008 <i>ORTHOTÆNIA.</i>	Common in June among nettles, &c., in Middlesex, Essex, Kent, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1012 <i>Obsole- tana</i>	Dull Barred Nettle	<i>St.</i> 4, <i>p.</i> 133. Sericoris. —— ORTHOTÆNIA.	Near London and at Darenth and Coombe Woods, &c. June.
1013 <i>Altern- ana</i>	Alternate Barred	<i>St.</i> 4, <i>p.</i> 133. Sericoris. —— ORTHOTÆNIA.	Mr. Curtis's Ca- binet. Taken at Loch Ran- nock in Scot- land.
1014 <i>Undulana</i>	Silver-striped	<i>St.</i> 4, <i>p.</i> 133. Sericoris. 7010 ORTHOTÆNIA.	Birch and Da- renth Woods, &c. June.
1015 <i>Gramine- ana</i>	Great Barred	<i>St.</i> 4, <i>p.</i> 134. Sericoris. —— ORTHOTÆNIA.	Mr. Curtis's Ca- binet. Taken at Arthur's Seat near Edin- burgh. July.
1016 <i>Micana</i>	Silver-dotted	<i>St.</i> 4, <i>p.</i> 134. Sericoris. 7009 ORTHOTÆNIA.	In the east of Norfolk; rare near London. End of June.
1017 <i>Cespita- na</i>	Meadow Bar- red	<i>St.</i> 4, <i>p.</i> 134. Sericoris. —— ORTHOTÆNIA.	Taken in Devon- shire in June.
1018 <i>Polilana</i>	Red-barred Grey	<i>St.</i> 4, <i>p.</i> 135. Sericoris. 7015 ORTHOTÆNIA.	The New Forest and Devon- shire; but rare. June.
1019 <i>Pulchel- lana</i>	Dark-barred Grey	<i>St.</i> 4, <i>p.</i> 135. Sericoris. 7017 ORTHOTÆNIA.	Mr. Stephens has a specimen taken in the New Forest in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1020 <i>Fuligana</i>	Smoky Barred	<i>St. 4, p. 135. Sericoris.</i> 7016 ORTHOTÆNIA.	Near London and in Norfolk; but very rare. June.
1021 Subse- quana	Faint Silver- striped	<i>St. 4, p. 136. Sericoris.</i> 7021 ORTHOTÆNIA.	Mr. Stephens has a specimen found near Lon- don in June.
1022 <i>Aurifas- ciana</i>	Gold-barred	<i>St. 4, p. 136, t. 38, f. 3. Sericoris.</i> 7019 ORTHOTÆNIA.	Taken by Mr. Stephens on Clandon Com- mon near Rip- ley. July.
1023 <i>Bifasci- ana</i>	Double-barred Orange	<i>St. 4, p. 136. Sericoris.</i> 7018 ORTHOTÆNIA.	Taken at Da- renth Wood; but very rare. June.
1024 <i>Furfura- na</i>	Mottled Bran	<i>St. 4, p. 137. Sericoris.</i> 7020 ORTHOTÆNIA.	Mr. Stephens's Cabinet, ob- tained from the late Mr. Haworth.
1025 <i>Marmo- rana</i>	Marbled Dog's-tooth	<i>St. 4, p. 137. Sericoris.</i> 7011 ORTHOTÆNIA.	Coombe and Da- renth Woods, &c. June.
1026 Udman- niana	Udmannian	<i>D. 5, t. 153, f. 1—3. St. 4, p. 138. Notocelia.</i> 7024 PÆCULOCHROMA.	Woody places near London, and in Kent, &c. June.

<i>Lin. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1027 Solandri- ana	Solandrian	<i>St. 4, p. 139.</i> 7026 PÆCILOCHROMA.	Middlesex, Essex, Surrey, Kent, &c. End of July or beginning of August.
1028 <i>Trapezina</i> M. & F.	Marbled Diamond-back	<i>St. 4, p. 139.</i> 7025 PÆCILOCHROMA Sparmanniana.	Coombe and Darenth Woods, &c. August.
1029 <i>Communana</i>	Cock's head	<i>St. 4, p. 139.</i> 7023 ORTHOTENIA.	Very common in several counties. June.
1030 <i>Piccana</i>	Shining Pitch	<i>St. 4, p. 140.</i> 7029 PÆCILOCHROMA.	Near Brockenhurst in the New Forest. August.
1031 <i>Semifuscana</i>	Half Brown	<i>St. 4, p. 140, t. 36, f. 1.</i> 7028 PÆCILOCHROMA.	The New Forest. August.
1032 <i>Maculana</i>	Black Double-blotched	<i>St. 4, p. 141.</i> 7027 PÆCILOCHROMA.	Darenth and Coombe Woods. Beginning of August.
1033 <i>Maurana</i>	Great Double-bar	<i>St. 4, p. 141.</i> 7030 PÆCILOCHROMA.	Mr. Stephens's Cabinet. Very rare.
1034 <i>Lecheana</i>	Lechean	<i>St. 4, p. 142.</i> 7031 PTYCHOLOMA.	Darenth and Coombe Woods; woody places near London, &c. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1035 <i>Obsoleta- na</i>	Obsolete	<i>St. 4, p. 142.</i> 7012 ORTHOTENIA.	Mr. Stephens has seen but one, taken at Birch Wood in June.
1036 <i>Purpura- na</i>	Purple	<i>St. 4, p. 143.</i> 7032 EUCHROMIA.	New Forest, and in Norfolk; but very rare. June.
1037 <i>Fulvi- punctana</i>	Tawny-dotted	<i>St. 4, p. 143.</i> 7033 EUCHROMIA.	Near London and in Norfolk. Very rare. June.
1038 <i>Ministra- na nas</i>	Yellow-barred Iron	<i>St. 4, p. 144.</i> 7034 LOPHODERUS.	Common in se- veral places, especially near Dover. June.
1039 <i>Subfasci- ana</i> (15)	Pale-barred Iron	<i>St. 4, p. 144.</i> 7035 LOPHODERUS.	Taken in the New Forest, in June.
1040 <i>Degene- ranus</i>	Large Mar- bled	<i>D. 11, t. 357, f. 3. St. 4, p. 146.</i> 7036 SARROTHRIPUS.	Darenth and Birch Woods. July to Decem- ber.
1041 <i>Undula- nus</i>	Waved Mar- bled	<i>St. 4, p. 146.</i> — SARROTHRIPUS.	Darenth and Birch Woods; also in the New Forest. July to December.
1042 <i>Lathamian- anus</i>	Lathamian	<i>D. 10, t. 359, f. 2. St. 4, p. 146.</i> 7039 SARROTHRIPUS.	Birch and Da- renth Woods. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1043 <i>Dilutatus</i>	Large Brown	<i>St. 4, p. 146.</i> 7037 SARROTHRIPUS.	Darenth and Birch Woods, &c. August.
1044 <i>Ilicanus</i>	Large Holly	<i>St. 4, p. 147.</i> 7040 SARROTHRIPUS.	Birch, Darenth, and Coombe Woods. End of July and be- ginning of Au- gust.
1045 <i>Afzelianus</i>	Afzelian	<i>St. 4, p. 147.</i> 7038 SARROTHRIPUS.	Taken at the same time and place with the above.
1046 <i>Ramulanus</i>	Twigged Bar	<i>C. 1, t. 29. St. 4, p. 147.</i> 7041 SARROTHRIPUS.	Birch and Da- renth Woods; but very rare. July.
1047 <i>Profanana</i>	Rusty Button	<i>D. 12, t. 377, f. 3. St. 4, p. 149.</i> 7043 PERONEA.	Birch and Coombe Woods. Autumn.
1048 <i>Striana</i>	Brown Button	<i>St. 4, p. 149.</i> 7044 PERONEA.	Birch Wood, &c. July.
1049 <i>Substriana</i>	Striped But- ton	<i>St. 4, p. 149.</i> 7045 PERONEA.	Birch Wood and the New Fo- rest. August.
1050 <i>Brunnea-na</i>	Brown Button	<i>St. 4, p. 149.</i> 7046 PERONEA.	Darenth Wood and the New Forest. August.
1051 <i>Vittana</i>	Streaked But- ton	<i>St. 4, p. 150.</i> 7047 PERONEA.	Near London; but rare. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1052 <i>Spadice- ana</i>	Bay-shoulder- ed Button	<i>St. 4, p. 150.</i> 7048 PERONEA.	Coombe Wood. Autumn.
1053 <i>Consimi- lana</i>	Pale Bay But- ton	<i>St. 4, p. 150.</i> 7049 PERONEA.	The New Forest and near Ripley in Surrey. Autumn.
1054 <i>Desfonta- niana</i>	Desfontainian	<i>St. 4, p. 150.</i> 7050 PERONEA.	Birch and Coombe Woods; also the New Fo- rest. Autumn.
1055 <i>Fulvocris- tana</i>	Tawny-crested Button	<i>St. 4, p. 151.</i> 7051 PERONEA.	The New Forest; but rare. Au- tumn.
1056 <i>Albovit- tana</i>	White-streak- ed Button	<i>St. 4, p. 151.</i> 7052 PERONEA.	Mr. Stephens has seen but one taken in the New Fo- rest in August 1821.
1057 <i>Fulvovit- tana</i>	Tawny-streak- ed Button	<i>St. 4, p. 151.</i> 7053 PERONEA.	The New Fo- rest, and at Greenhithe. Autumn.
1058 <i>Cristala- na</i>	Barred Button	<i>St. 4, p. 152.</i> 7054 PERONEA.	The New Fo- rest, also Birch and Coombe Woods. End of August or beginning of September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1059 <i>Subvittana</i>	Obscure- streaked Button	<i>St. 4, p. 152.</i> 7055 PERONEA.	The New Forest. August.
1060 <i>Cristana</i>	White Button	<i>St. 4, p. 152.</i> 7056 PERONEA.	Birch and Coombe Woods, Nor- folk, and the New Forest. August and September.
1061 <i>Albipunctana</i>	White-spotted Button	<i>St. 4, p. 152.</i> 7057 PERONEA.	The New Fo- rest. Autumn.
1062 <i>Ruficostana</i>	Red-edged Button	<i>St. 4, p. 153.</i> 7074 PERONEA.	The New Fo- rest. August to October.
1063 <i>Umbrana</i>	Dark-streaked Button	<i>St. 4, p. 153.</i> 7058 PERONEA.	The New Fo- rest, and Coombe Wood. August and September.
1064 <i>Divisana</i>	Half-coloured Button	<i>St. 4, p. 153.</i> 7059 PERONEA.	The New Fo- rest; but rare. Autumn.
1065 <i>Radiana</i>	Buff-edged	<i>St. 4, p. 154.</i> 7061 PERONEA.	Coombe Wood. September.
1066 <i>Ramostrivittana</i>	Branched But- ton	<i>St. 4, p. 154.</i> 7063 PERONEA.	The New Fo- rest. Autumn.
1067 <i>Centrovittana</i>	Centre-streak- ed Button	<i>St. 4, p. 154.</i> 7062 PERONEA.	Near London, and Ripley; also in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1068 <i>Combustana</i>	Flame Button	<i>St. 4, p. 154.</i> 7064 PERONEA.	The New Forest, and near Ripley. August.
1069 <i>Albistria</i> <i>na</i>	Grey-streak	<i>St. 4, p. 155.</i> 7065 PERONEA.	Greenhithe and the New Forest. August and September.
1070 <i>Autumnana</i>	Autumnal Button	<i>St. 4, p. 155.</i> 7066 PERONEA.	The New Forest. Autumn.
1071 <i>Subcristana</i>	Half-crested Button	<i>St. 4, p. 155.</i> 7067 PERONEA.	The New Forest. Autumn.
1072 <i>Coronana</i>	Marbled Chestnut	<i>St. 4, p. 156.</i> 7068 PERONEA.	The New Forest, and Coombe Wood. October.
1073 <i>Byringe- rana</i>	Byringer's	<i>St. 4, p. 156.</i> 7069 PERONEA.	The New Forest. Autumn.
1074 <i>Obsoleta- na</i>	Obscure But- ton	<i>St. 4, p. 156.</i> 7070 PERONEA.	Found by Mr. Stephens at Ripley, in July 1827.
1075 <i>Favilla- ceana</i>	Ash-coloured	<i>St. 4, p. 156.</i> 7071 PERONEA.	Common in the New Forest, also occasionally in woods about London. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1076 <i>Tristana</i>	Lesser Ash-coloured	<i>St. 4, p. 157.</i> 7072 PERONEA.	Taken at the same time and places as the above.
1077 <i>Reticulana</i>	Checquered Grey	<i>St. 4, p. 157.</i> 7073 PERONEA.	Woods about London; but rare. July to September.
1078 <i>Bistriana</i>	Double Bay-streak	<i>St. 4, p. 157.</i> 7075 PERONEA.	Birch Wood; but very rare. July and August.
1079 <i>Albicostana</i>	White-edged Button	<i>St. 4, p. 158.</i> 7076 PERONEA.	Taken by Mr. Stephens at Dover, in August.
1080 <i>Similana</i>	Pale-edged Button	<i>St. 4, p. 158.</i> 7077 PERONEA.	Birch Wood; but very rare. Autumn.
1081 <i>Latifasciana</i>	Broad Barred	<i>St. 4, p. 158.</i> 7078 PERONEA.	Taken, but rarely, round London. August and September.
1082 <i>Plumbosana</i>	Lead-coloured	<i>St. 4, p. 158.</i> 7079 PERONEA.	Mr. Bentley's Cabinet. Birch Wood and the New Forest. September.
1083 <i>Boscana</i>	Boscan	<i>St. 4, p. 159.</i> 7080 PERONEA.	Darereth and Birch Woods; also in the New Forest. August.



1010 n



1019 n



1028 n



1036 n



1011 n



1020 n



1028 n



1037 n



1012 n



1021 n



1029 n



1038 n



1013 n



1022 n



1030 n



1039 n



1014 n



1023 n



1031 n



1040 n



1015 n



1024 n



1032 n



1041 n



1016 n



1025 n



1033 n



1042 n



1017 n



1026 n



1034 n



1043 n



1018 n



1027 n



1035 n



1044 n

W. Wood, Junr



1043 n



1054 n



1063 n



1072 n



1046 n



1055 n



1064 n



1073 n



1047 n



1056 n



1065 n



1074 n



1048 n



1057 n



1066 n



1075 n



1049 n



1058 n



1067 n



1076 n



1050 n



1059 n



1068 n



1077 n



1051 n



1060 n



1069 n



1078 n



1052 n



1061 n



1070 n



1079 n



1053 n



1062 n



1071 n



1080 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1084 <i>Trigona- na</i>	Three-dotted	<i>St. 4, p. 159.</i> 7081 PERONEA.	Birch Wood; but rare. Sep- tember.
1085 <i>Schalle- riana</i>	Schallerian	<i>St. 4, p. 159.</i> 7082 PERONEA.	Darenth, Birch, and Coombe Woods, and gardens near London. End of August and in September.
1086 <i>Rufana</i>	Red Triangle	<i>St. 4, p. 160.</i> 7083 PERONEA.	Woods and gar- dens round London. Sep- tember.
1087 <i>Costima- culana</i>	Costal Dotted	<i>St. 4, p. 160.</i> 7084 PERONEA.	Taken near Do- ver; but very rare. August.
1088 <i>Asperana</i>	White-shoul- dered	<i>St. 4, p. 160.</i> 7086 PERONEA.	Woods and gar- dens round London. July and August.
1089 <i>Variega- na</i>	Common Rough-wing	<i>St. 4, p. 160.</i> 7087 PERONEA.	Woods and hedges in Mid- dlesex, Essex, Kent, &c. Au- gust and Sep- tember.
1090 <i>Borana</i>	Crested Buff	<i>St. 4, p. 161.</i> 7088 PERONEA.	Woods round London. Au- gust.

<i>Linn names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1091 <i>Logiana</i>	Logian	<i>St. 4, p. 161.</i> 7085 PERONEA.	Mr. Bentley's Cabinet. Taken at Greenhithe, in September 1823.
1092 <i>Subtri- punctulana</i>	False three- dotted	<i>St. 4, p. 162.</i> Acleris. 7089 PARAMESIA.	Near London ; also in the New Forest. August.
1093 <i>Gnomana</i>	Dial	<i>St. 4, p. 162.</i> Acleris. 7090 PARAMESIA.	Common in woods and hedges near London and elsewhere. July to Sep- tember.
1094 <i>Tripunc- tulana</i>	Rusty Treble- spot	<i>St. 4, p. 163.</i> Acleris. 7092 PARAMESIA.	Not uncommon round London from July to September.
1095 <i>Bifidana</i>	Forked- striped	<i>St. 4, p. 163.</i> Acleris. 7091 PARAMESIA.	Darenth and Coombe Woods; the New Forest, &c. July to Sep- tember.
1096 <i>Cerusana</i>	White Treble- spot	<i>St. 4, p. 163.</i> Acleris. 7093 PARAMESIA.	Darenth Wood, the New Forest, and near Dover. July.
1097 <i>Scabrana</i>	Grey Rough- wing	<i>St. 4, p. 163.</i> Acleris. 7099 LEPTOGRAMMA.	Darenth and Birch Woods. July and Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1098 <i>Literana</i>	Black-sprig- ged Green	<i>D. 10, t. 355, f. 2. St. 4,</i> <i>p. 164.</i> 7094 LEPTOGRAMMA.	Darenth Wood; the New Fo- rest, &c. July to October.
1099 <i>Squamana</i>	Green-tufted	<i>D. 5, t. 157, f. 7. St. 4,</i> <i>p. 165.</i> 7095 LEPTOGRAMMA.	Darenth, Birch, and Coombe Woods; also near Dover, &c. August.
1100 <i>Irrorana</i>	Sprinkled Green	<i>C. 9, t. 440. St. 4, p. 165.</i> 7097 LEPTOGRAMMA.	Birch Wood; the New Forest, &c. August.
1101 <i>Tricolorana</i>	Tricoloured Green	<i>St. 4, p. 165.</i> 7096 LEPTOGRAMMA.	Darenth Wood; the New Forest, and the West of England. August and September.
1102 <i>Fulvo- mixtana</i>	Tawny and Green	<i>St. 4, p. 166.</i> 7098 LEPTOGRAMMA.	The New Forest. August.
1103 <i>Emargana</i>	Checquered Notch-wing	<i>St. 4, p. 167, t. 38, f. 1.</i> <i>Teras.</i> 7100 GLYPHISIA.	The New Forest, Devonshire, and Bere Wood near Dover; but rare. Au- tumn.
1104 <i>Excavana</i>	Iron Notch- wing	<i>D. 3, t. 106, f. 5. St. 4,</i> <i>p. 167. Teras.</i> 7101 GLYPHISIA.	Birch, Darenth, and Coombe Woods. July to September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1105 <i>Effracta- na</i>	Common Notch-wing	<i>D. 3, t. 106, f. 1. St. 4, p. 168. Teras.</i> 7102 GLYPHISIA.	Woods in Mid- dlesex, Surrey, Essex, &c. Autumn.
1106 <i>Caudana</i>	Shallow Notch-wing	<i>St. 4, p. 168. Teras.</i> 7103 GLYPHISIA.	Round London; also in York- shire and the North of En- gland. Au- tumn.
1107 <i>Contami- nana</i>	Checquered Pebble	<i>St. 4, p. 169.</i> 7105 DICTYOPTERYX.	Common in Middlesex, Es- sex, Kent, &c. July to Septem- ber.
1108 <i>Ciliana</i>	White-fringed	<i>D. 12, t. 374, f. 2. St. 4, p. 169.</i> 7106 DICTYOPTERYX.	Woods and hedges round London, &c. Beginning of autumn.
1109 <i>Rhomba- na</i>	Dark-chec- quered	<i>St. 4, p. 170.</i> 7107 DICTYOPTERYX.	Middlesex, Sur- rey, Essex, &c. August and September.
1110 <i>Plumbā- na</i>	Clouded Straw	<i>St. 4, p. 170.</i> 7108 DICTYOPTERYX.	Woods and hedges near London, &c. August and September.
1111 <i>Lœflingi- ana</i>	Lœflingian	<i>D. 3, t. 90. St. 4, p. 170.</i> 7109 DICTYOPTERYX.	Common in se- veral counties. August and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1112 <i>Forskaliana</i>	Forskalian	<i>St. 4, p. 171.</i> 7110 <i>DICTYOPTERYX.</i>	Common round London, and in the New Forest. June and July.
1113 <i>Ochreaceana</i>	Ochreous	<i>St. 4, p. 172.</i> Capua. 7111 <i>DICTYOPTERYX.</i>	Taken by Messrs. Chant and Bentley near Lyndhurst. June.
1114 <i>Castanana</i>	Chestnut Tortrix	<i>St. 4, p. 172.</i> 7112 <i>CHEIMATOPHILA.</i>	Common in the New Forest, &c., in the autumn.
1115 <i>Bergmanniana</i>	Bergmannian	<i>D. 5, t. 157, f. 1—6. St. 4, p. 173.</i> 7113 <i>ARGYROTOSA.</i>	Common in hedges, gardens and woods, in several parts of England. End of June, and beginning of August.
1116 <i>Hoffmannseggiana</i>	Hoffmanseg-gian	<i>St. 4, p. 174.</i> 7116 <i>ARGYROTOSA.</i>	Darenth Wood, the New Forest, and near Dover; but very rare. June.
1117 <i>Conwayana</i>	Conwayian	<i>St. 4, p. 174.</i> 7114 <i>ARGYROTOSA.</i>	Coombe, Birch, and Darenth Woods, &c. June.
1118 <i>Subaurantiana</i>	Gold-varied	<i>St. 4, p. 175.</i> 7115 <i>ARGYROTOSA.</i>	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1119 Daldorfi- ana	Daldorfian	<i>D. 11, t. 264, f. 2. St. 4, p. 175.</i> 7118 ARGYROTOSA.	Darenth, Birch, and Coombe Woods, &c. June.
1120 <i>Lathonia</i> - na	Silver-spotted	<i>St. 4, p. 176.</i> 7119 ARGYROLEPIA.	Mr. Stephens be- lieves a pair of this very rare species were taken near Tun- bridge Wells in July 1831.
1121 <i>Margari-</i> <i>tana</i>	Orange-barred Pearl	<i>St. 4, p. 176. Argyrolepia.</i> 7141 EUPÆCILLA.	Mr. Stephens's Cabinet, from the late Mr. Haworth's col- lection.
1122 <i>Æneana</i>	Silvery Broad Bar	<i>St. 4, p. 176.</i> 7123 ARGYROLEPIA.	Epping Forest; but very rare. June.
1123 <i>Bistriga-</i> na	Two-striped	<i>St. 4, p. 177. Argyrolepia.</i> 7013 ORTHOTENIA.	Mr. Stephens has seen but three specimens; found near London.
1124 <i>Tessera-</i> na	Tessellated	<i>St. 4, p. 177.</i> 7124 ARGYROLEPIA.	On the Downs near Brighton and Dover, &c. June.
1125 <i>Decimana</i>	Ten-dotted	<i>St. 4, p. 177.</i> 7125 ARGYROLEPIA.	Coombe Wood. May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1126 <i>Turionana</i>	Orange-spotted	<i>C. 8, t. 364. St. 4, p. 178. Orthotænia.</i> 7121 ARGYROLEPIA.	Birch Wood. June.
1127 <i>Gemmana</i>	Scarce Orange-spotted	<i>St. 4, p. 178. Orthotænia.</i> 7122 ARGYROLEPIA.	Birch Wood; rare. July and August.
1128 <i>Bentleyana</i>	Bentleyan	<i>D. 10, t. 357, f. 1. St. 4, p. 179. Orthotænia.</i> 7120 ARGYROLEPIA.	Mountains in Cumberland and Scotland. June.
1129 <i>Haworthana</i>	Silver-marbled	<i>St. 4, p. 179.</i> 7014 ORTHOTÆNIA Pinetana.	Norfolk; but very rare. End of July.
1130 <i>Resinella</i>	Spotted Pine	<i>St. 4, p. 179. Orthotænia.</i> 7003 CNEPHASIA.	Fir-trees near Birch Wood. July.
1131 <i>Comitana</i>	Streaked Pine	<i>St. 4, p. 180. Orthotænia.</i> 6934 PSEUDOTOMIA.	Common in Birch Wood among fir-trees. June.
1132 <i>Hastiana</i>	Hastian	<i>St. 4, p. 180. Rhyacionia.</i> 7022 ORTHOTÆNIA.	Mr. Stephens's specimens were taken in Devon- shire, in June 1820.
1133 <i>Maculosa</i>	Small Black-spotted	<i>St. 4, p. 181.</i> 7127 EUPÆCILIA.	Common in woods and hedges, in Middlesex and elsewhere. Be- ginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1134 <i>Angustana</i>	Barred Marble	<i>St. 4, p. 182.</i> 7128 EUPÆCILIA.	Woods round London; also in the New Forest, &c. July.
1135 <i>Nana</i>	Barred Dwarf	<i>St. 4, p. 182.</i> 7130 EUPÆCILIA.	Darenth and Birch Woods. July.
1136 <i>Pygmæana</i>	Dingy Dwarf	<i>St. 4, p. 182.</i> 7129 EUPÆCILIA.	Near Darenth Wood; but rare. July.
1137 <i>Permixtana</i>	Orange and Black	<i>St. 4, p. 183.</i> Eupæcilia. 7117 ARGYROTOZA.	Woods and hedges round London. June.
1138 <i>Dubitana</i>	Doubtful T.	<i>St. 4, p. 183.</i> 7132 EUPÆCILIA.	North of England, and in Scotland. July.
1139 <i>Sodaliana</i>	Brindled Marble	<i>St. 4, p. 183.</i> 7133 EUPÆCILIA.	Taken by Mr. Stephens, near Ripley, in July 1827.
1140 <i>Luteolana</i>	Clay Tortrix	<i>St. 4, p. 184.</i> 7131 EUPÆCILIA.	Mr. Stephens's Cabinet; taken, he thinks, near Darenth Wood, in June.
1141 <i>Rugosana</i>	Rough-wing	<i>D. 11, t. 371, f. 1.</i> <i>St. 4, p. 184.</i> 7143 PHITHEOCHROA.	Darenth and Coombe Wood; but not common. Middle of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1142 <i>Roseana</i>	Rosy	<i>St. 4, p. 185, t. 35, f. 1.</i> Cochylis. 7136 EUPÆCILIA.	Isle of Wight, Darenth Wood, and near Dover; but rare. June.
1143 <i>Subrose-ana</i>	Dingy Rosy	<i>St. 4, p. 186.</i> Cochylis. 7137 EUPÆCILIA.	Birch Wood. June.
1144 <i>Ruficili-ella</i>	Red Fringe	<i>St. 4, p. 186.</i> Cochylis. 7138 EUPÆCILIA.	Meadows in Yorkshire; also at Darenth Wood; but very rare. June.
1145 <i>Griceana</i>	Oblique-bar- red Grey	<i>St. 4, p. 186.</i> Cochylis. 7139 EUPÆCILIA.	Near London, and at Darenth Wood.
1146 <i>Rupicola</i>	The Chalk- cliff Tortrix	<i>C. 10, t. 491. St. 4, p. 187.</i> Cochylis. 7140 EUPÆCILIA marginana.	Mr. Stephens's specimen was taken near Lon- don in June.
1147 <i>Alternana</i>	Alternate-bar- red T	<i>St. 4, p. 187, t. 35, f. 2.</i> 7144 LOZOPERA.	On the hills near Dover. July and beginning of August.
1148 <i>Dubrisana</i>	Dover Straw	<i>St. 4, p. 188.</i> — LOZOPERA.	Taken on the top of cliffs near Dover. Middle of August.
1149 <i>Marmoratana</i>	Marbled Straw	<i>St. 4, p. 188.</i> LOZOPERA.	Taken near Dover. Middle of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1150 <i>Straminea</i>	Short-barred Straw	<i>St.</i> 4, <i>p.</i> 188. 7145 LOZOPERA.	Darenth Wood, and near Dover. May and the end of August.
1151 <i>Smeathmanniana</i>	Smeathmannian	<i>St.</i> 4, <i>p.</i> 189. 7146 LOZOPERA Fabriciana.	Near Darenth Wood; but rare. Beginning of August.
1152 <i>Francilluna</i>	Francillonian	<i>D.t.</i> 355, <i>f.</i> 1. <i>St.</i> 4, <i>p.</i> 189. 7147 LOZOPERA.	Near Darenth Wood. Middle of June; and on the cliff below Dover Castle, middle of July.
1153 <i>Badiana</i>	Chestnut Straw	<i>St.</i> 4, <i>p.</i> 189. 7142 LOZOPERA Smeathmanniana.	Marshes near Whittlesea Mere, Battersea fields, &c. Beginning of July.
1154 <i>Baumanniana</i>	Baumannian	<i>St.</i> 4, <i>p.</i> 190 Lozopera. 7126 ARGYROLEPIA.	Darenth Wood, &c. June.
1155 <i>Zœcgana</i>	Zœgian	<i>D.</i> 3, <i>t.</i> 106, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 191. 7148 XANTHOSSETIA.	Darenth and Coombe Woods; the New Forest, &c. August.



1081 n



1090 n



1089 n



1188 n



1082 n



1091 n



1100 n



1109 n



1083 n



1092 n



1101 n



1110 n



1084 n



1093 n



1102 n



1111 n



1085 n



1094 n



1103 n



1112 n



1086 n



1095 n



1104 n



1113 n



1087 n



1096 n



1105 n



1114 n



1088 n



1097 n



1106 n



1115 n



1089 n



1098 n



1107 n



1116 n



1117 n



1126 n



1135 n



1144 n



1118 n



1127 n



1136 n



1145 n



1119 n



1128 n



1137 n



1146 n



1120 n



1129 n



1138 n



1147 n



1121 n



1130 n



1139 n



1148 n



1122 n



1131 n



1140 n



1149 n



1123 n



1132 n



1141 n



1150 n



1124 n



1133 n



1142 n



1151 n



1125 n



1134 n



1143 n



1152 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1156 <i>Ferrugina</i>	Clouded Iron	<i>St.</i> 4, <i>p.</i> 192. 7149 XANTHOSSETIA.	A single specimen taken by Mr. Stephens at Darenth in August.
1157 <i>Hamana</i>	Hook-marked Straw	<i>St.</i> 4, <i>p.</i> 121. 7150 XANTHOSSETIA.	Grassy places round London, &c. August.
1158 <i>Diversana</i>	Crossed Straw	<i>St.</i> 4, <i>p.</i> 192. 7151 XANTHOSSETIA.	Not uncommon round London. Beginning of August.
1159 <i>Inopiana</i>	Plain Drab	<i>St.</i> 4, <i>p.</i> 192. 7152 XANTHOSSETIA.	Mr. Stephens has taken but two specimens; one in the New Forest in June, the other at Ripley in July.
1160 <i>Quercana</i>	Long-horned	<i>D.</i> 3, <i>t.</i> 106, <i>f.</i> 3. <i>St.</i> 4, <i>p.</i> 193. 7153 PHIBALOCERA.	Common in woods and gardens round London. August.
1161 <i>Christier-nana</i>	Christiernian	<i>D.</i> 2, <i>t.</i> 20, <i>f.</i> 1. <i>St.</i> 4, <i>p.</i> 194, <i>t.</i> 38, <i>f.</i> 2. 7154 HYPERCALLIA.	Darenth Wood; but very rare. July.
1162 <i>Venosa</i>	Veined Wainscot	<i>St.</i> 4, <i>p.</i> 195, <i>t.</i> 35, <i>f.</i> 3. 7155 ORTHOTÆLIA.	Marshy places near Walthamstow, &c. End of July and beginning of August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1163 <i>Heracle- ana</i>	Cow-Parsnip	<i>At.</i> 38, f. 61. a—d. <i>St.</i> 4, p. 197. 7156 <i>DEPRESSARIA.</i>	The neighbour- hood of Lon- don; Darenth Wood, &c. July.
1164 <i>Umbella- na</i>	Large-streak- ed	<i>St.</i> 4, p. 197. 7157 <i>DEPRESSARIA.</i>	Near London, &c. July and August.
1165 <i>Venosa</i>	Wainscot Flat- body	<i>St.</i> 4, p. 198. 7159 <i>DEPRESSARIA.</i>	Near London; also at Dover; but rare. July and August.
1166 <i>Nervosa</i>	Coarse Wains- cot	<i>St.</i> 4, p. 198. 7161 <i>DEPRESSARIA.</i>	Taken round London. July and beginning of August.
1167 <i>Apicella</i>	Brindled Flat- body	<i>St.</i> 4, p. 198. 7160 <i>DEPRESSARIA.</i>	Bere Wood, near Dover; but rare. Au- gust.
1168 <i>Badiella</i>	Brown Brin- dled Flat- body	<i>St.</i> 4, p. 199. 7162 <i>DEPRESSARIA.</i>	Darenth Wood, Hertford, Do- ver, &c. July.
1169 <i>Characte- rosa</i>	Lesser Flat- body	<i>St.</i> 4, p. 199. 7163 <i>DEPRESSARIA.</i>	Found round London in the Autumn.
1170 <i>Carduella</i>	Thistle Flat- body	<i>St.</i> 4, p. 199. 7173 <i>DEPRESSARIA.</i>	Mr. Stephens has a pair of this species taken near Brockenhurst, in July 1821.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1171 <i>Gilvella</i>	Brindled Straw	<i>St. 4, p. 199.</i> 7170 <i>DEPRESSARIA.</i>	Darenth, Hert- ford, &c., a- mongst Wil- lows. July.
1172 <i>Sparman- niana</i>	Straw-colour- ed	<i>St. 4, p. 200.</i> 7175 <i>DEPRESSARIA.</i>	Round London; also at Dover, &c. August.
1173 <i>Yatesana</i>	Yates's	<i>St. 4, p. 200.</i> 7177 <i>DEPRESSARIA.</i>	Darenth and Coombe Woods; the New Forest, &c. July.
1174 <i>Immacu- lana</i>	Spotless Flat- body	<i>St. 4, p. 200.</i> 7176 <i>DEPRESSARIA.</i>	The New Fo- rest, near Brockenhurst; rare. July.
1175 <i>Ocellana</i>	Red Letter	<i>St. 4, p. 201.</i> 7169 <i>DEPRESSARIA.</i>	Woods and hedges round London, &c. July and Au- gust.
1176 <i>Applana</i>	Common Flat- body	<i>St. 4, p. 201.</i> 7166 <i>DEPRESSARIA.</i>	Gardens and hedges round London, &c. End of August.
1177 <i>Curvi- punctosa</i>	Curve Dotted	<i>St. 4, p. 201.</i> 7167 <i>DEPRESSARIA.</i>	Near London. August.
1178 <i>Albipunc- tella</i>	Rufous Brin- dled	<i>St. 4, p. 202.</i> 7168 <i>DEPRESSARIA.</i>	Near London; but rare. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1179 <i>Alstrœmeriana</i>	Alstrœmer's	<i>St. 4, p. 202.</i> 7178 <i>DEPRESSARIA.</i>	Round London; also in the New Forest, &c. The Au- tumn.
1180 <i>Putrid- ella</i>	Brown-veined	<i>St. 4, p. 202.</i> 7158 <i>DEPRESSARIA.</i>	In Norfolk, and the New Fo- rest; but rare. August.
1181 <i>Atomella</i>	Powdered	<i>St. 4, p. 202.</i> 7174 <i>DEPRESSARIA.</i>	Round London, and near Do- ver; but rare. April and Sep- tember.
1182 <i>Costata</i> ^{CSA}	Dingy Straw	<i>St. 4, p. 203.</i> 7171 <i>DEPRESSARIA.</i>	Near London, and in different parts of the country. Be- ginning of Au- tumn.
1183 <i>Irrorcella</i>	Dusted Flat- body	<i>St. 4, p. 203.</i> 7172 <i>DEPRESSARIA.</i>	In the New Fo- rest, near Brockenhurst. July.
1184 <i>Liturella</i>	Purple Flat- body	<i>St. 4, p. 203.</i> 7164 <i>DEPRESSARIA.</i>	Taken at Birch Wood; but very rare. June.
1185 <i>Bluntii</i>	Blunt's	<i>C. 5, t. 221. St. 4, p. 193.</i> 7165 <i>DEPRESSARIA.</i>	Taken at South- church, Essex. Mr. Curtis's Cabinet.



1153 n



1162 n



1171 n



1160 n



1154 n



1163 n



1172 n



1181 n



1155 n



1164 n



1173 n



1182 n



1156 n



1165 n



1174 n



1183 n



1157 n



1166 n



1175 n



1184 n



1158 n



1167 n



1176 n



1185 n



1159 n



1168 n



1177 n



1186 n



1160 n



1169 n



1178 n



1187 n



1161 n



1170 n

W. Wood Jan 7



1179 n



1188 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1186 <i>Purpurea</i>	Lesser Purple	<i>St. 4, p. 204.</i> 7179 <i>DEPRESSARIA.</i>	Near Hertford; the New Forest, &c. April and Autumn.
1187 <i>Juniper- ella</i>	Juniper	<i>St. 4, p. 205.</i> 7180 <i>ANACAMPSIS.</i>	Gardens and hedges round London; also near Dover, &c. July.
1188 <i>Laticincta</i>	Poplar	<i>St. 4, p. 205.</i> 7181 <i>ANACAMPSIS</i> <i>Populella.</i>	Gardens round London. June and July.
1189 <i>Hortuella</i>	Dark Brown	<i>St. 4, p. 205.</i> 7182 <i>ANACAMPSIS</i> <i>Rusticella.</i>	The same as above.
1190 <i>Listerella</i>	Lister's	<i>St. 4, p. 206.</i> 7184 <i>ANACAMPSIS.</i>	The same as above.
1191 <i>Nebulæ</i>	Dotted Brown	<i>St. 4, p. 206.</i> 7185 <i>ANACAMPSIS.</i>	The same as above.
1192 <i>Betulea</i>	Birch	<i>St. 4, p. 206.</i> 7186 <i>ANACAMPSIS.</i>	Birch Wood, and the New Forest. June.
1193 <i>Zephy- rella</i>	Powdered Grey	<i>St. 4, p. 206.</i> — <i>ANACAMPSIS.</i>	Mr. Stephens has two of this species, one taken by him- self near Lon- don, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1194 <i>Rhombella</i>	Black-specked Grey	<i>St. 4, p. 207.</i> 7187 ANACAMPSIS.	Darenth and Birch Woods. June.
1195 <i>Cinerella</i>	Cinereous	<i>St. 4, p. 207.</i> 7188 ANACAMPSIS.	Found round London; at Coombe Wood, and near Hertford. June.
1196 <i>Subcinea</i>	Subcinereous	<i>St. 4, p. 207.</i> 7189 ANACAMPSIS.	Round London, and in the New Forest. June.
1197 <i>Lutarea</i>	Clay-coloured	<i>St. 4, p. 207.</i> 7190 ANACAMPSIS.	Darenth Wood; but not common. June.
1198 <i>Longicornis</i>	Long-horned	<i>C. 4, t. 189. St. 4, p. 207.</i> 7183 ANACAMPSIS.	North of England, and Scotland. June and July.
1199 <i>Annulicornis</i>	Ring-horned	<i>St. 4, p. 208.</i> — ANACAMPSIS.	Mr. Stephens's Cabinet. Taken in the Isle of Wight, in June.
1200 <i>Dodecella</i>	Small Black-specked Grey	<i>St. 4, p. 208.</i> 7191 ANACAMPSIS.	Coombe Wood; rare. Beginning of June.
1201 <i>Mouffettella</i>	Dotted Grey	<i>St. 4, p. 208.</i> 7193 ANACAMPSIS.	Darenth Wood; but rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1202 <i>Aspera</i>	Rough	<i>St. 4, p. 209.</i> 7192 ANACAMPSIS.	Gardens and shrubby places round London. June.
1203 <i>Domestica</i>	Domestic	<i>St. 4, p. 209.</i> 7198 ANACAMPSIS.	Common in houses and gar- dens. June and July.
1204 <i>Affinis</i>	Brindled Brown	<i>St. 4, p. 209.</i> 7199 ANACAMPSIS.	Gardens and woody places round London. June.
1205 <i>Diffinis</i>	Greater Brin- dled-brown	<i>St. 4, p. 209.</i> 7200 ANACAMPSIS.	The same as above; but rare.
1208 <i>Lactecella</i>	Cream- shouldered	<i>St. 4, p. 210.</i> 7196 ANACAMPSIS.	The only two Mr. Stephens has seen, are in his cabinet; one taken at Dover, the other near Lon- don. July.
1207 <i>Sarcitella</i>	White-shoul- dered Wool- len	<i>St. 4, p. 210.</i> 7195 ANACAMPSIS.	Very common in houses about London and elsewhere. Be- ginning of Spring to the end of Autumn.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1209 <i>Rusticella</i>	Dusted Black	<i>St.</i> 4, <i>p.</i> 210. 7194 ANACAMPSIS.	Darenth Wood; the new Forest, &c. June.
1210 <i>Lanceo- lella</i>	Black-dotted	<i>St.</i> 4, <i>p.</i> 211. —— ANACAMPSIS.	A single specimen taken in the North of England in July.
1211 <i>Hubneri</i>	Hubner's	<i>St.</i> 4, <i>p.</i> 211. 7197 ANACAMPSIS.	Neighbourhood of London and at Darenth Wood; but very rare. June.
1212 <i>Contigua</i>	Light Brindled-brown	<i>St.</i> 4, <i>p.</i> 211. 7201 ANACAMPSIS.	Gardens round London. June.
1213 <i>Sequax</i>	Dark Brindled-brown	<i>St.</i> 4, <i>p.</i> 211. 7202 ANACAMPSIS.	Common in gardens near London. June.
1214 <i>Proxima</i>	Beautiful Brindled-brown	<i>St.</i> 4, <i>p.</i> 212. 7203 ANACAMPSIS.	Gardens round London. June and July.
1215 <i>Tricolorella</i>	Tricoloured	<i>St.</i> 4, <i>p.</i> 212. 7204 ANACAMPSIS.	Darenth and Birch Woods; but rare. June.
1206 <i>Luctuella</i>	Crescent-shouldered	<i>St.</i> 4, <i>p.</i> 212. 7205 ANACAMPSIS.	Woody places round London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1219 <i>Subrosea</i>	Little Blossom	<i>St.</i> 4, p. 212. 7207 ANACAMPSIS.	Darenth and Birch Woods. June.
1217 <i>Decorella</i>	Neat	<i>St.</i> 4, p. 213. 7206 ANACAMPSIS.	Darenth Wood; but rare. June.
1218 <i>Marmorea</i>	Beautiful Mar- ble	<i>St.</i> 4, p. 213. 7208 ANACAMPSIS.	Birch Wood and the New Forest; rare. June.
1216 <i>Guttifera</i>	White-dotted Black	<i>St.</i> 4, p. 213. 7209 ANACAMPSIS.	Found near Lon- don; but very rare. June.
1220 <i>Atra</i>	Little Black	<i>St.</i> 4, p. 213. 7210 ANACAMPSIS.	Woody places near London; also in the New Forest. June.
1221 <i>Subocella</i>	Eylet	<i>St.</i> 4, p. 214. —— ANACAMPSIS.	Taken in the New Forest. June.
1222 <i>Maculella</i>	Short-barred White	<i>St.</i> 4, p. 214. 7211 ANACAMPSIS.	Darenth and Coombe Woods. June.
1223 <i>Tremella</i>	Horse-shoe	<i>St.</i> 4, p. 214. 7212 ANACAMPSIS.	Hedges near Birch and Da- renth Woods, &c. June and beginning of July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1224 <i>Nivella</i>	Black-dotted White	<i>St.</i> 4, <i>p.</i> 214. 7213 ANACAMPSIS.	Darenth Wood; and near Dover. June.
1225 <i>Aleella</i>	Black-clouded	<i>St.</i> 4, <i>p.</i> 214. 7214 ANACAMPSIS.	Gardens, on apple trees. June and be- ginning of July.
1226 <i>Interrup- tella</i>	Brown-Streak	<i>St.</i> 4, <i>p.</i> 214. 7215 ANACAMPSIS.	Round London, and near Lewes and Brighton; but scarce. June.
1227 <i>Fulves- cens</i>	Tawny	<i>St.</i> 4, <i>p.</i> 214. 7116 ANACAMPSIS.	Near London; also at Dover, and in Norfolk. June.
1228 <i>Fuscus- cens</i>	Faint-dotted Brown	<i>St.</i> 4, <i>p.</i> 216. 7217 ANACAMPSIS.	Round London; but not com- mon. June.
1229 <i>Alternel- la</i>	Black-spotted White	<i>St.</i> 4, <i>p.</i> 216. 7218 ANACAMPSIS.	Darenth and Birch Woods. June.
1230 <i>Angustel- la</i>	Black-spotted Brimstone	<i>St.</i> 4, <i>p.</i> 216. 7219 ANACAMPSIS.	Near London; Battersea fields, &c. Beginning of June.
1231 <i>Albima- culea</i>	White-spotted Black	<i>St.</i> 4, <i>p.</i> 217. 7220 ANACAMPSIS.	Round London; at Charlton, and Plaistow, &c.; but scarce. Beginning of June.



1189 n



1198 n



1207 n



1216 n



1190 n



1199 n



1208 n



1217 n



1191 n



1200 n



1209 n



1218 n



1192 n



1201 n



1210 n



1219 n



1193 n



1202 n



1211 n



1220 n



1194 n



1203 n



1212 n



1221 n



1195 n



1204 n



1213 n



1222 n



1196 n



1205 n



1214 n



1223 n



1197 n



1206 n W. Wood Junr.



1215 n



1224 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1232 <i>Quadripuncta</i>	Four-spotted	<i>St. 4, p. 217.</i> 7221 ANACAMPSIS.	Near London; rare. August.
1233 <i>Bifasciella</i>	Two-banded	<i>St. 4, p. 217.</i> ANACAMPSIS. 7279 YFONOMEUTA.	Environs of London; Chel- sea, Kenning- ton; also near Dover. Au- gust.
1234 <i>Fasciculellus</i>	Prominent Tinea	<i>St. 4, p. 218, t. 39, f. 1.</i> 7222 LOPHONOTUS.	Mr. Stephens has seen but one specimen; taken in July 1824, near Whittlesea Mere.
1260 <i>Emarginella</i>	Notch-winged Tinea	<i>D. 11, t. 392, f. 3.</i> <i>St. 4,</i> <i>p. 219.</i> ACRIA. 7223 —.	Taken in Kent, according to Donovan.
1235 Rhomboidella	Lobster-clawed	<i>C. 8, t. 368.</i> <i>St. 4, p. 219.</i> 7224 CHELARIA.	Coombe and Darenth Woods; near Dover, &c. Middle of Au- gust.
1236 <i>Silacella</i>	Dingy Straw	<i>St. 4, p. 220.</i> Cleodora. 7225 —.	The New Fo- rest. End of July.
1237 <i>Rufescens</i>	Dwarf Wain- scot	<i>St. 4, p. 221.</i> Cleodora. 7226 —.	Near London, and in the New Forest; but very rare. Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1238 <i>Nebulella</i>	Clouded Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7227 ———.	The New Forest, near Brockenhurst; also near Rip- ley in Surrey. July.
1239 <i>Ochroleu- cella</i>	Pale-ochreous Wainscot	<i>St. 4, p. 221.</i> Cleodora. 7228 ———.	Near Ripley; but very rare. End of July.
1240 <i>Lucidella</i>	Lucid Wain- scot	<i>St. 4, p. 221.</i> Cleodora. 7229 ———.	Near Brocken- hurst. July.
1241 <i>Falcifor- mis</i>	Hook-tipped	<i>St. 4, p. 221.</i> Cleodora. 7230 ———.	Near London; but very rare. July and Au- gust.
1242 <i>Cinerella</i>	Ash-coloured	<i>St. 4, p. 222.</i> Acompsia. 7232 ———.	Darenth Wood. Beginning of July.
1243 <i>Unitella</i>	Brown-gold	<i>St. 4, p. 222.</i> Acompsia. 7233 ———.	Near London. June to Au- gust.
1244 <i>Tinctella</i>	Tinted	<i>St. 4, p. 223.</i> Acompsia. 7231 ———.	Darenth Wood. End of June.
1245 <i>Fasciella</i>	Long-winged	<i>St. 4, p. 223.</i> 7234 MACROCHILA.	Round London; near Darenth Wood; but very rare. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1246 Parenth- esella	Parenthesis	<i>St. 4, p. 224.</i> 7235 MACROCHILA.	Shooter's Hill, Kent; but rare. End of July or beginning of August.
1247 Margin- ella	White Border- ed	<i>D. 3, t. 53, f. 2. St. 4, p. 224.</i> 7236 MACROCHILA.	Chalky places near Faver- sham and Do- ver; but very rare. End of June or begin- ning of July.
1248 Bicostella	Light Streak	<i>St. 4, p. 224.</i> 7237 MACROCHILA.	The New Forest; Darenth Wood, and near Do- ver. July.
1249 Palpella	Dingy Streak	<i>St. 4, p. 225.</i> Aplota. 7239 MACROCHILA.	A specimen taken by Mr. Stephens in a clover field near Ripley, in July 1827.
1250 Thun- bergana	Thunberg's	<i>St. 4, p. 226.</i> 7240 ENICOSTOMA.	Gardens round London. June.
1251 Geoffroy- ella	Geoffroy's	<i>St. 4, p. 227.</i> Alabonia. 7241 ENICOSTOMA.	Woods and hedges near London. End of May and be- ginning of June.
1252 Oliiviella	Olivier's	<i>St. 4, p. 228.</i> Ecophora. 7142 DASYCERA.	Hedges, &c., round London. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1253 <i>Sulphurella</i>	Yellow Under- winged	C.9, t.408. St.4, p.228. Æcophora. 7143 DASYCERA.	Gardens and hedges near London, &c. June.
1254 <i>Latreille- ella</i>	Latreille's	St.4, p.229. 7244 ADELA.	North of En- gland. July.
1255 <i>Sulzella</i>	Sultz's	St.4, p.230. D.8, t.267, f.3. 7245 ADELA.	Hedges, &c., near Darenth and Birch Woods. End of May and beginning of June.
1256 <i>DeGeer- ella</i>	DeGeer's	D.8, t.267, f.1 & 2. St.4, p.230. 7246 ADELA.	Common near London, and elsewhere. End of June and beginning of July.
1257 <i>Fasciella</i>	Copper Japan	St.4, p.230. 7247 ADELA.	Near Darenth Wood; and se- veral other places. July.
1258 <i>Cuprella</i>	Scabious Long-horn	St.4, p.230. 7248 ADELA.	Very rare. Mr. Stephens has a specimen taken in Devonshire in June.
1259 <i>Reau- murella</i>	Reaumur's	C.10, t.463. St.4, p.231. 7250 ADELA.	Mr. Stephens has seen but two specimens; one taken in June near Lon- don; the other in Devonshire.

1260 *see Plume 179*



1225 n



1234 n



1243 n



1252 n



1226 n



1235 n



1244 n



1253 n



1227 n



1236 n



1245 n



1254 n



1228 n



1237 n



1246 n



1255 n



1229 n



1238 n



1247 n



1256 n



1230 n



1239 n



1248 n



1257 n



1231 n



1240 n



1249 n



1258 n



1232 n



1241 n



1250 n



1259 n



1233 n



1242 n



1251 n



1260 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1261 <i>Viridella</i>	Green Long- horn	<i>St. 4, p. 231.</i> 7249 ADELA.	Very common in hedges round London. May.
1262 <i>Frischella</i>	Frischian	<i>St. 4, p. 231.</i> 7251 ADELA.	Near Darenth Wood, &c. End of July.
1263 <i>Swam- merdammella</i>	Swammer- dam's	<i>St. 4, p. 232.</i> 7252 ADELA.	Coombe and Da- renth Woods, &c. Middle of May.
1264 <i>Panzer- ella</i>	Panzer's	<i>St. 4, p. 232.</i> 7253 ADELA.	Darenth and Birch Woods. Dover, &c. End of June and beginning of July.
1265 <i>Robert- ella</i>	Pale-brown Long-horn	<i>St. 4, p. 232.</i> 7254 ADELA.	Chalky places near Hertford, and Coting- ham in York- shire. Begin- ning of June.
1266 <i>Tessellea</i> M. and F.	Pale chequer- ed Brown	<i>C. 11, t. 487. St. 4, p. 233.</i> Cochleophasia. 7257 ———.	Near London, also at Darenth Wood, &c. End of May.
1267 <i>Pubicor- nis</i>	Pale downy- horned	<i>St. 4, p. 233.</i> Cochleo- phasia. 7258 ———	Of two speci- mens, one was taken near London; the other in July 1821, near Brockenhurst.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1268 <i>Tortri- cella</i>	Pale Chequer- ed Brown	<i>St.</i> 4, <i>p.</i> 234. Oporinia. 7255 ———.	Oak Woods near Hertford; Coombe Wood, &c. Spring
1269 <i>Nubilea</i>	Clouded Brown	<i>St.</i> 4, <i>p.</i> 234. Oporinia. 7256 ———.	Woods round London. March.
1270 <i>Gelatella</i> M. and F.	Autumnal Dagger	<i>St.</i> 4, <i>p.</i> 235. Oxypate. 7260 ———.	Epping Forest, Hertford, and in Hampshire; but rare. De- cember.
1271 <i>Salicella</i> M. and F.	Rosy Day	<i>St.</i> 4, <i>p.</i> 236. Dasystema. 7259 ———.	Woods round London; also in the New Forest. Au- tumn.
1272 <i>Phrygan- ella</i> M. and F.	Drab Day	<i>St.</i> 4, <i>p.</i> 237. Cheimo- phila. 7261 ———.	Coombe and Da- renth Woods, &c. End of October.
1273 <i>Fagella</i> M. and F.	March Dagger	<i>A. t.</i> 36, <i>f.</i> 57. a—e. <i>St.</i> 4, <i>p.</i> 237. 7262 DIURNEA.	Very common in woody places round London. March.
1274 <i>Novem- bris</i> F.	November Dagger	<i>St.</i> 4, <i>p.</i> 238. 7263 DIURNEA.	On trunks of trees near Ken- nington; also at Waltham- stow; but very rare. Novem- ber.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1275 <i>Avellanella</i>	Hazel	<i>St. 4, p. 239.</i> Semioscopis. 7264 EPIGRAPHIA.	Near Birch and Darent Wood; but very rare. Autumn.
1276 <i>Steinkelnerana</i>	Steinkelner's	<i>St. 4, p. 239.</i> Semioscopis. 7265 EPIGRAPHIA.	Hedges near Coombe Wood and at Hertford. End of March.
1277 <i>Echiella</i>	Bordered Ermine	<i>C. 9, t. 412, f.*</i> <i>St. 4,</i> <i>p. 240.</i> Anesychia. 7266 MELANOLEUCA.	Mr. Stephens's Cabinet, and the British Museum.
1278 <i>Pusiella</i>	Beautiful Ermine	<i>C. 9, t. 412, f. 2**</i> <i>St. 4,</i> <i>p. 240, t. 39, f. 3.</i> Anesychia. 7267 MELANOLEUCA.	Mr. Stephens's Cabinet, found near Gravesend; also in the British Museum, from a Chalk-pit near Darent Wood, in June, 1812.
1279 <i>Dodecca</i>	Scarce Ermine	<i>St. 4, p. 241.</i> Anesychia. 7268 MELANOLEUCA.	Coombe and Birch Woods, among fir-trees; but very rare. June.
1280 <i>Funerella</i>	Funereal	<i>St. 4, p. 241.</i> Anesychia. 7269 MELANOLEUCA.	Mr. Curtis's Ca- binet. Taken at Clifton.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1281 <i>Evonymella</i>	Full-spotted Ermine	<i>D.</i> 11, <i>t.</i> 355, <i>f.</i> 4. <i>St.</i> 4, <i>p.</i> 242. 7270 <i>YFONOMEUTA</i> .	Hedges and gardens near Highgate; also near Darenth Wood, &c. End of June.
1282 <i>Irrorella</i>	Surrey Ermine	<i>St.</i> 4, <i>p.</i> 242. 7271 <i>YFONOMEUTA</i> .	Coombe and Birch Woods; but very rare. June.
1283 <i>Cognatella</i>	Allied Ermine	<i>St.</i> 4, <i>p.</i> 243. —— <i>YFONOMEUTA</i> .	Hedges and gardens near London, and at Darenth, &c. End of June and beginning of July.
1284 <i>Rorella</i>	Few-spotted Ermine	<i>A. t.</i> 20, <i>f.</i> a—d. <i>St.</i> 4, <i>p.</i> 243. 7272 <i>YFONOMEUTA</i> .	The same as above.
1285 <i>Padella</i>	Common Ermine	<i>W.</i> 4, <i>t.</i> 5. <i>H. t.</i> 3, <i>f.</i> k—m. <i>D.</i> 1, <i>t.</i> 9. <i>St.</i> 4, <i>p.</i> 243. 7273 <i>YFONOMEUTA</i> .	Extremely common round London, and elsewhere. June and July.
1286 <i>Plumbella</i>	Kent Ermine	<i>St.</i> 4, <i>p.</i> 244. 7274 <i>YFONOMEUTA</i> .	Near London, Coombe and Darenth Woods, &c. July.



1261 n



1269 n



1274 n



1283 n



1262 n



1270 n



1275 n



1284 n



1263 n



1270 n



1276 n



1285 n



1264 n



1271 n



1277 n



1286 n



1265 n



1271 n



1278 n



1287 n



1266 n



1272 n



1279 n



1288 n



1266 n



1272 n



1280 n



1289 n



1267 n



1273 n



1281 n



1290 n



1268 n



1273 n



1282 n



1291 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1287 <i>Curtis- ella</i>	Curtis's	<i>D. 2, t. 65, f. 4. St. 4, p. 245.</i> Telea. 7275 YPONOMEUTA.	Hedges and gar- dens round London, &c. June and July.
1288 <i>Ambi- guella</i>	Small Brown- bar	<i>St. 4, p. 245.</i> Telea. 7277 YPONOMEUTA.	Near Brocken- hurst; also near Darenth and Coombe Woods; but rare. July.
1289 <i>Cratæ- gella</i>	Whitethorn Bar	<i>St. 4, p. 245.</i> Telea. 7276 YPONOMEUTA.	Near Lyndhurst in the New Fo- rest. July.
1290 <i>Leuca- tella</i>	Small White- bar	<i>St. 4, p. 246.</i> Telea. 7278 YPONOMEUTA.	Gardens near London, &c. July.
1291 <i>Comptella</i>	Peacock's- feather	<i>D. 2, t. 57, f. 3. St. 4, p. 246.</i> Telea. 7280 YPONOMEUTA.	Mr. Bentley's Cabinet, Da- renth Wood, and hedges near London. End of June.
1292 <i>Lutarella</i>	Muddy Er- mine	<i>St. 4, p. 247.</i> Telea. 7281 YPONOMEUTA.	Woods and gar- dens round London. End of June and beginning of July.
1293 <i>Subfasci- ella</i>	Slight-barred	<i>St. 4, p. 247.</i> Telea. 7282 YPONOMEUTA.	Darenth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1294 <i>Cæsiella</i>	Purple-edged	<i>St. 4, p. 247. Telea.</i> 7283 YPOMEUTA.	Near London, and at Coombe and Darenth Woods, &c. June.
1295 <i>Semifusca</i>	Long-winged White-back	<i>D. 2, t. 58. St. 4, p. 248.</i> Ismene. 7284 YPOMEUTA.	Hedges round London. End of May and be- ginning of June.
1296 <i>Mendi- cella</i>	Purple White- back	<i>St. 4, p. 248. Ismene.</i> 7285 YPOMEUTA.	Frequent in gar- dens, &c. in the suburbs of London, and elsewhere. June.
1297 <i>Albistria</i>	Purple White- streak	<i>St. 4, p. 248. Ismene.</i> 7286 YPOMEUTA.	Darenth and Coombe Woods. June.
1298 <i>Pruniella</i>	White-back	<i>St. 4, p. 249. Ismene.</i> 7287 YPOMEUTA.	Middlesex, Es- sex, Surrey, the New Fo- rest, &c. June and July.
1299 <i>Tetra- podella</i>	Blotched White-back	<i>St. 4, p. 249. Ismene.</i> 7288 YPOMEUTA.	Gardens, &c. round London. June.
1300 <i>Semipur- purella</i>	Half purple White-back	<i>St. 4, p. 249. Ismene.</i> —— YPOMEUTA.	Mr. Stephens has a pair of this species taken in the New Forest, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1301 <i>Semites-tacella</i>	Testaceous White-back	<i>St.</i> 4, <i>p.</i> 249. <i>Ismene</i> . — <i>YPONOMEUTA</i> .	In the environs of London, and in the New Forest. June.
1302 <i>Curvella</i>	Brindled Ermine	<i>St.</i> 4, <i>p.</i> 250. <i>Ismene</i> . 7292 <i>YPONOMEUTA</i> .	Gardens and marshy places round London. June and July.
1303 <i>Clematella</i>	Barred White	<i>St.</i> 4, <i>p.</i> 250. <i>Ismene</i> . 7293 <i>YPONOMEUTA</i> .	Darenth Wood, and Ripley in Surrey. Beginning of July.
1304 } 1306 <i>Ossea</i> }	Cream-coloured	<i>St.</i> 4, <i>p.</i> 250. <i>Ismene</i> . 7291 <i>YPONOMEUTA</i> .	Coombe Wood; also near Dover, &c. June and July.
1305 <i>Ocellea</i>	Eyed White-back	<i>St.</i> 4, <i>p.</i> 251. <i>Ismene</i> . 7289 <i>YPONOMEUTA</i> .	Mr. Stephens caught a pair at Darenth Wood in June.
1307 <i>Gædarta</i>	Gædarta's	<i>D.</i> 2, <i>t.</i> 65, <i>f.</i> 2, 3. <i>St.</i> 4, <i>p.</i> 252. 7294 <i>ARGYROSETIA</i> .	Common in Coombe, Birch, and Darenth Woods, &c. End of June and beginning of July.
1308 <i>Semifasciella</i>	Short Gold-bar	<i>St.</i> 4, <i>p.</i> 252. 7295 <i>ARGYROSETIA</i> .	Woods and gardens round London. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1309 <i>Brockella</i>	Gold I W	<i>St. 4, p. 252.</i> 7296 ARGYROSETIA I. W-ella.	Coombe, Darenth, and Birch Woods. End of June.
1310 <i>Literella</i>	Greek-lettered Gold	<i>St. 4, p. 253.</i> 7298 ARGYROSETIA.	Coombe and Darenth Woods; but rare. June.
1311 <i>Aurivittella</i>	Golden Riband	<i>St. 4, p. 253.</i> 7299 ARGYROSETIA.	Taken at Darenth Wood in June; but very rare.
1312 <i>Aurifasciella</i>	Gold-banded	<i>St. 4, p. 253.</i> 7300 ARGYROSETIA.	Mr. Stephens's specimen was taken at Darenth, in June.
1313 <i>I V-ella</i>	Gold I V	<i>St. 4, p. 254.</i> 7297 ARGYROSETIA.	Taken at Darenth Wood; but very rare. June.
1314 <i>Blanchardella</i>	Blanchard's	<i>St. 4, p. 255.</i> 7301 ARGYROMYGES.	Coombe and Darenth Wood. End of May.
1315 <i>Schreberella</i>	Schreber's	<i>St. 4, p. 255.</i> 7302 ARGYROMYGES.	Coombe Wood. End of May.
1316 <i>Cydoniella</i>	Bright-speckled Gold	<i>St. 4, p. 255.</i> 7303 ARGYROMYGES.	In gardens near London. End of May.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1317 <i>Kleman- nella</i>	Kleman's	<i>St.</i> 4, <i>p.</i> 256. 7304 ARGYROMYGES.	Coombe and Darenth Woods; but very rare. End of May.
1318 <i>Mespi- lella</i>	Silver-spotted Gold	<i>St.</i> 4, <i>p.</i> 256. 7305 ARGYROMYGES.	In the neighbourhood of London. End of May.
1319 <i>Rayella</i>	Ray's	<i>St.</i> 4, <i>p.</i> 256. 7306 ARGYROMYGES.	Common in gardens, &c. round London. End of May.
1320 <i>Tristri- gella</i>	Treble Gold- stripe	<i>St.</i> 4, <i>p.</i> 256. 7307 ARGYROMYGES.	Darenth and Coombe Woods. End of May.
1321 <i>Trifasci- ella</i>	Tawny Treble- bar	<i>St.</i> 4, <i>p.</i> 257. 7308 ARGYROMYGES.	Coombe and Darenth Woods. End of May.
1322 <i>Harris- ella</i>	Harris's	<i>St.</i> 4, <i>p.</i> 257. 7310 ARGYROMYGES.	Middlesex, Surrey, Essex, &c. End of May and beginning of June.
1323 <i>Cramer- ella</i>	Cramer's	<i>St.</i> 4, <i>p.</i> 257. 7311 ARGYROMYGES.	Gardens, hedges, &c. round London. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1324 <i>Hortella</i>	Porcelain	<i>St. 4, p. 257.</i> 7312 ARGYROMYGES.	Gardens near London. End of May.
1325 <i>Sylvella</i>	Dark Por- celain	<i>St. 4, p. 258.</i> 7313 ARGYROMYGES.	Woody places near London. End of May.
1326 <i>Cuculipe- nella</i>	Cuckoo's Feather	<i>St. 4, p. 258.</i> 7314 ARGYROMYGES.	Coombe Wood. End of May.
1327 <i>Corylifo- liella</i>	Hazel Red	<i>St. 4, p. 258.</i> 7315 ARGYROMYGES.	Woods round London. End of May and be- ginning of June.
1328 <i>Ulmifoli- ella</i>	Elm Red	<i>St. 4, p. 259.</i> —— ARGYROMYGES.	Neighbourhood of London. June.
1329 <i>Alnifoli- ella</i>	Alder Red	<i>St. 4, p. 259.</i> 7316 ARGYROMYGES.	Darenth Wood. End of May and beginning of June.
1330 <i>Obscu- rella</i>	Dull Red	<i>St. 4, p. 259.</i> 7317 ARGYROMYGES.	Coombe Wood. Beginning of June.
1331 <i>Rufipun- ctella</i>	Red and White Barred	<i>St. 4, p. 259.</i> 7318 ARGYROMYGES.	Darenth Wood; but very rare. End of May.



1292 n



1301 n



1310 n



1319 m



1293 n



1302 n



1311 n



1320 m



1294 n



1303 n



1312 n



1321 m



1295 n



1304 n



1313 n



1322 m



1296 n



1305 n



1314 m



1323 m




1297 n



1306 n



1315 m



1324 m



1298 n



1307 n




1316 m




1325 n



1299 n



1308 n



1317 m



1326 m



1300 n



1309 n



1318 m



1327 m

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1332 <i>Autumnella</i>	Autumnal	<i>C. 6, t. 284. St. 4, p. 260.</i> — ARGYROMYGES.	Mr. Curtis's Cabinet; taken at Glanville's Wootton, Dorsetshire; and in the New Forest. Beginning of October.
1333 <i>Nivella</i>	Snowy	<i>St. 4, p. 60. Argyromyges.</i> 7325 HERIBEIA.	Darenth Wood and the New Forest. Beginning of June.
1334 <i>Semiaurella</i>	Pale Gold Dot	<i>St. 4, p. 260. Argyromyges.</i> 7328 HERIBEIA.	Ripley in Surrey, and the New Forest. June.
1335 <i>Unipunctella</i>	Simple Dot	<i>St. 4, p. 260. Argyromyges.</i> 7327 HERIBEIA.	Coombe Wood. End of May and beginning of June.
1336 <i>Spartifoliella</i>	Golden Dot	<i>St. 4, p. 260. Argyromyges.</i> 7326 HERIBEIA. punctaurella	Very common in the Broomfield at Coombe Wood. End of May and beginning of June.
1337 <i>Clerckella</i>	Clerck's	<i>St. 4, p. 261. Argyromyges.</i> 7324 HERIBEIA.	Darenth Wood; but rare. End of May and beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1338 <i>Haworth- ana</i>	Haworth's	<i>St.</i> 4, <i>p.</i> 262, <i>t.</i> 39, <i>f.</i> 2. 7319 HERIBEIA.	Neighbourhood of Birmingham. June.
1339 <i>Humer- ella</i>	Shoulder- stripe	<i>St.</i> 4, <i>p.</i> 262. 7320 HERIBEIA.	Darenth and Birch Woods. End of May.
1340 <i>Forster- ella</i>	Forster's	<i>St.</i> 4, <i>p.</i> 262. 7321 HERIBEIA.	Coombe and Da- renth Woods; also the New Forest, &c. End of May.
1341 <i>Simplici- ella</i>	Simple Shoul- der-stripe	<i>St.</i> 4, <i>p.</i> 263. 7322 HERIBEIA.	Hertford and Coombe Wood, &c. End of May and be- ginning of June.
1342 <i>Cogna- tella</i>	Allied Shoul- der-stripe	<i>St.</i> 4, <i>p.</i> 263. 7323 HERIBEIA.	Mr. Stephens's specimen was taken at Da- renth Wood in June.
1343 <i>Subbistri- gella</i>	Double Silver- bar	<i>St.</i> 4, <i>p.</i> 264. 7329 MICROSETIA.	Darenth Wood; but very rare. Beginning of June.
1344 <i>Obsole- tella</i>	Obscure Dot	<i>St.</i> 4, <i>p.</i> 264. 7330 MICROSETIA.	Taken by Mr. Stephens at Ripley in Sur- rey. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1345 <i>Exiguella</i>	Small Dot	<i>St. 4, p. 264.</i> 7331 MICROSETIA.	Coombe and Darenth Woods. End of May and be- ginning of June.
1346 <i>Cinereo- punctella</i>	Grey-dotted Brown	<i>St. 4, p. 265.</i> 7332 MICROSETIA.	Darenth Wood. End of May.
1347 <i>Stipella</i>	Triple Gold- spotted	<i>St. 4, p. 265.</i> 7333 MICROSETIA.	Near Darenth Wood. May.
1348 <i>Guttella</i>	White-spotted Sable	<i>St. 4, p. 265.</i> 7334 MICROSETIA.	Darenth Wood. End of May and beginning of June.
1349 <i>Quadrella</i>	Silver-spotted Sable	<i>St. 4, p. 265.</i> 7335 MICROSETIA.	Darenth and Coombe Woods; also in gardens at Chelsea. End of May.
1350 <i>Sequella</i>	Silver-blotch- ed	<i>St. 4, p. 266.</i> 7336 MICROSETIA.	Hedges near Woods. End of May and be- ginning of June.
1351 <i>Pulchella</i>	Small Argent and Sable	<i>St. 4, p. 266.</i> 7337 MICROSETIA.	Darenth Wood; but very rare. June.
1352 <i>Bella</i>	Beautiful Ar- gent and Sable	<i>St. 4, p. 266.</i> —— MICROSETIA.	Mr. Stephens's Cabinet. Taken in Scotland in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1353 <i>Nigrella</i>	Small double Silver-bar	<i>St. 4, p. 266.</i> 7338 MICROSETIA.	Darenth Wood, &c. June.
1354 <i>Trimacul- lella</i>	Cream-spotted Sable	<i>St. 4, p. 267.</i> 7339 MICROSETIA.	Gardens in the neighbourhood of London; but rare. Begin- ning of June.
1355 <i>Subbima- culella</i>	Twin-spot Sable	<i>St. 4, p. 267.</i> 7340 MICROSETIA.	Gardens and hedges round London. Be- ginning of July.
1356 <i>Nigrocili- ella</i>	Black-edged Sable	<i>St. 4, p. 267.</i> 7341 MICROSETIA.	Near London. July.
1357 <i>Unifasci- ella</i>	Silver-barred Brown	<i>St. 4, p. 268.</i> 7342 MICROSETIA.	Mr. Stephens's Cabinet. Taken at Darenth Wood in June.
1358 <i>Medio- fasciella</i>	Central Silver- bar	<i>St. 4, p. 268.</i> 7343 MICROSETIA.	Taken near Lon- don; but very rare. June.
1359 <i>Posticella</i>	Pygmy Silver- bar	<i>St. 4, p. 268.</i> 7345 MICROSETIA.	Near London; also near Ripley in Surrey. July.
1360 <i>Aurella</i>	Diamond-bar- red Pygmy	<i>St. 4, p. 268.</i> 7344 MICROSETIA.	Gardens and hedges round London. June.



1328 m



1337 m



1346 m



1353 m



1339 m



1338 n



1347 m



1356 m



1330 m



1339 n



1348 m



1357 m



1331 m



1340 m



1349 m



1358 m



1332 m



1341 m



1350 m



1359 m



1333 m



1342 m



1351 m



1360 m



1334 m



1343 m



1352 m



1361 m



1335 m



1344 n



1353 m



1362 m



1336 m



1345 m



1354 m



1363 m

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1361 <i>Floslactella</i>	Creamy Pygmy	<i>St. 4, p. 268.</i> 7347 MICROSETIA.	Hedges near London, and at Coombe Wood. End of May.
1362 <i>Atricapitella</i>	Black-headed Pygmy	<i>St. 4, p. 269.</i> 7348 MICROSETIA.	Gardens and hedges near London. Be- ginning of June.
1363 <i>Rufcapitella</i>	Red-headed Pygmy	<i>St. 4, p. 269.</i> 7349 MICROSETIA.	Near London. June.
1364 <i>Violacella</i>	Violet Pygmy	<i>St. 4, p. 269.</i> 7346 MICROSETIA.	Gardens round London; but rare. June.
1365 <i>Pygmæella</i>	Least Pygmy	<i>St. 4, p. 269.</i> 7350 MICROSETIA.	Near London; and at Ripley. June.
1366 <i>Sericiella</i>	Satin Pygmy	<i>St. 4, p. 270.</i> 7351 MICROSETIA.	Near London; also at Coombe and Darenth Woods, &c. June.
1367 <i>Aurofasciella</i>	Gold-banded	<i>St. 4, p. 270.</i> 7352 MICROSETIA.	Mr. Stephens has seen but one specimen, now in his Ca- binet, and taken by him at Da- renth Wood, in June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1368 <i>Gleichella</i>	Gleiche's	<i>St. 4, p. 270.</i> 7353 MICROSETIA.	Darenth Wood; but very rare. June.
1369 <i>Pfeifferella</i>	Four-spotted Gold	<i>St. 4, p. 270.</i> 7354 MICROSETIA quadriguttella.	Darenth Wood; but rare. End of May.
1370 <i>Linneella</i>	Linneus's	<i>C. 4, t. 152. St. 4, p. 271.</i> Glyphipteryx. 7355 ŒCOPHORA.	Common on lime-trees in St. James's Park; also at Battersea, Chelsea, &c. End of July and beginning of August.
1371 <i>Roesella</i>	Roesel's	<i>St. 4, p. 272.</i> Glyphi- pteryx. 7356 ŒCOPHORA.	Darenth Wood; but very rare. Middle of July.
1372 <i>Zinckella</i>	Zinck's	<i>St. 4, p. 272.</i> Glyphi- pteryx. —— ŒCOPHORA.	Mr. Curtis's Ca- binet; taken near Norwich, in Devonshire in June.
1373 <i>Schæfferella</i>	Schæffer's	<i>D. 5, t. 175. St. 4, p. 272.</i> Glyphipteryx. 7357 ŒCOPHORA.	Darenth and Birch Woods; the New Fo- rest, &c. End of May and be- ginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1374 <i>Bimacul- lella</i>	Orange- blotched Black	<i>St. 4, p. 272.</i> Glyphi- pteryx. 7358 <i>ŒCOPHORA.</i>	Devonshire. June.
1375 <i>Eximia</i>	Nonpareil	<i>St. 4, p. 273.</i> Glyphi- pteryx. 7359 <i>ŒCOPHORA.</i>	Mr. Stephens's Cabinet; taken by him in Holme-wood lane, near Rip- ley, in July 1827.
1376 <i>Metallel- la</i>	Metallic	<i>St. 4, p. 273.</i> Glyphi- pteryx. 7360 <i>ŒCOPHORA.</i>	Mr. Stephens has seen but two specimens; taken by him- self at Ripley in July 1827.
1377 <i>Subcu- prella</i>	Coppery	<i>St. 4, p. 273.</i> Glyphi- pteryx. — <i>ŒCOPHORA.</i>	A single speci- men in Mr. Stephens's Ca- binet. Taken near London.
1378 <i>Aurogut- tella</i>	Gold-dotted	<i>St. 4, p. 274.</i> Glyphi- pteryx. 7584 —.	Mr. Stephens has a pair; found at Da- renth Wood in June 1818.
1379 <i>Variella</i>	Variable	<i>St. 4, p. 274.</i> Glyphi- pteryx.	Taken by the Rev. G. T. Rudd, in a sand pit, near Lynd- hurst, in June 1834.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1380 Lewen- hoekella	Lewenhoek's	<i>C. 7, t. 304. St. 4, p. 275.</i> 7361 PANCALIA.	Darenth Wood, and the New Forest. June.
1381 <i>Latreil- ella</i>	Latreille's	<i>St. 4, p. 275.</i> —— PANCALIA.	Mr. Curtis's Ca- binet; taken in Cumberland, and near Lon- don; but rare. End of June.
1382 <i>Woodiella</i>	Wood's	<i>C. 8, t. 304. St. 4, p. 275.</i> —— PANCALIA.	Mr. Curtis's Ca- binet; taken, says Mr. Curtis, on Kensall Moor, in the middle of June, by Mr. R. Wood, of Manchester.
1383 <i>Fusco- ænea</i>	Brown-brassy	<i>St. 4, p. 376.</i> 7362 PANCALIA.	Darenth Wood; but rare. June.
1384 <i>Fusco- cuprea</i>	Brown-copper	<i>St. 4, p. 376.</i> 7363 PANCALIA.	Near London, and at Ripley; but very rare. June.
1385 Merian- ella	Merian's	<i>St. 4, p. 376.</i> 7364 PANCALIA.	Near London, and in the New Forest. June.
1386 <i>Guttea</i>	White-spotted Brown	<i>St. 4, p. 277.</i> Callisto. 7365 —.	Darenth Wood, and other places round London; but rare. End of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1387 <i>Fyestrella</i>	Fuesly's	<i>D. 11, t. 382, f. 1. St. 4, p. 277. Callisto, 7366 ———.</i>	Marshy places on Wimbledon Common, and near Brocken- hurst. June.
1388 <i>Fusco- cuprella</i>	Brown-copper	<i>St. 4, p. 277. Callisto. 7367 ———.</i>	Near London; but very rare. June.
1389 <i>Fusco- viridella</i>	Brown-green	<i>St. 4, p. 278. Callisto. 7368 ———.</i>	Heaths and com- mons round London. June and July.
1390 <i>Cinctella</i>	Silver-barred Sable	<i>St. 4, p. 279. Harfagus. 7369 ———.</i>	Taken by Mr. Stephens at Ripley in Sur- rey. June.
1391 <i>Albistri- gella</i>	White-striped Sable	<i>St. 4, p. 279. Harfagus. 7370 ———.</i>	Mr. Stephens has seen but two specimens; taken near Lon- don in June.
1392 <i>Grandi- pennis</i>	Great Raven- feather	<i>St. 4, p. 280. Astyages. 7371 ———.</i>	Near London, and in the New Forest; but very rare. June.
1393 <i>Cylin- drella</i>	Buff-blotched Slender	<i>St. 4, p. 280. Astyages. 7373 ———.</i>	On poplar trees near London, and in Devon- shire, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1394 <i>Coraci- pennella</i>	Small Raven- feather	<i>St. 4, p. 280.</i> Astyages. 7375 ———.	Hedges in Mid- dlesex, Kent, Surrey, Essex, &c. June.
1395 <i>Serratel- la</i>	Notched-horn	<i>St. 4, p. 280.</i> Astyages. 7374 ———.	Taken, but rarely, round London, and near Ripley in Surrey. June.
1396 <i>Obscurel- la</i>	Brown- feather	<i>St. 4, p. 281.</i> Astyages. 7376 ———.	Darenth Wood, Hertford, and Ripley. June.
1397 <i>Gryphi- pennella</i>	Vulture- feather	<i>St. 4, p. 281.</i> Astyages. 7377 ———.	Darenth Wood. Middle of June.
1398 <i>Lutarca</i>	Shining Clay	<i>St. 4, p. 281.</i> Astyages. 7378 ———.	Taken near Croydon in June.
1399 <i>Ochroleu- cella</i>	Pale-shining Clay	<i>St. 4, p. 281.</i> Astyages. 7379 ———.	Darenth Wood. June.
1400 <i>Nigri- cella</i>	Black-fringed Clay	<i>St. 4, p. 281.</i> Astyages. 7380 ———.	Darenth Wood, and near Dover June.
1401 <i>Flavica- put</i>	Yellow- headed Black	<i>St. 4, p. 282.</i> Astyages. 7381 ———.	Common in woody places round London. June.



1364 m



1373 n



1382 n



1391 n



1365 m



1374 m



1383 n



1392 n



1366 m



1375 m



1384 n



1393 n



1367 m



1376 n



1385 n



1394 n



1368 m



1377 n



1386 n



1395 n



1369 m



1378 m



1387 n



1396 n



1370 n



1379 m



1388 n



1397 n



1371 n



1380 m



1389 n



1398 n



1372 m



1381 n



1390 n



1399 n

W. Wood Junr.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1402 <i>Angustipennella</i>	Narrow-winged	<i>St. 4, p. 282.</i> Chrysocorys.	West side of the warren at Coombe Wood. Middle of June.
1403 <i>Spissicornis</i>	Thick-horned Green	<i>St. 4, p. 283, t. 41, f. 1.</i> Metallosetia. 7383 —.	Damp places, near Glanville's Wootton; also in the fens near Whittlesea Mere, and at Camberwell. July.
1404 <i>Trifolii</i>	Trefoil	<i>C. 9, t. 391. St. 4, p. 284.</i> Metallosetia. 7384 —.	Ripley, Hertford, &c. On the flowers of Trefoil. July.
1405 <i>Anatipennella</i>	Goose-feather	<i>St. 4, p. 284.</i> 7385 PORRECTARIA.	Darenth and Coombe Woods; also in gardens near London. June.
1406 <i>Otidipennella</i>	Bustard-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood. June.
1407 <i>Anseripennella</i>	Duck-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Near London, and in the New Forest; rare. June.
1408 <i>Struthionipennella</i>	Ostrich-feather	<i>St. 4, p. 285.</i> — PORRECTARIA.	Darenth Wood, the New Forest, and near Dover. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1409 <i>Ornatipennella</i>	Silver-streaked Hook-tip	<i>St. 4, p. 285.</i> 7386 PORRECTARIA.	Birch and Darenth Woods; but very rare. June.
1410 <i>Ochrea</i>	Silver-streaked	<i>St. 4, p. 286.</i> 7387 PORRECTARIA.	Darenth Wood. June.
1411 <i>Gallipennella</i>	Cock's-feather	<i>St. 4, p. 286.</i> 7388 PORRECTARIA.	Darenth and Coombe Woods, &c. June.
1412 <i>Lineolea</i>	Red-specked	<i>St. 4, p. 286.</i> 7389 PORRECTARIA.	Woody places near London; Coombe and Darenth Woods, &c. June.
1413 <i>Albicosta</i>	White-edged	<i>St. 4, p. 286.</i> 7390 PORRECTARIA.	Near London, and at Darenth Wood. June.
1414 <i>Leucapennella</i>	Lead-coloured	<i>St. 4, p. 287.</i> 7391 PORRECTARIA.	Coombe and Darenth Woods, Hert- ford, Ripley, &c. June.
1415 <i>Argentula</i>	Silvered	<i>St. 4, p. 287.</i> 7392 PORRECTARIA.	Coombe and Darenth Woods, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1416 <i>Auritella</i>	Eared	<i>St. 4, p. 288.</i> Aphelo- setia. 7393 ———.	Mr. Stephens's Cabinet. Taken in June, at Monk's Wood in Huntingdon- shire.
1417 <i>Cygni- pennella</i>	Swans'-feather	<i>St. 4, p. 288.</i> Aphelo- setia. 7394 ———.	Dover. June.
1418 <i>Semial- bella</i>	Half-white	<i>St. 4, p. 288.</i> Aphelo- setia. 7395 ———.	Ripley in Surrey. June.
1419 <i>Triato- mea</i>	Treble-atomed White	<i>St. 4, p. 288.</i> Aphelo- setia. 7396 ———.	Norfolk, and near London; but very rare. June.
1420 <i>Floslactis</i>	Cream-colour- ed	<i>St. 4, p. 289.</i> Aphelo- setia. 7397 ———.	In the neighbour- hood of Lon- don. June.
1421 <i>Rufocinc- rea</i>	Red-brindled	<i>St. 4, p. 289.</i> Aphelo- setia. 7398 ———.	Round London. June.
1422 <i>Olcella</i>	Small Shining Brown	<i>St. 4, p. 289.</i> Aphelo- setia. 7400 ———.	Darenth Wood; but very rare. June.
1423 <i>Lucidella</i>	Lucid	<i>St. 4, p. 289.</i> Aphelo- setia. 7399 ———.	Taken near Ripley, and at Hertford, June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>		<i>Habitat, and when found.</i>
1424 <i>Rufipennella</i>	Red-feather	<i>St. 4, p. 289.</i>	Aphelo-setia.	Darenth and Coombe Woods. June.
		7401 ———.		
1425 <i>Fulvescens</i>	Tawny	<i>St. 4, p. 289.</i>	Aphelo-setia.	Round London, and in the New Forest. June.
		7402 ———.		
1426 <i>Marginea</i>	Bordered Straw	<i>St. 4, p. 290.</i>	Aphelo-setia.	Darenth Wood, Ripley, and the New Forest. June.
		7403 ———.		
1427 <i>Lambdella</i>	Tawny Crescent	<i>D. 2, t. 57, f. 2. p. 291.</i>	<i>St. 4, Batia.</i>	Darenth Wood, the New Forest, &c. June.
		7404 ———.		
1428 <i>Lunaris</i>	Lesser Tawny-Crescent	<i>St. 4, p. 291.</i>	Batia.	Chelsea, and Battersea fields, &c. June.
		7405 ———.		
1429 <i>Lutarella</i>	Clay	<i>St. 4, p. 291.</i>	Batia.	Near London; but very rare. June.
		7406 ———.		
1430 <i>Saturatella</i>	Dark-clay	<i>St. 4, p. 291.</i>	Batia.	Darenth Wood. June.
		7407 ———.		
1431 <i>Panzerella</i>	Panzer's	<i>St. 4, p. 292.</i>	Batia.	Mr. Stephens possesses a pair found near London about June.
		7408 ———.		



1400 n



1409 n



1418 n



1427 n



1401 n



1410 n



1419 n



1428 n



1402 n



1411 n



1420 n



1429 n



1403 n



1412 n



1421 n



1430 n




1404 n



1413 n



1422 n



1431 n



1405 n



1414 n



1423 n



1432 n



1406 n



1415 n



1424 n



1433 n



1407 n



1416 n



1425 n



1434 n



1408 n



1417 n



1426 n



1435 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1432 <i>Flavi-frontella</i>	Yellow-head	<i>St.</i> 4, <i>p.</i> 292. <i>Batia</i> . 7409 ———.	Darenth Wood, and near Cam- berwell; but rare. July.
1433 <i>Alvearea</i>	Honey	<i>St.</i> 4, <i>p.</i> 294. <i>Achroia</i> . 7410 <i>GALLERIA</i> .	Near London, and in Devon- shire; but rare. June.
1434 <i>Cercana</i>	Honey-comb	<i>C.</i> 13, <i>t.</i> 587. <i>D.</i> 8, <i>t.</i> 283. <i>St.</i> 4, <i>p.</i> 295. 7411 <i>GALLERIA</i> .	Birch Wood, Epping, Devon- shire and Nor- folk. End of June, or begin- ning of July.
1435 <i>Sociella</i> M		<i>D.</i> 8, <i>t.</i> 263, <i>f.</i> 2. <i>St.</i> 4, <i>p.</i> 296.	Darenth Wood, and Ripley.
1436 <i>Sociella</i> F	Pale-shoulder- ed	7413 <i>ILYTHIA</i> .	June.
1437 <i>Anella</i>	Twin-spot	<i>St.</i> 4, <i>p.</i> 297. 7414 <i>ILYTHIA</i> bipunc- tata.	Taken, says Mr. Stephens, by the late Mr. Hatchet in the Jews, burying- ground at Stepney.
1438 <i>Flammea</i>	Flame	<i>C.</i> 5, <i>t.</i> 201. <i>St.</i> 4, <i>p.</i> 297. Senta. 7415 ———.	Near Lewisham. July.
1439 <i>Sericea</i>	Silky	<i>St.</i> 4, <i>p.</i> 298. Senta. 7416 ———. 2 E	Mr. Curtis's Ca- binet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1440 <i>Cembrel- la</i>	Large Grey	<i>St. 4, p. 299.</i> 7421 EUDOREA.	Trunks of fir- trees round London, &c. July.
1441 <i>Subfusca</i>	Drab Grey	<i>St. 4, p. 299.</i> 7422 EUDOREA.	Taken with the above.
1442 <i>Dubitalis</i>	Hoary Grey	<i>St. 4, p. 299.</i> 7420 EUDOREA.	On the trunks of trees in woods and gar- dens round London. June and July.
1443 <i>Pyrrallel- la</i>	Yellow-stig- maed Grey	<i>St. 4, p. 299.</i> 7418 EUDOREA.	Very common in woods, &c. round London, during the Summer.
1444 <i>Tristri- gella</i>	Three- streaked Grey	<i>St. 4, p. 300.</i> 7419 EUDOREA.	Round London, and in the New Forest. June.
1445 <i>Pallida</i>	Pale Grey	<i>St. 4, p. 300.</i> 7417 EUDOREA.	Near Whittlesea Mere, and in Monk's Wood, Huntingdon- shire. June.
1446 <i>Lincola</i>	Striped Grey	<i>St. 4, p. 300.</i> 7424 EUDOREA.	Round London, and in the North of En- gland. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1447 <i>Murana</i>	Wall Grey	<i>C. 4, t. 170. St. 4, p. 301.</i> 7423 EUDOREA.	North of En- gland, and in Scotland. End of June, and be- ginning of July.
1448 <i>Resinea</i>	Resin Grey	<i>St. 4, p. 301.</i> 7425 EUDOREA.	On the trunks of fir-trees round London; also in the New Forest, and near Dover. June and July.
1449 <i>Mercu- rella</i>	Small Grey	<i>St. 4, p. 302.</i> 7426 EUDOREA.	Very common on trunks of trees round London, &c., in the Summer.
1450 <i>Angustea</i>	Narrow-wing- ed Grey	<i>St. 4, p. 302.</i> 7427 EUDOREA.	Round London; also near Tun- bridge Wells and Hastings. June.
1451 <i>Nebulel- la</i>	Ermine Knot- horn	<i>St. 4, p. 303.</i> 7428 PHYCITA.	Darenth Wood, and Epping Forest. June.
1452 <i>Binævel- la</i>	Double- blotched	<i>St. 4, p. 303.</i> —— PHYCITA.	Mr. Stephens has but one specimen, taken near Brocken- hurst in the New Forest, in July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1453 <i>Dilutella</i>	Powdered Knot-horn	<i>St. 4, p. 303.</i> 7429 PHYCITA.	Coombe Wood, and in Berk- shire. End of June and be- ginning of July.
1454 <i>Elutella</i>	Cinereous Knot-horn	<i>St. 4, p. 304.</i> 7430 PHYCITA.	Hedges near Darenth and Coombe Woods. June.
1455 <i>Rufa</i>	Rufous Knot- horn	<i>St. 4, p. 304.</i> 7431 PHYCITA.	Gardens, and on the borders of Woods, round London. July and August.
1456 <i>Angus- tella</i>	Small Ermine Knot-horn	<i>St. 4, p. 304.</i> 7432 PHYCITA.	The same as above; but found in June.
1457 <i>Semirufa</i>	Red-streaked Knot-horn	<i>St. 4, p. 305.</i> 7433 PHYCITA.	Coombe Wood, Epping Forest, and near Dover. June.
1458 <i>Bistriga</i>	Double- striped Red Knot-horn	<i>St. 4, p. 305.</i> 7434 PHYCITA.	Coombe and Darenth Woods, &c. June.
1459 <i>Tumida- na</i>	Warted Knot- horn	<i>St. 4, p. 305.</i> 7436 PHYCITA.	Epping Forest; and near Da- renth Wood. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1460 <i>Fascia</i>	Broad-barred Knot-horn	<i>St. 4, p. 305.</i> 7438 PHYCITA.	Epping Forest, &c.; but rare. June.
1461 <i>Advenella</i>	Marbled broad-barred Knot-horn	<i>St. 4, p. 306.</i> 7439 PHYCITA.	Darenth Wood, and the New Forest. End of June.
1462 <i>Marmorea</i>	Marbled Knot-horn	<i>St. 4, p. 306.</i> 7340 PHYCITA.	Coombe and Darenth Woods. End of June and beginning of July.
1463 <i>Porphyrea</i>	Porphyry Knot-horn	<i>St. 4, p. 306.</i> 7341 PHYCITA.	Epping, and the New Forest. Middle of June.
1464 <i>Consociella</i>	Allied Knot- horn	<i>St. 4, p. 306.</i> 7337 PHYCITA.	Coombe Wood. End of June.
1465 <i>Rhenella</i>	Dove-coloured Knot- horn	<i>St. 4, p. 307.</i> 7442 PHYCITA.	Darenth Wood, &c. End of June.
1466 <i>Pinguis</i>	Tabby Knot- horn	<i>St. 4, p. 307.</i> 7443 PHYCITA.	Near Chelsea, and in the Green Park; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1467 <i>Hostilis</i>	Varied Knot- horn	<i>St. 4, p. 307.</i> —— <i>PHYCITA.</i>	Mr. Stephens has two speci- mens, one taken at Da- renth Wood, and the other at Ripley. June.
1468 <i>Formosa</i>	Beautiful Knot-horn	<i>St. 4, p. 308.</i> 7444 <i>PHYCITA.</i>	Near Darenth Wood, on the whitethorn. End of June and beginning of July.
1469 <i>Obtusa</i>	Blunt-winged Knot-horn	<i>St. 4, p. 308.</i> 7445 <i>PHYCITA.</i>	Darenth Wood; but very rare. June.
1470 <i>Obscura</i>	Obscure Knot- horn	<i>St. 4, p. 308.</i> —— <i>PHYCITA.</i>	Mr. Stephens's Cabinet. Taken in June.
1471 <i>Ornatella</i>	Speckled Knot-horn	<i>St. 4, p. 309.</i> 7446 <i>PHYCITA.</i>	Coombe and Darenth Woods. June.
1472 <i>Abietella</i>	Pine Knot- horn	<i>St. 4, p. 309.</i> 7447 <i>PHYCITA.</i>	Coombe and Darenth Woods. June.
1473 <i>Tristri- gella</i>	Three-streak- ed Knot-horn	<i>St. 4, p. 311.</i> —— <i>PHYCITA.</i>	Mr. Stephens's Cabinet. Taken by him at Da- renth in June.



1436 a +



1445 n



1454 n



1463 n



1437 a +



1446 n



1455 n



1464 n



1438 a +



1447 n



1456 n



1465 n



1439 a



1448 n



1457 n



1466 a



1440 n



1449 n



1458 n



1467 n



1441 n



1450 n



1459 n



1468 n



1442 n



1451 n



1460 n



1469 n



1443 n



1452 n



1461 n



1470 n



1444 n



1453 n



1462 n



1471 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1474 <i>Palumbella</i>	Mealy Knot-horn	<i>St.</i> 4, <i>p.</i> 311. 7452 PHYCITA.	Coombe and Darenth Woods; also common near Lyndhurst. June.
1475 <i>Gemina</i>	Twin-barred Knot-horn	<i>St.</i> 4, <i>p.</i> 312. Homœosoma. 7434 PHYCITA.	Epping Forest. June.
1476 <i>Hybridalis</i>	Rush Veneer	<i>St.</i> 4, <i>p.</i> 312. Nomophila. 6803 —.	Woods and gardens round London; also at Dover, &c. July.
1477 <i>Cardui</i>	Thistle Ermine	<i>St.</i> 4, <i>p.</i> 313. 7453 ONOCERA.	On thistles, in the neighbourhood of London, &c. August.
1478 <i>Carnella</i>	Rosy Veneer	<i>St.</i> 4, <i>p.</i> 314. 7454 ONOCERA.	Common near Dover. July.
1479 <i>Sanguinella</i>	Buff-edged Rosy Veneer	<i>St.</i> 4, <i>p.</i> 314. 7455 ONOCERA.	In the Castle meadows at Dover. July and August.
1482 <i>Miniosella</i>	Flame Veneer	<i>St.</i> 4, <i>p.</i> 314. Araxes. 7456 ONOCERA.	Coasts of Cumberland and Lancashire. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1481 <i>Lotella</i>	Pale-edged Flame Veneer	<i>St. 4, p. 315.</i> Araxes. 7457 ONOCERA.	Coast of Lanca- shire. June.
1480 <i>Ocella</i>	Necklace Veneer	<i>St. 4, p. 316.</i> Araxes. 7458 ONOCERA.	Mr. Stephens's Cabinet. Taken near London.
1483 <i>Ahenella</i>	Mouse-colour- ed Veneer	<i>St. 4, p. 316.</i> Araxes. 7459 ONOCERA.	Darenth Wood, &c. June.
1484 <i>Nebuli- fera</i>	Clouded Veneer	<i>St. 4, p. 317.</i> Priona- pteryx.	Mr. Stephens's Cabinet.
1485 <i>Lythar- gyrellus</i>	Dark-streaked Satin Veneer	<i>St. 4, p. 318.</i> 7460 CRAMBUS.	Near London, the New Fo- rest, Dover, &c. July and Au- gust.
1486 <i>Argyreus</i>	Streaked-Satin Veneer	<i>St. 4, p. 318.</i> 7461 CRAMBUS.	Chalky places round London, &c. July and August.
1487 <i>Arbusto- rum</i>	Yellow-Satin Veneer	<i>St. 4, p. 319.</i> 7462 CRAMBUS.	Near London; also in the New Forest, and near Dover. July and Au- gust.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1488 <i>Argentellus</i>	White-satin Veneer	<i>St. 4, p. 319.</i> 7463 CRAMBUS.	Common in grassy places round London, &c. July and August.
1489 <i>Dealbellus</i>	Ivory Veneer	<i>St. 4, p. 319.</i> 7464 CRAMBUS.	Chalky places round London, &c. June and July.
1490 <i>Tentacellus</i>	Portland Veneer	<i>St. 4, p. 319.</i> 7466 CRAMBUS.	Mr. Bentley's Cabinet. Taken at Coombe Wood.
1491 <i>Hamellus</i>	Pearl-streak Veneer	<i>St. 4, p. 320.</i> 7465 CRAMBUS.	Darenth Wood; the New Fo- rest, Epping, &c. June.
1492 <i>Pascuellus</i>	Inlaid Veneer	<i>St. 4, p. 320.</i> 7467 CRAMBUS.	Very common near London, &c. June.
1493 <i>Dumetellus</i>	Wood Veneer	<i>St. 4, p. 321.</i> 7468 CRAMBUS.	New Forest; but very rare. End of June.
1494 <i>Ericellus</i>	Heath Veneer	<i>St. 4, p. 321.</i> 7469 CRAMBUS.	Mr. Stephens's specimen was taken in June in Cumberland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1495 <i>Pratellus</i>	Dark inlaid Veneer	<i>St. 4, p. 321.</i> 7470 CRAMBUS.	Very common in fields, woods, and gardens round London, &c. In the Summer.
1496 <i>Angustellus</i>	Narrow-winged Veneer	<i>St. 4, p. 322.</i> 7471 CRAMBUS.	Gardens, meadows, &c., near London, and elsewhere. Summer.
1497 <i>Hortuellus</i>	Garden Veneer	<i>St. 4, p. 322.</i> 7472 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Very common during the Summer.
1498 <i>Cespitelus</i>	Straw-coloured Veneer	<i>St. 4, p. 322.</i> 7473 CRAMBUS.	Very common round London, and in the New Forest, during the Summer.
1499 <i>Montanellus</i>	Dark Mountain Veneer	<i>St. 4, p. 323.</i> 7474 CRAMBUS.	Mountains in the North of England. July.
1500 <i>Margi- nellus</i>	Bordered Veneer	<i>St. 4, p. 323.</i> 7475 CRAMBUS.	In the neigh- bourhood of London. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1501 <i>Culmellus</i>	Small straw-coloured Veneer	<i>St. 4, p. 323.</i> 7476 CRAMBUS.	Middlesex, Essex, Surrey, Kent, &c. Summer.
1502 <i>Cerucellus</i>	Dark dwarf Veneer	<i>St. 4, p. 324.</i> 7478 CRAMBUS auri-ferellus.	Darenth Wood, and Devonshire; but very rare. July.
1503 <i>Pygmæus</i>	Pygmy Veneer	<i>St. 4, p. 324.</i> 7479 CRAMBUS.	Isle of Wight. July.
1504 <i>Radiellus</i>	Streaked mountain Veneer	<i>C. 3, t. 109. St. 4, p. 324.</i> 7480 CRAMBUS.	Mountains of Cumberland, &c. July.
1505 <i>Margari-tellus</i>	Pearl-streaked Veneer	<i>St. 4, p. 325, t. 40, f. 2.</i> 7481 CRAMBUS.	Very common near Birmingham. June.
1506 <i>Latistrius</i>	Broad-streak Veneer	<i>St. 4, p. 325.</i> 7482 CRAMBUS.	Darenth Wood, and the New Forest. June.
1507 <i>Pinetellus</i>	Pearl Veneer	<i>D. 3, t. 263, f. 1. St. 4, p. 325.</i> 7483 CRAMBUS.	Darenth Wood, &c. June.
1508 <i>Chrysos-nuchellus</i>	Powdered Veneer	<i>St. 4, p. 325.</i> 7484 CRAMBUS.	Chalky places round London, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1509 <i>Rorellus</i>	Chalk hill Veneer	<i>St.</i> 4, <i>p.</i> 326. 7485 CRAMBUS.	Near London ; but very scarce. June.
1510 <i>Falsellus</i>	Chequered Veneer	<i>St.</i> 4, <i>p.</i> 326. 7486 CRAMBUS.	Round London, the New Fo- rest, and De- vonshire. June.
1511 <i>Luteellus</i>	Barred Veneer	<i>St.</i> 4, <i>p.</i> 327. 7487 CRAMBUS.	Grassy places, about Darent and Birch Woods, &c. June.
1512 <i>Tristis</i>	Dingy Veneer	<i>St.</i> 4, <i>p.</i> 327. 7476 CRAMBUS.	Darent Wood, and Epping Forest. June.
1513 <i>Inquina- tellus</i>	Elbow-striped Veneer	<i>St.</i> 4, <i>p.</i> 327. 7488 CRAMBUS.	Darent Wood, &c. June.
1514 <i>Aridellus</i>	Chalk Veneer	<i>St.</i> 4, <i>p.</i> 327. 7489 CRAMBUS.	Darent Wood. Beginning of July.
1515 <i>Selasellus</i>	Dark-edged Veneer	<i>St.</i> 4, <i>p.</i> 328. 7490 CRAMBUS.	Near London, at Ripley, and in the New Forest. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1516 <i>Obtusellus</i>	Blunt-winged Veneer	<i>St. 4, p. 328.</i> 7492 CRAMBUS.	Near Ripley in Surrey. June.
1517 <i>Petrifcellus</i>	Common Veneer	<i>St. 4, p. 328.</i> 7493 CRAMBUS.	Round London. June.
1518 <i>Aquilellus</i>	Dusky-yellow Veneer	<i>St. 4, p. 329.</i> 7495 CRAMBUS.	Meadows and lanes, near woods round London. June and July.
1519 <i>Paleellus</i>	Large Yellow Veneer	<i>St. 4, p. 329.</i> 7496 CRAMBUS.	Very common in meadows, &c. round London. End of June, and all July.
1520 <i>Culmorum</i>	Brown-edged Veneer	<i>St. 4, p. 329.</i> 7497 CRAMBUS.	Fields and meadows, &c. round London. June and July.
1521 <i>Fuscellus</i>	Brown Veneer	<i>St. 4, p. 329.</i> 7491 CRAMBUS.	The same as above.
1522 <i>Nigri- striellus</i>	Black-streak- ed Veneer	<i>St. 4, p. 330.</i> 7491 CRAMBUS.	Meadows near Ripley. July.
1523 <i>Forficellus</i>	Aquatic Veneer	<i>St. 4, p. 331.</i> 7498 CHILO.	Banks of the Thames, Whit- tlesea Mere, marshy places in Epping Fo- rest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1524 <i>Fumcus</i>	Smoky Veneer	<i>St. 4, p. 331.</i> 7499 CHILO.	Near London ; also at Whittle- sea Mere, &c. ; but rare. June.
1525 <i>Punctige- rellus</i>	Dark-wainscot Veneer	<i>St. 4, p. 332.</i> 7500 CHILO.	Taken near Whittlesea Mere. In July.
1526 <i>Phragmi- tellus</i>	Wainscot Veneer	<i>St. 4, p. 332.</i> 7501 CHILO.	Near Whittlesea Mere. June.
1527 <i>Gigan- tellus</i>	Gigantic Veneer	<i>St. 4, p. 332.</i> 7502 CHILO.	Marshes about Hackney, and at Whittlesea Mere ; very rare. July.
1528 <i>Caudellus</i>	Hook-tip Veneer	<i>St. 4, p. 332.</i> 7503 CHILO.	Marshes near Dartford and Erith. June.
1529 <i>Acinaci- della</i>	Narrow-wing- ed Veneer	<i>St. 4, p. 333, t. 40, f. 1.</i> Theristis. 7504 PLUTELLA.	In a lane at the bottom of Da- renth Wood. August and September.
1530 <i>Nemo- rella</i>	Pale Hook-tip Veneer	<i>St. 4, p. 334.</i> Theristis. 7504 PLUTELLA.	On the borders of Darenth and Birch Woods. August.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1531 <i>Dentella</i>	Tooth-streaked Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7506 PLUTELLA.	Gardens in Surrey, Kent, Essex, &c. August.
1532 <i>Falcella</i>	Dark Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7508 PLUTELLA sub-falcatella	New Forest. June and July.
1533 <i>Scabrella</i>	Wainscot Hook-tip	<i>St. 4, p. 335.</i> Harpipteryx. 7507 PLUTELLA.	The same as above.
1534 <i>Asperella</i>	Chequered Hook-tip	<i>D. 10, t. 355, f. 5.</i> Hypsophia. 7509 PLUTELLA.	Taken by Mr. Dale, at Glanville's Wootton, in August.
1535 <i>Antennellus</i>	Netted Hook-tip	<i>St. 4, p. 336.</i> Hypsophia. 7510 YPSOLOPHUS.	Coombe and Darenth Woods; the New Forest, &c. July and August.
1536 <i>Perci-cellus</i>	Double-barred	<i>St. 4, p. 337.</i> Hypsophia. 7511 YPSOLOPHUS.	Found, but rarely, in the New Forest. June.
1537 <i>Costellus</i>	White-shouldered	<i>St. 4, p. 338.</i> Chætochilus. 7512 YPSOLOPHUS.	Very common near Darenth Wood; the New Forest, &c. August and September.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1538 <i>Fissellus</i>	Broad-streak	<i>St. 4, p. 338.</i> Chætochilus. 7521 YPSOLOPHUS.	Birch, Darenth, and Coombe Woods, &c. August and September.
1539 <i>Radiatellus</i>	Radiated	<i>D. 3, t. 77, f. 4. St. 4, p. 338.</i> Chætochilus. 7522 YPSOLOPHUS.	Birch and Darenth Woods; also in the New Forest. Autumn.
1540 <i>Variellus</i>	Variable Autumn	<i>St. 4, p. 339.</i> Chætochilus. 7516 YPSOLOPHUS.	Very common in the woods round London, &c. Autumn.
1541 <i>Sylvella</i>	Wood Autumn	<i>St. 4, p. 339.</i> Chætochilus. —— YPSOLOPHUS.	Darenth Wood, &c. September.
1542 <i>Rufimittrellus</i>	Red-headed Autumn	<i>St. 4, p. 340.</i> Chætochilus. 7520 YPSOLOPHUS.	Woody places round London. Autumn.
1543 <i>Maurellus</i>	Dingy Autumn	<i>St. 4, p. 340.</i> Chætochilus. 7523 YPSOLOPHUS.	The same as the above.
1544 <i>Vitellus</i>	Black-back	<i>St. 4, p. 340.</i> Chætochilus. 7524 YPSOLOPHUS.	Woods and hedges near London, in the New Forest, and in Devonshire. Autumn.



1472 n



1481 n



1490 n



1499 n



1473 n



1482 n



1491 n



1500 n



1474 n



1483 n



1492 n



1501 n



1475 n



1484 n



1493 n



1502 n



1476 a



1485 n



1494 n



1503 n



1477 a



1486 a



1495 n



1504 n



1478 n



1487 n



1496 n



1505 n



1479 n



1488 n



1497 n



1506 n



1480 n



1489 n



1498 n

W. Wood, fecit.



1507 n



1508 n



1507 a



1526 a



1535 n



1509 n



1518 a



1527 a +



1536 n



1510 n



1519 a



1528 n



1537 n



1511 n



1520 n



1529 n



1538 n



1512 n



1521 n



1530 n



1539 n



1513 n



1522 n



1531 n



1540 n



1514 n



1523 n



1532 n



1541 n



1515 n



1524 n



1533 n



1542 n



1516 n



1525 n



1534 n



1543 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1545 <i>Sequellus</i>	Small Marvel du Jour	<i>St. 4, p. 341.</i> <i>Chætochi- lus.</i> 7525 <i>YPSOLOPHUS.</i>	Taken in a lane leading to Da- renth Wood; also at Ripley, &c.; but rare. July.
1546 <i>Porrec- tella</i>	Gray Streak	<i>St. 4, p. 342.</i> <i>Cerosto- ma.</i> 7526 <i>YPSOLOPHUS</i> <i>Hesperidellus.</i>	Gardens and woody places near London, &c. June and August.
1547 <i>Annula- tellus</i>	Annulated	<i>C. 9, t. 420. St. 4, p. 342.</i> <i>Cerostoma.</i> —— <i>YPSOLOPHUS.</i>	North of En- gland, and in Scotland. July and Au- gust.
1548 <i>Maculi- pennis</i>	Spotted- winged	<i>St. 4, p. 342.</i> <i>Cerosto- ma.</i> —— <i>YPSOLOPHUS.</i>	Taken near London; and in the New Fo- rest, &c. July.
1549 <i>Xylo- stella</i>	Honey- suckle	<i>St. 4, p. 342.</i> <i>Cerosto- ma.</i> 7527 <i>YPSOLOPHUS.</i>	Very common in woods and gardens in se- veral counties. In the Sum- mer.
1550 <i>Tapet- zella</i>	Black-cloaked Woollen	<i>St. 4, p. 343.</i> 7531 <i>TINEA.</i>	Very common, in the Summer, in houses and gardens near London, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1551 <i>Semiful- vella</i>	Fulvous-tip	<i>St. 4, p. 344.</i> 7532 <i>TINEA.</i>	The neighbour- hood of Lon- don; at Da- renth and Ripley; but rare. June.
1552 <i>Vestian- ella</i>	Dark-brindled Woollen	<i>St. 4, p. 344.</i> 7533 <i>TINEA.</i>	Very common in houses, &c. round London. In the Sum- mer.
1553 <i>Ustella</i>	White-backed Black	<i>St. 4, p. 344.</i> 7542 <i>TINEA.</i>	The neighbour- hood of Lon- don, &c. June and July.
1554 <i>Fusci- punctella</i>	Brown-dotted Woollen	<i>St. 4, p. 345.</i> 7534 <i>TINEA.</i>	Houses near London, &c. The Summer.
1555 <i>Pellio- nella</i>	Single-spotted Woollen	<i>St. 4, p. 345.</i> 7535 <i>TINEA.</i>	Abundant in houses, &c., round London and elsewhere. Spring and Summer.
1556 <i>Nigri- punctella</i>	Many-spotted Yellow	<i>St. 4, p. 345.</i> 7536 <i>TINEA.</i>	Houses, &c., near London; also at Coombe Wood. The Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1557 <i>Albipunctella</i>	White-speckled Black	<i>St. 4, p. 345.</i> 7537 <i>TINEA</i> .	Houses and gardens round London. June.
1558 <i>Flavescentella</i>	Triple-spotted Buff	<i>St. 4, p. 346.</i> 7538 <i>TINEA</i> .	Houses, &c. near London. June.
1559 <i>Lappella</i>	Triple-spotted Yellow	<i>St. 4, p. 346.</i> 7539 <i>TINEA</i> .	Coombe and Darent Woods; also in the New Forest. June.
1560 <i>Sulphurella</i>	Sulphur	<i>St. 4, p. 346.</i> 7540 <i>TINEA</i> .	Taken round London, in June; but rare.
1561 <i>Destruitor</i>	Destructive	<i>St. 4, p. 346.</i> 7541 <i>TINEA</i> .	Very common in London, &c. Spring and Summer.
1562 <i>Cloacella</i>	Dark-mottled Woollen	<i>St. 4, p. 347.</i> 7543 <i>TINEA</i> .	Round London, &c. Summer.
1563 <i>Granella</i>	Mottled Woollen	<i>St. 4, p. 347.</i> 7544 <i>TINEA</i> .	Very common in London and elsewhere. All the Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1564 <i>Parasitella</i>	Light-brindled Woollen	<i>St.</i> 4, <i>p.</i> 347. 7545 <i>TINEA</i> .	Near London, &c. June and July.
1565 <i>Mediellus</i>	Agaric	<i>C.</i> 13, <i>t.</i> 591. <i>St.</i> 4, <i>p.</i> 349. 7530 <i>EUFLOCAMUS</i> .	Mr. Stephens has seen but three speci- mens, two taken near Birch Wood, and the other in Hain- hault Forest. July.
1566 <i>Birdella</i>	Birds'	<i>C.</i> 8, <i>t.</i> 344. <i>St.</i> 4, <i>p.</i> 350. 7547 <i>LEPIDOCERA</i> . <i>Setella</i> .	Near London and Hertford; but very rare. July.
1567 <i>Mediopectinella</i>	Middle- Feathered	<i>St.</i> 4, <i>p.</i> 350. 7548 <i>LEPIDOCERA</i> .	Marshes near Limehouse, Poplar, and Hackney. June.
1568 <i>Taurella</i>	Little Bull	<i>St.</i> 4, <i>p.</i> 350. 7546 <i>LEPIDOCERA</i> .	Marshy lanes round London. End of June and beginning of July.
1569 <i>Chenopodiella</i>	Spotted Bull	<i>St.</i> 4, <i>p.</i> 351. 7549 <i>LEPIDOCERA</i> .	Mr. Stephens's Cabinet. Taken at Hert- ford, in the Summer.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1570 <i>Mascullella</i>	Feathered Diamond- back	<i>C. 13, t. 607. St. 4, p. 351. 7550 INCURVARIA.</i>	Darent Wood, &c. End of May.
1571 <i>Pectinella</i>	Feathered Twin-spot	<i>St. 4, p. 352. 7551 INCURVARIA.</i>	In the neigh- bourhood of London. End of May.
1572 <i>Oehlman- niella</i>	Oehlman's	<i>St. 4, p. 352. 7552 INCURVARIA.</i>	Chalky places round London. End of May and beginning of June.
1573 <i>Spuria</i>	Spurious Treble-spot	<i>St. 4, p. 352. 7553 INCURVARIA.</i>	Found near London; but rare. End of May.
— 1574 <i>Tripunctella</i>	Treble- spotted	<i>St. 4, p. 353. 7554 INCURVARIA.</i>	Near London; gardens at Chelsea, &c. End of May and beginning of June.
1575 <i>Opposittelæ</i>	Two-spotted Brown	<i>St. 4, p. 353. Amauro- setia. 7555 —.</i>	Common in gardens near London; also in the New Forest, &c. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>		<i>Habitat, and when found.</i>
1576 <i>Quadripunctella</i>	Double-spotted Brown	<i>St. 4, p. 354.</i>	Amaurosetia. 7556 ———.	Gardens and woody places near London; but rare. June.
1577 <i>Minutella</i>	Double Gold-spotted	<i>St. 4, p. 354.</i>	Amaurosetia. 7557 ———.	Near London, and in Norfolk. June.
1578 <i>Atrella</i>	Two-spotted Black	<i>St. 4, p. 354.</i>	Amaurosetia. 7558 ———.	Near Darenth Wood. June.
1579 <i>Cerusella</i>	Triple-spotted White	<i>St. 4, p. 355.</i>	Amaurosetia. 7561 ———.	Grassy places near London; but very rare. June.
1580 <i>Albinella</i>	Albin's	<i>St. 4, p. 355.</i>	Amaurosetia. 7563 ———.	Near London, and in the New Forest, &c. June.
1581 <i>Megerlella</i>	Megerles'	<i>St. 4, p. 355.</i>	Amaurosetia. 7564 ———.	Darenth Wood, and the New Forest. Middle of June.
1582 <i>Albifrontella</i>	White-fronted	<i>St. 4, p. 355.</i>	Amaurosetia.	In the neighbourhood of London. June.



1544 n



1553 n



1562 n



1571 n



1543 n



1554 n



1563 n



1572 n



1546 n



1555 n



1564 n



1573 n



1547 n



1556 n



1565 a



1574 n



1548 n



1557 n



1566 n



1575 n



1549 n



1558 n



1567 n



1576 n



1550 n



1559 n



1568 n



1577 n



1551 n



1560 n



1569 n



1578 n



1552 n



1561 n



1570 n



1579 n

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1583 <i>Capitella</i>	Triple-spotted Black	<i>St.</i> 4, p. 356. 7565 LAMPRONIA.	Orchards and gardens round London. End of May and beginning of June.
1584 <i>Præla- tella</i>	Spotted Violet	<i>St.</i> 4, p. 356. 7566 LAMPRONIA.	Hedges near Coombe and Darenth Woods. End of May and beginning of June.
1585 <i>Lerzella</i>	Barred Violet	<i>St.</i> 4, p. 357. —— LAMPRONIA.	Near London, and in the New Forest; but rare. June.
1586 <i>Flavi- punctella</i>	Four-spotted Brown	<i>St.</i> 4, p. 357. 7568 LAMPRONIA.	Darenth Wood; but very rare. End of May and beginning of June.
1587 <i>Rupella</i>	Four-spotted Black	<i>St.</i> 4, p. 358. 7567 LAMPRONIA.	Near Darenth Wood and Westerham in Kent; also in the New Fo- rest. June.
1588 <i>Margine- punctella</i>	Dotted-border	<i>St.</i> 4, p. 358. 7569 LAMPRONIA.	Mr. Stephens's Cabinet; in which is a pair taken at Ripley in June 1827.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1589 <i>Melanella</i>	White-speckled Black	<i>St. 4, p. 358.</i> 7570 LAMPRONIA.	On Elm trees near London, &c. June.
1590 <i>Atrella</i>	Dingy Black-speckled	<i>St. 4, p. 359.</i> 7572 LAMPRONIA.	The neighbourhood of London. June.
1591 <i>Corticella</i>	Golden-speckled Black	<i>St. 4, p. 359.</i> 7571 LAMPRONIA.	Gardens near London, &c. End of May and beginning of June.
1592 <i>Subpurpurella</i>	Purple Under-wing	<i>St. 4, p. 359.</i> 7573 LAMPRONIA.	Woody places round London, &c. June.
1593 <i>Semipurpurella</i>	Purplish Upperwing	<i>St. 4, p. 359.</i> — LAMPRONIA.	Darenth Wood; rare. June.
1594 <i>Purpurella</i>	Purple Upperwing	<i>St. 4, p. 360.</i> 7574 LAMPRONIA.	Taken occasionally round London. June.
1595 <i>Auropurpurella</i>	Gold-brindled Purple	<i>St. 4, p. 360.</i> 7575 LAMPRONIA.	Taken but rarely near London, on flowers. Beginning of June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1596 <i>Rubro- aurella</i>	Red Gold	<i>St.</i> 4, p. 360. 7576 LAMPRONIA.	Coombe and Darenth Woods, &c. Summer.
1597 <i>Helwi- gella</i>	Red-barred Gold	<i>St.</i> 4, p. 360. 7577 LAMPRONIA.	On flowers in the vicinity of London, &c. In the Sum- mer.
1598 <i>Sangui- nella</i>	Scarlet-barred Gold	<i>St.</i> 4, p. 361. 7578 LAMPRONIA.	Mr. Stephens's Cabinet.
1599 <i>Calthella</i>	Small Gold	<i>St.</i> 4, p. 361. 7579 LAMPRONIA.	Very common in meadows, &c., round London, in the Summer.
1600 <i>Concin- nella</i>	The Neat	<i>St.</i> 4, p. 361. 7580 LAMPRONIA.	Darenth Wood, &c. June.
1601 <i>Seppella</i>	Sepp's	<i>St.</i> 4, p. 362. 7581 LAMPRONIA.	The same as above.
1602 <i>Amma- nella</i>	Single-spotted Gold	<i>St.</i> 4, p. 362, <i>t.</i> 41, <i>f.</i> 2. 7582 LAMPRONIA.	Near Hertford; Colney Hatch, Darenth Wood, and the New Forest. May.
1603 <i>Bistri- gella</i>	Silver-striped Gold	<i>St.</i> 4, p. 362. 7583 LAMPRONIA.	Darenth Wood; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1604 <i>Auroguttella</i>	Gold-dotted	<i>St. 4, p. 363.</i> Euspilapteryx. 7584 ———.	Mr. Stephens has seen but one, which he found at Ripley, in June 1827.
1605 <i>Nebulca</i>	Nebulous Slender	<i>St. 4, p. 364.</i> 7585 GRACILLARIA.	Hedges, &c., round London. Spring.
1606 <i>Melcagripennella</i>	Turkey's Feather	<i>St. 4, p. 364.</i> 7586 GRACILLARIA.	Darenth Wood. June.
1607 <i>Syringella</i>	Confluent Barred	<i>C. 10, t. 479. St. 4, p. 364.</i> 7587 GRACILLARIA.	Very common in gardens near London, &c. June.
1608 <i>Cinerea</i>	Double-bar- red Slender	<i>St. 4, p. 364.</i> 7588 GRACILLARIA.	Coombe Wood, &c. June.
1609 <i>V-flava</i>	Yellow V	<i>St. 4, p. 365.</i> 7589 GRACILLARIA.	Taken by Mr. Stephens near Ripley, in June 1827.
1610 <i>Versicolor</i>	Changeable	<i>St. 4, p. 365.</i> 7590 GRACILLARIA.	Near London and Ripley. June.
1611 <i>Substriga</i>	Obscure- striped	<i>St. 4, p. 365.</i> 7591 GRACILLARIA.	Hedges round London; but very rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1612 <i>Semi-fascia</i>	Semi White-bar	<i>St. 4, p. 365.</i> 7592 GRACILLARIA.	The same as above.
1613 <i>Purpurea</i>	Triangle-marked Purple	<i>St. 4, p. 366.</i> 7593 GRACILLARIA.	Found in the neighbourhood of London. June.
1614 <i>Stigmata</i>	Triangle-marked Red	<i>St. 4, p. 366.</i> 7594 GRACILLARIA.	Near London. Autumn.
1615 <i>Ochrea-cea</i>	Triangle-marked Ochre	<i>St. 4, p. 366.</i> 7595 GRACILLARIA.	The same as above.
1616 <i>Thunbergella</i>	Thunberg's	<i>St. 4, p. 366.</i> 7596 GRACILLARIA.	Gardens round London, and among oak trees in woods, &c. Autumn.
1617 <i>Hemidactylus</i>	Mottled Red	<i>St. 4, p. 367.</i> 7597 GRACILLARIA.	Hedges and woody places round London. August.
1618 <i>Rufipennis</i>	Dull Red	<i>St. 4, p. 367.</i> 7598 GRACILLARIA.	The same as above.
1619 <i>Elongella</i>	Plain Red	<i>St. 4, p. 367.</i> 7599 GRACILLARIA.	In the neighbourhood of London. August.
1620 <i>Violacea</i>	Violaceous Slender	<i>St. 4, p. 368.</i> 7600 GRACILLARIA.	Near Darent Wood. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1621 <i>Rosci- pennella</i>	Livid Slender	<i>St.</i> 4, p. 368. 7601 GRACILLARIA.	Darenth and Coombe Woods, &c. June.
1622 <i>Leuca- pennella</i>	Pale Slender	<i>St.</i> 4, p. 368. 7602 GRACILLARIA.	The New Forest. June and July.
1623 <i>Sulphu- rella</i>	Sulphur		New Forest. July.
1624 <i>Præan- gusta</i>	Poplar Slender	<i>St.</i> 4, p. 368. 7603 GRACILLARIA.	Hedges, and on the trunks of poplars near London. End of May.
1625 <i>Bennetii</i>	Sea-side Plume	<i>C.</i> 10, <i>t.</i> 471. <i>St.</i> 4, p. 370. ADACTYLUS.	Mr. Curtis's Ca- binet. Taken, says that gen- tleman, on plants on the Salterns at Tollsbury, Essex. End of July.
1626 <i>Penta- dactylus</i>	Large White Plume	<i>H.</i> <i>t.</i> 1, <i>f.</i> a—q. <i>D.</i> 5, <i>t.</i> 110. <i>St.</i> 4, p. 371. 7604 PTEROPHORUS.	Very common in hedges and lanes near London, &c.
1627 <i>Spilodac- tylus</i>	Wormwood Plume	<i>C.</i> 4, <i>t.</i> 161. <i>St.</i> 4, p. 371. 7605 PTEROPHORUS.	The coast of Suffolk and Devonshire. July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1628 <i>Galactodactylus</i>	Spotted White Plume	<i>St. 4, p. 371.</i> 7616 PTEROPHORUS.	Near Andover, Reading and Birmingham. End of May and beginning of June.
1629 <i>Bipunctidactylus</i>	Grey Wood Plume	<i>St. 4, p. 372.</i> 7606 PTEROPHORUS.	Woods round London. June and July.
1630 <i>Fuscodactylus</i>	Brown Wood Plume	<i>St. 4, p. 372.</i> 7607 PTEROPHORUS.	Woods and gardens near London. All the Summer.
1631 <i>Pterodactylus</i>	Common Plume	<i>H. t. 30, f. i—l. St. 4, p. 372.</i> 7608 PTEROPHORUS.	Middlesex, Sur- rey, Kent, Essex, Hert- fordshire, &c. The Summer.
1632 <i>Mono-dactylus</i>	Hoary Plume	<i>St. 4, p. 373.</i> 7609 PTEROPHORUS.	Near Croydon, and at Darenth Wood. June.
1633 <i>Tephradactylus</i>	Plain Plume	<i>St. 4, p. 373.</i> 7610 PTEROPHORUS.	Near Brocken- hurst, at Ripley in Surrey, and in Norfolk; but rare. July.
1634 <i>Tridactylus</i>	Dotted-bor- dered Plume	<i>St. 4, p. 373.</i> 7611 PTEROPHORUS.	Darenth Wood, and near Brighton; rare. June.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1635 <i>Niveidac-tylus</i>	Snowy Plume	<i>St. 4, p. 373.</i> 7612 PTEROPHORUS.	Darenth Wood. July.
1636 <i>Tetradactylus</i>	White-shafted Plume	<i>St. 4, p. 373.</i> 7613 PTEROPHORUS.	Darenth Wood, Ripley and Dover. June.
1637 <i>Carphodactylus</i>	Citron Plume	<i>St. 4, p. 374.</i> 7614 PTEROPHORUS Citridactylus.	Whittlesea Mere. August.
1638 <i>Ochrodactylus</i>	Ochreous Plume	<i>St. 4, p. 374.</i> 7615 PTEROPHORUS.	Darenth Wood. July.
1639 <i>Leucodactylus</i>	Lemon Plume	<i>St. 4, p. 374.</i> 7617 PTEROPHORUS.	Darenth Wood; but rare. End of June.
1640 <i>Lunadactylus</i>	Crescent Plume	<i>St. 4, p. 374.</i> 7618 PTEROPHORUS.	Common in grassy places near Darenth Wood, &c. June and be- ginning of July.
1641 <i>Pallidactylus</i>	Pale Plume	<i>St. 4, p. 375.</i> 7619 PTEROPHORUS.	Darenth Wood, Hertford, Do- ver, &c. June.
1642 <i>Migadactylus</i>	Chalk-pit Plume	<i>St. 4, p. 375.</i> 7620 PTEROPHORUS.	Near Darenth Wood; but very rare. June.
1643 <i>Similidactylus</i>	Dusky Plume	<i>St. 4, p. 375.</i> 7621 PTEROPHORUS Phæodactylus.	Dorsetshire, De- vonshire, the New Forest, &c.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1644 <i>Trigonodactylus</i>	Triangle Plume	<i>St.</i> 4, <i>p.</i> 375. 7622 PTEROPHORUS.	Coast of Hampshire, &c. During the Summer.
1645 <i>Rhododactylus</i>	Rose Plume	<i>St.</i> 4, <i>p.</i> 375, <i>t.</i> 41, <i>f.</i> 3. 7623 PTEROPHORUS.	Near Coombe Wood, and Hackney; but rare. May and June.
1646 <i>Calodactylus</i>	Beautiful Plume	<i>St.</i> 4, <i>p.</i> 376. 7624 PTEROPHORUS.	Found occasionally round London; also in the New Forest. August.
1647 <i>Tesserdactylus</i>	Marbled Plume	<i>St.</i> 4, <i>p.</i> 376. 7625 PTEROPHORUS.	Rare near London; but common in the New Forest. The Summer.
1648 <i>Punctidactylus</i>	Brindled Plume	<i>St.</i> 4, <i>p.</i> 376. 7626 PTEROPHORUS.	Near London, and in Devonshire. June and July.
1649 <i>Cosmodactylus</i>	Dark Brindled Plume	<i>St.</i> 4, <i>p.</i> 377. —— PTEROPHORUS.	Taken by Mr. Stephens, near Ripley, in June 1827.
1650 <i>Didactylus</i>	Spotted rusty Plume	<i>D.</i> 9, <i>t.</i> 318. <i>St.</i> 4, <i>p.</i> 377. 7627 PTEROPHORUS.	Woody places round London; also in the New Forest, &c. June and July.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Habitat, and when found.</i>
1651 <i>Hetero- dactylus</i>	Spotted black Plume	<i>St. 4, p. 377.</i> 7628 PTEROPHORUS.	Found with the above.
1652 <i>Micro- dactylus</i>	Small Plume	<i>St. 4, p. 377.</i> 7629 PTEROPHORUS.	Darenth Wood; but very rare. June.
1653 <i>Hexa- dactyla</i>	Six-cleft Plume	<i>D. 4, t. 136. St. 4, p. 378.</i> 7630 ALUCITA.	Very common in gardens round London, &c. Summer and Autumn.
1654 <i>Polydac- tyla</i>	Many-cleft Plume	<i>St. 4, p. 379.</i> 7631 ALUCITA.	The New Fo- rest; but very rare. June.
1655 <i>Pæcilo- dactyla</i>	Dark six-cleft Plume	<i>St. 4, p. 379.</i> 7632 ALUCITA.	Mr. Stephens's Cabinet, Ta- ken near Brockenhurst in June 1822.



1580 n



1589 n



1600 n



1610 n



1581 n



1590 n



1601 n



1611 n



1582 n



1591 n



1602 n



1612 n



1583 n



1592 n



1603 n



1613 n



1584 n



1593 n



1604 n



1614 n



1585 n



1594 n



1605 n



1615 n



1585 n



1595 n



1606 n



1616 n



1586 n



1596 n



1607 n



1617 n



1587 n



1597 n



1608 n



1618 n



1588 n



1598 n



1609 n



1619 n

W. Wood Junr.





1620 n



1629 n



1636 n



1647 n



1621 n



1630 n



1639 n



1648 n



1622 n



1631 n



1640 n



1649 n



1623 n



1632 n



1641 n



1650 n



1624 n



1633 n



1642 n



1651 n



1625 n



1634 n




1643 n



1652 n



1626 n



1635 n



1644 n



1653 n



1627 n



1636 n




1645 n



1654 n



1628 n



1637 n



1646 n



1655 n



ADDITIONS.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
PAPILIO.			
83 <i>Dia</i>	Purple Pearl Border	<i>St.</i> 1, p. 34. 5822 <i>MELITÆA</i> .	Mr. Stephens has an English specimen. Taken in Sutton Park, near Bir- mingham.
84 <i>Pyronia</i>	Dark Under- wing	<i>St.</i> 1, p. 31. 5817 <i>MELITÆA</i> .	Taken near Lon- don in 1803.
85 <i>Arcanius</i>	Pale Heath	<i>St.</i> 1, p. 69. 5860 <i>HIPPARCHIA</i> .	A reputed indi- genous speci- men of this insect was in Mr. Plastead's Collection.
SPHINX.			
37 <i>Nerii</i>	Oleander	<i>C.</i> 14, t. 626. <i>St.</i> 4, p. 384. <i>Daphnis. Entom. Mag.</i> <i>I.</i> p. 525.	Taken in a draw- ing-room at Dover, in Sep- tember, 1833.
1658 <i>Epheme- ræformis</i>	Beltless Clear- wing	<i>Entom. Trans.</i> pl. 10, f. 1. <i>Thyridopteryx</i> .	Taken by the late Mr. Bolton, in Yorkshire. In Mr. Stephens's Collection.
PHALÆNA.			
1656 <i>Suffusa</i>	Dark Choco- late tip	<i>St.</i> 4, p. 385, pl. 16, f. 1. <i>Clostera</i>	Near London; but very rare. End of May.
1657 <i>Radiata</i>	Rayed Ermine	<i>St.</i> 2, p. 77. 6030 <i>SPILOSOMA</i> .	Mr. Stephens has seen but one specimen, taken in York- shire, now in Mr. Bentley's Cabinet.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1659 <i>Cursoria</i>	Rusty Dart	Agrotis.	Near Bristol.
1660 <i>Plaga</i>	Striped Dart	<i>St.</i> 4, <i>p.</i> 338. Agrotis.	Whittlesea Mere.
1661 <i>Albimacula</i>	White-spotted Clay	<i>St.</i> 2, <i>p.</i> 199. Lytæa.	Whittlesea Mere.
1662 <i>Birivia</i>	Double-striped Clay	<i>St.</i> 4, <i>p.</i> 388. Graphiphora.	
1663 <i>Obscura</i>	Dingy Brocade	<i>St.</i> 2, <i>p.</i> 184. 6203 HADENA.	From Mr. Haworth's Cabinet.
1664 <i>Connexa</i>	Union Rustic	Apamea.	
1665 <i>Strigosa</i>	Streaked Dagger	<i>St.</i> 3, <i>p.</i> 39. 6281 ACRONYCTA.	Formerly in Mr. Haworth's Cabinet. Supposed to have been taken in Norfolk.
1666 <i>Cuspis</i>	Large Dagger	<i>St.</i> 3, <i>p.</i> 40. 6283 ACRONYCTA.	Norwood; in Mr. Hatchett's Collection.
1667 <i>Solidaginis</i>	Golden Rod Brindle	<i>Curtis</i> , 14, <i>pl.</i> 683. Xylina.	Mr. Bentley's Cabinet. Taken by Joseph Eveleigh, Esq., near Manchester, in 1837, in abundance.
1668 <i>Lutosa</i>	Clay Wainscot	<i>Hübner</i> , <i>t.</i> 48, <i>f.</i> 232. <i>St.</i> 4, <i>p.</i> 390. Nonagria.	Mr. Curtis has a specimen taken in Derbyshire.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1669 <i>Vectis</i>	Southern Wainscot	<i>C. 10, t. 451. St. 4, p. 390. Nonagria.</i>	Mr. Curtis mentions this insect as inhabiting Black-gang Chine, Isle of Wight, and Whittlesea Mere, in July.
1670 <i>Cordigera</i>	Small Dark Yellow-underwing	<i>St. 3, p. 112. 6391 ANARTA.</i>	Scotland. Mr. Curtis's Cabinet.
1671 <i>Aprica</i>	The Nun	<i>St. 3, p. 113. 6394 ACONTIA.</i>	A single specimen, according to Mr. Stephens, taken nearly half a century since by Mr. Tinley.
1672 <i>Scutosa</i>	Spotted Clover Moth	<i>Curtis, 13, pl. 595. Heliothis.</i>	Carlisle.
1673 <i>Subatomaria</i>	Dotted Angle	<i>Haworth. Timandra.</i>	Mr. Bentley's Cabinet; from Mr. Haworth's.
1674 <i>Zonaria</i>	Belted Brindle	<i>St. 4, p. 391. Entom. Mag. 2, p. 437. Nyssia.</i>	Taken at the Black Rock, near Liverpool, in September 1832, and February 1833.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
1675 <i>Tauaria</i>	Tau Brindle	<i>St.</i> 4, <i>p.</i> 391. <i>Entom.</i> <i>Mag.</i> 1, 431. <i>Nussia.</i>	Mr. Newman's Cabinet; to whom we are indebted for the use of the spe- cimen. Taken at Leominster, in June 1832.
1676 <i>Poly- grammata</i>	Many-striped	<i>St.</i> 3, <i>p.</i> 256. 6606 PHIBALAPTERYX.	Said to have been taken in Norfolk.
1677 <i>Luteolana</i>	Striped Clay Tortrix	<i>St.</i> 4, <i>p.</i> 395. <i>Tortrix.</i>	Whittlesea Mere. In June.
1678 <i>Juliana</i>	July Tortrix	<i>St.</i> 4, <i>p.</i> 396. <i>Lozotania.</i>	New Forest. In July.
1679 <i>Areolana</i>	Streamlet	<i>St.</i> 4, <i>p.</i> 396. <i>Carpocapsa.</i>	Devonshire, Yorkshire, and Norfolk.
1680 <i>Roborella</i>	Dotted Knot- Horn	<i>St.</i> 4, <i>p.</i> 309. 7448 PHYCITA.	Middlesex, Sur- rey, Essex, &c. End of June.
1681 <i>Cristella</i>	Purplish Knot-horn	<i>St.</i> 4, <i>p.</i> 310. 7449 PHYCITA.	Hedges near Coombe and Darent Woods, &c. End of June.
1682 <i>Legatella</i>	Plain Knot- horn	<i>St.</i> 4, <i>p.</i> 310. 7450 PHYCITA.	Found with the above; but not so common.
1683 <i>Fusca</i>	Brown Knot- horn	<i>St.</i> 4, <i>p.</i> 310. 7451 PHYCITA.	Darent Wood; but very rare. June.



1653 a +



1654 n



1664 a +



1675 a +



83 a +



1659 a +



1668 a +



1676 n



84 a +



1660 a +



1669 a +



1677 n



84 a +



1661 a +



1670 n



1678 n



85 a +



1662 a +



1671 a



1679 n



85 a +



1663 a +



1672 a +



1680 a



37 d +



1664 a



1673 a



1681 n



1656 a



1665 a



1674 a



1682 n



1657 a +



1666 a + W. Wood Jun.?



1674 n



1683 n



DOUBTFUL BRITISH SPECIES.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
PAPILIO.			
1 Podalirius	Scarce Swallow-tail	<i>D. 4, pl. 109. St. 1, p. 6.</i> 5795 PAPILIO.	Not authenticated as British.
2 Palæno		<i>Hub. t. 86, f. 434. St. 1, p. 11.</i> 5798 COLIAS.	Introduced as British by Martyn in his Aurelian's Vade-Mecum.
3 Apollo	Crimson-ringed	<i>D. 13, t. 433. St. 1, p. 25.</i> 5813 DORITIS.	Introduced by Donovan as British, but without sufficient authority.
4 Mnemosyne		<i>St. 1, p. 26.</i> 5814 DORITIS.	Marked by Turton as British in his Translation of the Systema Naturæ.
5 Maturna		<i>St. 1, p. 33.</i> 5821 MELITÆA.	Not authenticated as British.
6 Niobe		<i>St. 1, p. 37.</i> 5826 ARGYNNIS.	In the indigenous collection of the late Dr. Abbot of Bedford.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
7 <i>Hampstediensis</i>	Albin's Hampstead Eye	<i>St.</i> 1, <i>p.</i> 48, <i>t.</i> 5, <i>f.</i> 3 & 4. Vanessa. 5837 CYNTHIA.	The only specimen of this insect is figured by Petiver, who says it was found by Albin at Hampstead.
8 <i>Huntera</i>		<i>St.</i> 4, <i>p.</i> 331. Vanessa.	Said to be taken in Pembroke-shire by Capt. Blomer.
9 <i>Levana</i>		<i>St.</i> 1, <i>p.</i> 49. Vanessa. 1838 CYNTHIA.	Considered by Turton as a native species.
10 <i>Populi</i>		<i>St.</i> 1, <i>p.</i> 51. 5840 LIMENITIS.	Said by Stewart to be British, and found in July.
11 <i>Sibilla</i>		<i>St.</i> 1, <i>p.</i> 52. 5842 LIMENITIS.	Also said by Stewart to be British.
12 <i>Mæra</i>		<i>St.</i> 1, <i>p.</i> 55. 5844 HIPPARCHIA.	Introduced as British, probably by mistake for <i>H. Ægeria</i> .
13 <i>Phædra</i> .		<i>St.</i> 1, <i>p.</i> 56. 5846 HIPPARCHIA.	Noticed as British by Turton.
14 <i>Alcyone</i>		<i>St.</i> 1, <i>p.</i> 56. 5847 HIPPARCHIA.	Said by Stewart to inhabit Scotland.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
15 <i>Mnestra</i>		<i>St. 1, p. 63.</i> 5855 HIPPARCHIA.	Admitted as British by mistake.
16 <i>Alcon</i>		<i>St. 1, p. 88.</i> Polym- matus.	Introduced by Haworth in the old Entomolo- gical Transac- tions.
17 <i>Malvæ</i>		<i>St. 1, p. 98.</i> 5888 THYMELE.	Mr. Stephens does not believe that this insect has ever been taken in En- gland.
18 <i>Sylvius</i>		<i>St. 1, p. 100.</i> 5892 PAMPHILA.	Said to be En- glish, but not satisfactorily ascertained.
19 <i>Globulariæ</i>		<i>St. 1, p. 106.</i> 5899 INO.	Introduced in the Syst. Cat. in mistake for a var. of Statice.
20 <i>Scabiosæ</i>		<i>St. 1, p. 108.</i> 5901 ANTHROCERA.	According to Mr. Haworth, this insect was taken near London by Capt. Linde- gren.
21 <i>Peucedani</i>		<i>St. 4, p. 383.</i> 5906 ANTHROCERA.	Mistaken by Wilkes for <i>An. Filipendulæ</i> .

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
SPHINX.			
22 <i>Carolina</i>	Tobacco	<i>C. 5, t. 197. St. 1, p. 118.</i> 5911 SPHINX.	Taken in England, but imported from America.
23 <i>Quinque- maculatus</i>	Yellow-spotted Unicorn	<i>D. 11, t. 361. St. 1, p. 119.</i> 3912 SPHINX.	Also a North American insect, but has been taken at Chelsea.
24 <i>Druræi</i>		<i>D. 14, t. 469. St. 1, p. 120.</i> 5914 SPHINX.	A native of America; but taken at four different times in England.
25 <i>Plebeia</i>		<i>St. 1, p. 122.</i> 5917 SPHINX.	Introduced into the old English Cabinets in mistake for Pinastri.
26 <i>Pæcila</i>		<i>St. 1, p. 122.</i> 5918 SPHINX.	Mr. Stephens doubts the authenticity of this insect, said to be British.
27 <i>Daucus</i>		<i>St. 1, p. 126.</i> 5922 DEILEPHILA.	Taken near Lynn in Norfolk; but a native of America.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
28 <i>Argentata</i>		<i>St.</i> 1, p. 130. 5924 DEILEPHILA.	Found in some old Cabinets; but not consi- dered as Bri- tish.
29 <i>Thysbe</i>		<i>St.</i> 1, p. 135. <i>Sesia Cim- biciformis.</i>	A native of North Ame- rica; but ob- tained from Plastead's Ca- binet as British by Mr. Ste- phens.

PHALÆNA.

30 <i>Anasto- mosis</i>		<i>St.</i> 2, p. 13. 5953 CLOSTERA.	Mr. Stephens has never seen an indigenous specimen, though Stewart has it in his Elements of Natural Hi- story as British.
31 <i>Querneæ</i>		<i>St.</i> 2, p. 31. 5980 CHAONIA.	Haworth sup- posed this to be British.
32 <i>Tau</i>	<i>Tau Emperor</i>	<i>St.</i> 2, p. 37. 5984 AGLAIA.	Mentioned as British by Martyn only in his Aure- lian's Vade- Mecum.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
33 <i>Dumeti</i>		<i>St.</i> 2, <i>p.</i> 41. 5991 <i>LASIOCAMPA.</i>	Mentioned by Stewart as British; but doubtful.
34 <i>Processio- sionea</i>	Processionary	<i>St.</i> 2, <i>p.</i> 47. 5995 <i>CNETHOCAMPA.</i>	Pronounced British by Martyn and Stewart; but on no good foundation.
35 <i>Ilicifolia</i>		<i>St.</i> 2, <i>p.</i> 53. 6002 <i>GASTROPACHA.</i>	Introduced by Turton; but not ascertained to be British.
36 <i>Populifolia</i>		<i>St.</i> 2, <i>p.</i> 53. 6003 <i>GASTROPACHA.</i>	Martyn has given this as British.
37 <i>Mori</i>	Silkworm	<i>A. t.</i> 12, <i>f.</i> 16. <i>H. t.</i> 13, <i>f.</i> a—f. <i>St.</i> 4, <i>p.</i> 385. <i>Bombyx.</i>	Figured in the British works of Albin and Harris; but not indigenous.
38 <i>Matronula</i>		<i>St.</i> 2, <i>p.</i> 70. 6019 <i>ARCTIA.</i>	Noticed as Bri- tish by Dr. Turton.
39 <i>Hebe</i>		<i>St.</i> 2, <i>p.</i> 71. 6021 <i>ARCTIA.</i>	Reputed, but improperly, to be British.
40 <i>Purpurea</i>		<i>St.</i> 2, <i>p.</i> 71. 6022 <i>ARCTIA.</i>	Given as British by Turton and Stewart.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
41 <i>Aulica</i>		<i>St. 2, p. 71.</i> 6023 <i>ARCTIA.</i>	In Martyn's Aurelian's Vade-mecum.
42 <i>Rubea</i>		<i>St. 2, p. 79.</i> 6082 <i>PENTHOPHERA.</i>	In Samouelle's Introduction to the Knowledge of British Insects; but without author- ity.
43 <i>Depuncta</i>		<i>St. 2, p. 133.</i> 6119 <i>GRAPHIPHORA.</i>	Entered as Bri- tish by Mr. Haworth in his Prodromus.
44 <i>Imbecilla</i>		<i>Curtis's Guide, p. 180.</i> <i>Graphiphora.</i>	Supposed to be British by Mr. Curtis.
45 <i>Perspicil- laris</i>		<i>Calophasia.</i>	Introduced by mistake for a var. of <i>conspi- cillaris</i> , in the British Mu- seum.
46 <i>Ludifica</i>		<i>St. 3, p. 46.</i> 6293 <i>DIPHITHERA.</i>	Marked by Turton as British.
47 <i>Pteridis</i>		<i>St. 3, p. 49.</i> 6298 <i>DIPHITHERA.</i>	Mentioned as British by Samouelle.


<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
48 <i>Luteago</i>		<i>St. 3, p. 70.</i> 6328 GORTYNA.	Inserted by Samouelle in the Entomolo- gist's Compen- dium.
49 <i>Gnaphalii</i>		<i>St. 3, p. 90.</i> 6364 CUCULLIA.	Introduced by mistake for Solidaginis.
50 <i>Asclepiadis</i>		<i>St. 3, p. 97.</i> 6371 AEROSTOLA.	Said to have been taken in England; but Mr. Stephens has not seen an indigenous specimen.
51 <i>Celsia</i>		<i>St. 3, p. 99.</i> Calotenia. 6374 CELSIA.	Introduced into the Vade- Mecum as Bri- tish by Martyn.
52 <i>Chalcytis</i>		Plusia.	Supposed to be British; but not ascertained.
53 <i>Ludicra</i>	Scarce Black- neck	<i>St. 3, p. 120.</i> 6417 OPHIUSA.	In Mr. Swain- son's Collec- tion.
54 <i>Leucomelas</i>	Large Four- spotted	<i>St. 3, p. 123.</i> 6420 CATEPHIA.	This insect was in the late Mr. Haworth's Cabinet

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
55 <i>Elocata</i>		<i>C. 5, t. 217. St. 3, p. 132.</i> 6424 CATOCALA.	Obtained from the late Mr. Blunt's Cabinet by Mr. Curtis; but a native of Portugal.
56 <i>Pacta</i>		<i>St. 3, p. 133.</i> 6426 CATOCALA.	A native of Norway; mistaken by Wilkes for British.
57 <i>Triquetra</i>		<i>St. 3, p. 139.</i> 6434 EUCLIDIA.	A native of Hungary; inserted by mistake in the Entomologist's Compendium.
58 <i>Alniaria</i>	Canary-shouldered Thorn	<i>St. 3, p. 164.</i> 6460 GEOMETRA.	In Stewart's Elements of Natural History as British.
59 <i>Dillectaria</i>	Small Thorn	<i>St. 3, p. 204. Epione.</i> 6526 BRADYEPETES.	Supposed only by Haworth to be British.
60 <i>Ocellaria</i>		<i>St. 3, p. 200. Ephyra.</i>	Of doubtful authenticity.
61 <i>Monilis</i>		<i>St. 4, p. 391. Hypso- lopha.</i>	Mentioned by Fabricius as inhabiting England; but is a native of Georgia.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
62 <i>Melanaria</i>	Yellow-under- winged Magpie	<i>St.</i> 3, p. 149. <i>Fidonia</i> . 6591 ———.	The late Mr. Haworth, though he admitted this from report as British, had seen only foreign specimens.
63 <i>Tinctaria</i>		<i>St.</i> 3, p. 291. <i>Cleogene</i> . 6681 <i>MINOA</i> .	Locality not known.
64 <i>Purpuraria</i>	Purple-barred Yellow	<i>St.</i> 3, p. 207. <i>Aspilates</i> .	A reputed British specimen is in Mr. Swainson's Cabinet; the reference in p. 89, No. 539, is to <i>Asp. gilvaria</i> ♀.
65 <i>Decoraria</i>		<i>Curtis's Guide</i> , p. 194. <i>Acidalia</i> .	Indicated as doubtful by Mr. Curtis.
66 <i>Fascialis</i>		<i>St.</i> 4, p. 33. <i>Ennychia</i> .	Introduced by mistake.
67 <i>Dimidiatus</i>	Tea Tabby	<i>St.</i> 4, p. 24. 6775 <i>AGLOSSA</i> .	Brought with the tea from the East Indies; not indigenous.
68 <i>Marginatus</i>		<i>Haworth</i> .	Introduced by Haworth.

<i>Linn. names.</i>	<i>Engl. names.</i>	<i>Synonyms and new genera.</i>	<i>Remarks.</i>
69 <i>Magnificalis</i>	Brindled	<i>St. 4, p. 395. Cataclysta.</i>	Stated by Hübner to be found in England; a mistake probably, for <i>New</i> England.
70 <i>Nebulalis</i>	Dusky Brindled	<i>St. 4, p. 60. Margaritia. 6835 SCOPULA.</i>	Introduced by mistake as synonymous with <i>Prunalis</i> .
71 <i>Anthracinellus</i>		<i>St. 4, p. 348. Euplocamus.</i>	Introduced by Turton without authority.
72 <i>Bracteella</i>		<i>Curtis's Guide, p. 208. Enicostoma.</i>	Supposed by Curtis to be British.







37 a +



46 a +



55 c



64 a



38 c



47 a



56 b



65 n



39 b



48 a +



57 a



66 n



40 b



49 a +



58 b



67 n



41 a +



50 a +



59 n



68 a



42 a



51 a +



60 a



69 n



43 a +



52 a +



61 b



70 n



44 a



53 b



62 a +



71 a +



45 a



54 a



63 a



72 n



INDEX.

** The Generic names in the third column as altered by Mr. Stephens since his Catalogue was published, have been adopted in this Index.

PAPILIO.	Pl.		Pl.		Pl.
Apatura Iris, page 5...	1	Melitæa Dia, page 239	52	Vanessa Atalanta, page	1
Argynnis Adippe, 4 ...	1	Euphyrosyne, 3	1	4	1
Aglaia, 4	1	Matura, 243	53	C. Album, 4	1
Lathonia, 3	1	Pyronia, 239.....	52	Huntera, 244	53
Niobe, 243	53	Selene, 3	1	Ito, 4	1
Paphia, 4	1	Nemobius Lucina, 3. .	1	Polychlorus, 4	1
Colias Chrysotheme, 1	1	Papilio Machaon, 1..	1	Urticæ, 4	1
Edusa, 1	1	Podalaris, 243	53		
Eurypome, 1	1	Pamphila Actæon, 9... 3		SPIRINX.	
Hyale, 2	1	Bucephalus, 10 ... 3		Acherontia Atropos, 12	4
Paleno, 243	53	Comma, 10	3	Ægeria Allantiformis,	
Cynthia Cardui, 5....	1	Linea, 9	3	14	4
Hampstediensis, 244	53	Paniscus, 9	3	Asiliformis, 14	4
Levana, 244	53	Sylvanus, 9	3	Chrysidiiformis, 14 .	4
Doritis Apollo, 243 ..	53	Sylvaus, 245	53	Culeciformis, 15	4
Mnemosyne, 243 ...	53	Pieris Cratægí, 3	1	Gynipiformis, 14	4
Gonepteryx Rhamni, 1	1	Polyommatus Acis, 8 .	3	Formiciformis, 15... 4	
Hipparchia Ægeria, 6 .	2	Adonis, 8	3	Ichneumoniformis,	
Acyone, 244	53	Agestis, 9	3	14	4
Arcanius, 239	52	Alcon, 245	53	Mutillæformis, 15 .	4
Blandina, 6	2	Alexis, 8	3	Philanthiformis, 14 .	4
Cassiope, 6	2	Alsus, 8	3	Spheciformis, 14	4
Davus, 6	2	Argiolus, 7	3	Stomoxiformis, 15 .	4
Galathea, 5	2	Argus, 8	3	Tipuliformis, 15 ... 4	
Hero, 6	2	Arion, 8	3	Anthrocera Filipendula,	
Hyperanthus, 6 ... 2		Artaxerxes, 9	3	11	4
Janira, 5	2	Corydon, 8	3	Hippocrepidis, 11 .	4
Ligea, 6	2	Dorylas, 8	3	Loti, 11	4
Mæra, 244	53	Eros, 8	3	Melloti, 11	4
Megæra, 5	2	Icarus, 8	3	Trifolii, 11	4
Mnestra, 245	53	Salmacis, 9	1	Daphnis Nerii, 239 ...	52
Pamphilus, 6	2	Pontia Brassicæ, 2 ... 1		Deilephila Argeatata,	
Phædra, 244	53	Cardamine, 2	1	247	53
Polydama, 6	2	Chariclea, 2	1	Celereo, 13	4
Semele, 5	2	Duplicée, 2	1	Daucus, 246... ..	53
Tithonus, 5	2	Metra, 2	1	Elpenor, 13	4
Leucophasia Sinapis, 2	2	Napi, 2	1	Euphorbie, 12	4
Limenitis Camilla, 5... 2		Rapee, 2	1	Galli, 12	4
Populi, 244	53	Sabellicee, 2	1	Livornica, 13	4
Sibilla, 244	53	Thecla Betulae, 6	2	Porcellus, 13	4
Lycena Chryseis, 7 ... 2		Pruni, 6	2	Ino Statices, 11	4
Dispar, 7	3	Quercus, 7	2	Macroglossa Stellata-	
Hippochoe, 7	2	Rubi, 7	2	rum, 13	4
Phlæas, 7	2	Spini, 7	2	Sesia Thysbe, 247 ...	53
Virgaureae, 7	3	W. Album, 7	2	Fuciformis, 13	4
Melitæa Artemis, 3 ... 1		Thymele Alveolus, 9. .	3	Bombyliformis, 13 .	4
Athalia, 3	1	Malvæ, 245	53	Smerinthus ocellatus,	
Cinxia, 3	1	Tages, 9	3	11	4
		Vanessa Atalanta, 4 ...	1		

Pl.		Pl.		Pl.	
Anacampsis Domestica,		Anesychia Pusiella,		Aphelosetia Semial-	
page 175	39	page 185	41	bella, page 205 ...	45
Fulvescens, 178 ...	40	Angerona Prunaria, 82	19	Triatomea, 205.....	45
Fuscescens, 178 ...	40	Ania Emarginata, 116.	26	Aplocera Cæsiata, 108	25
Guttifera, 177	39	Limbata, 116	26	Flavicinctata, 108...	25
Hortuella, 173	39	Anisopteryx Æscula-		Araxes Ahenella, 214 .	47
Hübneri, 176	39	ria, 79	21	Lotella, 214	17
Interruptella, 178...	40	Leucophearria, 78 ...	21	Miniosella, 213.....	47
Lacteella, 175	39	Anticlea Albana, 144 .	32	Ocellea, 214	17
Lanceolella, 176 ...	39	Asseclana, 145	32	Arctia Aulica, 249 ...	54
Laticinctella, 173...	38	Berberata, 95	22	Caja, 25.....	7
Listerella, 173	39	Bilunana, 144	32	Hebe, 248.....	54
Longicornis, 174 ...	39	Derivata, 95	22	Matronula, 248.....	54
Luctuella, 176	39	Fimbriana, 144.....	32	Purpurea, 248	54
Lutarea, 174.....	39	Harpana, 144	22	Villica, 25.....	7
Maculella, 177	39	Incarmana, 144.....	32	Argyrolepis Æneana,	
Marmorea, 177.....	39	Mitterbacheriana,		164	37
Mouffetella, 174 ...	39	145	32	Bistrigana, 164.....	37
Nebulea, 173	39	Nævana, 144.....	32	Desimana, 164	37
Nivella, 178	39	Nigromaculana, 144	32	Lathioniana, 164 ...	37
Proxima, 176	39	Paykulliana, 144 ...	32	Margaritana, 164 ...	37
Quadri-punctata,		Rubidata, 95.....	22	Tesserana, 164	37
179	40	Sinuata, 95	22	Argyromyges Alnifoli-	
Rhombella, 174 ...	39	Sociana, 144.....	32	ella, 192	43
Rusticella, 176	39	Subocellana, 145 ...	32	Autumnella, 193 ...	43
Sarcitella, 175	39	Antithesia Betuletana,		Blanchardella, 190 .	42
Sequax, 176	39	134	30	Clerkella, 193	43
Subrosea, 177	39	Corticana, 134	30	Corylifoliella, 192...	42
Subcinerea, 174 ...	39	Gentianæana, 135 .	30	Cramerella, 191	42
Subocellea, 177 ...	39	Grevilleana, 135 ...	30	Cuculipenella, 192 .	42
Tremella, 177	39	Marginana, 135 ...	30	Cydoniella, 190.....	42
Tricolorella, 176 ...	39	Oblongana, 135 ...	30	Harrisella, 191	42
Zephyrella, 173 ...	39	Pruniana, 135	30	Hortella, 192	42
Anaitis Plagiata, 96 ...	22	Pullana, 135	30	Klemanella, 191 ...	42
Præformata, 97.....	22	Salicella, 135	30	Mespillella, 191.....	42
Anania 8-maculata, 122	28	Tripunctana, 134 ...	30	Nivella, 193	42
Anarta Cordigera, 241	52	Connexa, 240	52	Obscurella, 192.....	43
Heliaca, 73	17	Apamea Didyma, 54...	12	Rayella, 191	42
Myrtilli, 73	16	Fibrosa, 53	12	Rufipunctella, 192 .	43
Vidua, 73	17	Furca, 54	13	Schröberella, 190 ...	42
Anchylopera Cuspida-		I-Niger, 54	12	Semiaurella, 193 ...	43
na, 143	32	Nictitans, 53.....	12	Spartifoliella, 193 ..	43
Derasana, 144	32	Oculea, 54.....	12	Sylvella, 192.....	42
Deminutana, 143 ...	32	Ophiogramma, 54...	13	Trifasciella, 191	42
Fractifasciana, 143 .	32	Secalina, 53	12	Tristrigella, 191 ...	42
Funalana, 143	32	Apatela Aceris, 60 ...	14	Ulmifoliella, 192 ...	43
Lundana, 142	32	Bradyporina, 60 ...	14	Unipunctella, 193...	43
Lyellana, 142	32	Leporina, 59.....	11	Argyrosetia Aurifasci-	
Obtusana, 142	32	Aphelosetia Auritella,		ella, 190	42
Siculana, 143	32	205	45	Aurivittella, 190 ...	42
Uncana, 143	32	Cygnipennella, 205 .	45	Brockella, 190	42
Unculana, 142	32	Floslactis, 205	45	Godartella, 189 ...	42
Ustomaculana, 143 .	32	Fulvescens, 206 ...	45	I. V-ella, 190	42
Anesychia Dodececa,		Lucidella, 205	45	Literella, 190	42
185	41	Marginca, 206	45	Semifasciella, 189...	42
Echiella, 185.....	41	Olecella, 205	45	Argyrotoza Bergman-	
Funerella, 185	41	Rufipennella, 206...	45	niana, 163.....	36
		Rufocinerea, 205 ...	45	Conwayana, 163 ...	37

Pl.		Pl.		Pl.	
Argyrotoza Daldorfiana, page 164	37	Calocampa Exoleta, page 48.....	11	Catocala Elocata, page 251	54
Hoffinanseggiana, 163	36	Vetusta, 47	11	Fraxini, 76	17
Subaurantiana, 163. 37		Callisto Fuscocuprella, 201	44	Nupta, 76	17
Aspilates Citraria, 89.. 20		Fuscoviridella, 201.. 44		Pacta, 251.....	54
Gilvaria, 89	20	Fyseslella, 201	44	Promissa, 76.....	17
Purpuraria, 252.....	54	Guttea, 200	44	Sponsa, 76.....	17
Respersaria, 89.....	20	Callimorpha Jacobææ, 28	8	Celaria Haworthii, 56 13	
Astyages Coracipen- nella, 202	44	Miniata, 28	8	Hibernica, 56	13
Cylindrella, 201.....	44	Calophasia Linariæ, 70 16		Lancea, 56	13
Flaviciput, 202	45	Perspicillaris, 249... 51		Renigera, 56.....	13
Grandipennis, 201... 44		Calotenia Celsia, 250 54		Celma Imbutata, 96... 22	
Gryphipennella, 202 44		Campæa Margaritata, 82	19	Ceropacha Diluta, 62 . 14	
Lutarea, 202.....	44	Camptogramma Bili- neata, 100.....	23	Duplaris, 62	14
Nigricella, 202	46	Camptylochila Bistri- galis, 119	27	Flavicornis, 63	14
Obscurella, 202.....	44	Undulalis, 119	27	Fluctuosa, 62	14
Ochroleucella, 202.. 44		Capua Ochraceana, 163	36	Octogesima, 63.....	14
Serratella, 202	44	Caradrina Alsines, 43 . 11		Or, 62	14
Bactra Egeana, 147.. 33		Ambigua, 43.....	10	Ridens, 63.....	14
Egestana, 147 33		Cubicularis, 44.....	11	Cerigo Texta, 32 8	
Expallidana, 147 ... 33		Glareosa, 44	11	Cerostoma Annulatel- lus, 223.....	49
Pauperana, 147.....	33	Implexa, 44	11	Maculipennis, 223.. 49	
Plagana, 147.....	33	Lævis, 44	11	Porrectella, 223 ... 49	
Bapta Bimaculata, 108 21		Morpheus, 44	11	Xylostella, 223.....	49
Punctata, 108	25	Redacta, 43	11	Cerura Arcuata, 18 ... 5	
Batia Flavifrontella, 207 45		Sepii, 44	11	Bicuspis, 17	5
Lambdalla, 206.....	45	Superstes, 44	11	Bifida, 18	5
Lunaris, 206	45	Carpocapsa Aspidis- cana, 146	11	Erminea, 18.....	5
Lutarella, 206	45	Areolana, 242	52	Furcula, 18	5
Panzerella, 206.....	45	Cana, 147	11	Fusculina, 18.....	5
Saturatella, 206 ... 45		Fulgana, 146.....	33	Integra, 17	5
Biston Betularius, 80.. 18		Grossana, 145	33	Latifascia, 18	5
Hirtarius, 80... .. 18		Hypericana, 146 .. 33		Vinula, 18.....	5
Prodromarius, 79 ... 18		Lanceolana, 146 ... 33		Chaonia Dodonea, 20. 6	
Boarmia Abietaria, 85. 20		Leplastriana, 146... 33		Roboris, 20	6
Consonaria, 86	20	Perlepidana, 146 .. 33		Quernea, 247	53
Crepuscularia, 86 ... 20		Pomonella, 145.....	33	Charreæa Cespitis, 32... 8	
Extersaria, 86	20	Pupillana, 146	33	Confinis, 33	8
Punctularia, 86.....	20	Rheediella, 146.....	33	Fusca, 33	8
Strigularia, 86	20	Rufana, 147	33	Graminis, 33.....	8
Tetragonaria, 85 ... 20		Scopoliana, 147.....	33	Nigra, 33	8
Bombycia Viminalis, 63 14		Splendana, 145.....	33	Chatochilus Costellus, 221.....	48
Bombyx Mori, 248 ... 54		Stelliferana, 146 ... 33		Fissellus, 222.....	48
Bradyepetes Amataria, 88	20	Weberana, 145.....	33	Maurellus, 222	48
Brepha Notha, 77.....	17	Cataclysta Lemnata, 123	28	Radiatellus, 222 ... 48	
Parthenias, 77	17	Magnificalis, 253 ... 54		Rufimitrellus, 222... 48	
Puella, 77	17	Catephia Leucomelas, 250	54	Sequellus, 223	49
Bryophila Glandifera, 61	14	Trifasciata, 76	17	Sylvellus, 222	48
Perla, 61	14	Catocala Conjuncta, 77 17		Variellus, 222	48
Bupalus Piniarius, 78.. 18				Vittellus, 222	49
Cabera Exanthemata, 87	20			Chariclea Delphinii, 70 16	
Pusaria, 87	20			Charissa Dilucidaria, 101	23
Rotundaria, 87	20			Obscuraria, 100.....	23
				Operaria, 101	23
				Pullata, 101	23

	Pl.		Pl.		Pl.
Charissa Serotinaria,		Clisiocampa Neustria,		Crambus Inquinatecellus,	
page 101	23	page 22	6	page 218	48
Cheimatobia Brumata,		Clostera Anachoreta, 17 ..	5	Latistrius, 217	47
102	23	Anastomosis, 247... ..	53	Luteellus, 218	48
Rupicaprararia, 102... ..	23	Curtula, 17	5	Lythargyrellus, 214. .	47
Cheimophila Phryga-		Reclusa, 17	5	Margaritellus, 217... ..	47
nella, 184	41	Suffusa, 239	52	Marginellus, 216	47
Cheimatophila Casta-		Cnephasia Assinana,		Montanellus, 216... ..	47
neana, 163	36	118	33	Nigristriellus, 219... ..	48
Chelaria Rhomboid-		Curvifasciana, 149... ..	33	Obtusellus, 219..... ..	48
ella, 179	40	Icteriana, 148..... ..	33	Palecellus, 219	48
Chesias Obliquaria, 101 ..	23	Interjectana, 148	33	Pascuellus, 215..... ..	47
Spartata, 101	23	Logiana, 448..... ..	33	Petricicellus, 219	48
Chilo Caudellus, 220. .	48	Longana, 148	33	Pinetellus, 217	47
Forficellus, 219..... ..	48	Nubilana, 149	33	Pratellus, 216	47
Fumeus, 220..... ..	48	Obsoletana, 148	33	Pygmaeus, 217	47
Gigantellus, 220	48	Panziana, 147	33	Radiellus, 217	47
Phragmitellus, 220.. ..	48	Perfuscana, 149	33	Rorellus, 218	48
Punctigerellus, 220. .	48	Rectifasciana, 148... ..	33	Selaecellus, 218	48
Chlorissa Cloraria, 114 ..	26	Sinuana, 148	33	Tentaculellus, 215... ..	47
Putataria, 114	26	Cnethocampa Pitio-		Tristis, 218	48
Thymitaria, 114..... ..	26	campa, 22..... ..	6	Crocallis Elinguaria, 80 ..	18
Viridata, 114..... ..	26	Processionea, 248... ..	53	Cucullea Absinthii, 70 ..	16
Chrysocorys Angusti-		Cochleophasia Pubi-		Artemisiae, 70	16
pennella, 203	45	cornis, 183	41	Asteris, 69..... ..	16
Cidaria Didymata, 90. .	21	Tessellea, 183	41	Chamomillee, 70	16
Ferrugata, 91	21	Cochylis Griseana, 167 ..	37	Fissina, 70..... ..	16
Fluctuata, 91	21	Roseana, 167..... ..	37	Gnaphalii, 250	54
Latentaria, 91	21	Ruficiliana, 167..... ..	37	Lactuce, 69	16
Montanata, 91	21	Russicola, 167	37	Lucifuga, 69..... ..	16
Miaria, 91..... ..	21	Subroseana, 167	37	Serophulariae, 69	16
Munitata, 90..... ..	21	Colobochoyla Salicalis,		Tanaceti, 69	16
Olivata, 91	21	118	27	Thapsiphaga, 70	16
Propugnata, 92..... ..	21	Cosmia Attinis, 64	15	Verbasci, 69	16
Quadrifasciaria, 90.. ..	21	Diffinis, 64	14	Umbatica, 69	16
Salicata, 91	21	Fulvago, 64	15	Cynæda Dentalis, 127. .	29
Unidentaria, 90	21	Pyrulina, 64	15	Dasychira Fascelina, 23 ..	6
Cilix compressa, 117. .	26	Trapezina, 64	15	Pudibunda, 23	6
Cledeobia Albistriga-		Cossus Ligniperda, 16. .	5	Dasytoma Salicella, 184 ..	41
tus, 119.. ..	27	Crambus Angustellus,		Deiopeia Pulchella, 29 ..	8
Costeistrigalis, 119. .	27	216	47	Demas Coryli, 21..... ..	6
Cleodora Falciformis,		Arbustorum, 214	47	Depressaria Albipunc-	
180	40	Argentellus, 215	47	tella, 171	38
Lucidella, 180	40	Argyreus, 214	47	Alstroemeriana, 172. .	38
Nebulella, 180	40	Aridellus, 218	48	Apicella, 170..... ..	38
Ochroleucella, 180.. ..	40	Aquilellus, 219..... ..	48	Applana, 171..... ..	38
Rufescens, 179..... ..	40	Cerusellus, 217... ..	47	Atomella, 172	38
Silacella, 179	40	Cespitellus, 216	47	Badiella, 170	38
Cleogene Niveata, 108 ..	24	Chrysonuchellus, 217 ..	48	Blutii, 172	38
Tinctaria, 252	54	Culmellus, 217	47	Carduella, 170	38
Cleora Bajularia, 83... ..	19	Culmorum, 219..... ..	48	Characterosa, 170... ..	38
Cinctaria, 84..... ..	19	Dealbellus, 215	47	Costosa, 172..... ..	38
Lichenaria, 83	19	Dumetellus, 215	47	Curvipunctosa, 171. .	38
Pictaria, 84	19	Ericellus, 215	47	Gilvella, 171..... ..	38
Teneraria, 83	19	Falsellus, 218	48	Heracleana, 170	38
Viduaria, 83..... ..	19	Fuscelinellus, 219... ..	46	Immaculana, 171	38
Clisiocampa Castren-		Hamellus, 215	47	Irrorella, 172	38
sis, 22	6	Hortuellus, 216..... ..	47	Liturella, 172..... ..	38

Pl.		Pl.		Pl.		
Depressaria Nervosa, page 170	38	Emmelesia Rusticata, page 110	25	Eudorea Resinea, page 209	46	
Ocellana, 171.....	38	Sylvata, 110	25	Subfusca, 208	46	
Purpurea, 173	38	Tæniata, 110	25	Tristrigella, 208 ...	46	
Putridella, 172	38	Trigonata, 110	25	Eulepia Cribrum, 28 .	8	
Sparmanniana, 171. 38		Turbaria, 109.....	25	Grammica, 28	8	
Umbellana, 170.....	38	Unifasciata, 110.	25	Euphasia Catena, 74... 17		
Venosa, 170	38	Endromis Versicolora, 21	6	Eupithecia Abbreviata, 105	24	
Yatesana, 171.....	38	Bracteella, 253	54	Absinthiata, 106 ...	24	
Diaphora Mendica, 26. 7		Enicostoma Thumber- gana, 181	40	Albipunctata, 105... 24		
Diasemia Literalis, 122 28		Ennomos Flexula, 116. 26		Angustata, 107.....	24	
Dictyopteryx Ciliana, 162	36	Ennychia Fascialis, 252 54		Centaureata, 107 ... 24		
Contaminana, 162... 36		Ephyra Ocellaria, 251. 54		Cognata, 107	24	
Forskaliana, 163 ... 36		Omicronaria, 87.....	20	Consignata, 107 24		
Læflingiana, 162 ... 36		Orbicularia, 87	20	Elongata, 106	24	
Plumbana, 162..... 36		Pendularia, 87	20	Exiguata, 104	24	
Rhombana, 162..... 36		Porata, 87.....	20	Innotata, 106	24	
Diphthera Ludifica, 249 54		Punctaria, 88.....	20	Lævigata, 104	22	
Orion, 61	14	Trilinearia, 88	20	Linariata, 103	23	
Pteridis, 249.....	54	Epione Advenaria, 88.. 20		Nebulata, 105	24	
Ditula Æthiopiana, 134 31		Apiciarea, 88	20	Nigro-punctata, 104 24		
Angustiorana, 133... 30		Dilectaria, 251	54	Nigro-sericeata, 104 24		
Nebulana, 134	30	Vespertaria, 88	20	Notata, 106	24	
Porphyrana, 133 ... 30		Episema Cæruleo- phala, 17	5	Piperata, 107	24	
Rotundana, 133.... 30		Erastria Albidilinea, 74 17		Pulchellata, 106 .. 24		
Semifasciana, 134... 30		Apicosa, 74.....	17	Pusillata, 106	21	
Scriptana, 134	30	Bankiana, 74.....	17	Rectangulata, 103... 23		
Sylvana, 136.....	30	Fuscula, 74.....	17	Rufifasciata, 104 ... 24		
Wellensiana, 134 ... 30		Minuta, 74.....	17	Simpliciata, 106 24		
Diurnea Fagella, 184... 41		Ostrina, 73.....	17	Singulariata, 105.... 24		
Novembris, 184..... 41		Sulphuralis, 74.....	17	Strobilata, 104	21	
Drepana Falcataria, 116	26	Venustula, 74	17	Subærata, 104	23	
Hamula, 117.....	26	Uncana, 74.....	17	Subfasciata, 105 ... 24		
Uncula, 117	26	Eremobia Ochroleuca, 70	16	Subfulvata, 106 ... 24		
Unguicula, 117.....	26	Eriogaster Lanestris, 22 6		Subfuscata, 105 24		
Dypterygia Pinastri, 46 11		Eriopus Pteridis, 249 . 54		Subumbrata, 105 ... 24		
Earis Clorana, 128 ... 29		Euchromia Fulvipunc- tana, 153	35	Succenturiata, 107 . 24		
Electra Achatinata, 96 22		Purpurana, 153.....	35	Variegata, 107	24	
Comitata, 96.....	22	Euclidia Glyphica, 77. 17		V-ata, 104.....	24	
Populata, 96	22	Mi, 77	17	Venosata, 107	24	
Pyratiata, 96.....	22	Triquetra, 251	54	Vulgata, 105.....	24	
Spinachiata, 96.....	22	Eucosmia Undulata, 100	23	Euplexia Lucipara, 53 6		
Testata, 96.....	22	Endioptis Lucernalis, 123	28	Euplocamus Anthraci- nellus, 253.....	54	
Ellopia Fasciaria, 82... 19		Eudorea Angustea, 209 46		Mediellus, 226	49	
Emmelesia Affinitata, 109	25	Cembrella, 208.....	46	Eupcecilia Angustana, 166	43	
Albulata, 109	25	Dubitalis, 208	46	Dubitana, 166	43	
Bifasciata, 110	25	Lineola, 208	46	Luteolana, 166	43	
Blandiata, 109	25	Mercurella, 209 ... 46		Maculosana, 165 ... 43		
Blomeri, 110.....	25	Murana, 209.....	46	Nana, 166.....	43	
Candidata, 110	25	Pallida, 208	46	Permixonata, 166 ... 43		
Decolorata, 109.....	25	Pyracella, 208	46	Pygmaeana, 166 ... 43		
Ericetata, 109	25			Sodaliana, 166	43	
Heparata, 111	25			Eurhypara Urticata, 123	28	
Luteata, 111	25					
Rivulata, 109.....	25					

	Pl.		Pl.		Pl.
Eurymene Dolabraria, page 88	14	Glyphipteryx Zinckella, page 198	44	Hadena Obscura, page 240	52
Euspilapteryx Auroguttella, 232.....	50	Gnophria Rubricollis, 30 ..	8	Ochracea, 50.....	12
Euthalia Elutata, 98....	22	Gortyna Flavago 66 ...	15	Plebeia, 49	12
Impluviata, 98	22	Luteago, 250	54	Saponariae, 50	12
Miata, 98	22	Micacea, 65	15	Satura, 49.....	12
Psittacata, 98	22	Gracillaria Cinerea, 232 ..	50	Thalassina, 54	13
Euthemonia Russula, 25	7	Elongella, 234	50	Halia Vauaria, 86.....	20
Eutricha Pini, 23	7	Hæmidactylella, 233 ..	50	Hama Basilinea, 53 ...	12
Fidonia Atomaria, 78 ..	18	Leucopennella, 234. 51		Connexa, 240	52
Carbonaria, 78	18	Meleagripennella, 232	50	Testacea, 53	12
Ericetaria, 78	18	Nebulea, 232	50	Harpagus Albistrigella, 201	44
Fuliginaria, 78	18	Ochracea, 233	50	Cinctella, 201	44
Melanaria, 252.....	54	Præangusta, 234 ...	51	Harpalyce Biangulata, 93	21
Fumea Bombycella, 27 ..	7	Purpurea, 233	50	Corylata, 93	21
Muscella, 27	7	Roscipennella, 234 . 51		Fulvata, 92	21
Nitidella, 27	7	Rufipennella, 233... 50		Galiata, 92	21
Pectinella, 27	7	Semifascia, 233.....	50	Ocellata, 92	21
Pulla, 27	7	Stigmatella, 233 ... 50		Substriata, 93	21
Galleria Cereana, 207. 48		Substriga. 233	50	Syltaticata, 93	21
Gastropacha Ilcifolia, 248	53	Sulphurella, 234 ... 51		Silaceata, 93.....	21
Populifolia, 248 ... 53		Syringella, 232.....	50	Subtristata, 93	21
Quercifolia, 23	6	Thunbergella, 233 . 50		Syltaticata, 93	21
Geometra Alniaria, 251 ..	54	V-Flava, 232.....	50	Tristata, 92	21
Angularia, 81	19	Versicolor, 232.....	50	Unangulata, 93.....	21
Canaria, 80	18	Violacea, 234	51	Unilobata, 92	21
Carpiniaria, 81	19	Grammesia Bilinea, 43 ..	10	Harpiteryx Dentella, 221	48
Delunaria, 81	19	Trilinea, 42	10	Falcella, 221.....	48
Erosaria, 80	18	Graphiphora Augur, 37 ..	9	Scabrella, 221	48
Fuscantaria, 81.....	19	Baja, 38.....	10	Heliothobus Leucophaeus, 51	12
Illunaria, 81	19	Birivia, 240	52	Popularis, 51.....	12
Ilustraria, 82	19	Brunnea, 37	9	Heliothis Dipsacea, 73 ..	16
Julia, 81	19	Candelisequa, 38 ... 9		Marginata, 72	16
Lunaria, 81	19	C-Nigrum, 38	10	Peltigera, 72.....	16
Ochraria, 80	18	Crassa, 37.....	9	Scutosa, 241.....	52
Quercaria, 81	19	Depuncta, 249	54	Hemerophila Abruptaria, 85	20
Quercinaria, 80.....	19	Erythrocephala, 38 . 10		Hemithea Cythisaria, 83	19
Sublunaria, 81.....	19	Festiva, 38	10	Vernaria, 83	19
Tiliaria, 80	18	Imbecilla, 249	54	Heribeia Cognatella, 194	43
Glaea Polita, 45.....	11	Latens, 37.....	9	Forsterella, 194 ... 43	
Rubiginea, 45	11	Musiva, 39	10	Haworthana, 194... 43	
Rubricosa, 44	11	Plecta, 39	10	Humerella, 194	43
Satellitica, 45.....	11	Pyrophila, 37	9	Simpliciella, 194 ... 43	
Spadicea, 45.....	11	Punicea, 39	10	Heterogenea Asellus, 28 ..	7
Subnigra, 45.....	11	Renigera, 37.....	9	Heusimene Fimbriana, 138	21
Vaccinii, 45	11	Subrosca, 37.....	9	Himera Pennaria, 80 . 18	
Glyphipteryx Bimaculella, 199	44	Triangulum, 38.....	10	Hipparchus Papilionarius, 83	19
Eximia, 199	44	Tristigma, 38	10	Homocosoma Gemina, 213	47
Linneella, 198	44	Hadena Adusta, 49 ... 12			
Metalleva, 199	44	Amica, 49.....	12		
Roesella, 198	44	Capsicola, 50	12		
Schæffereella, 198 ... 44		Contigua, 49.....	12		
Subcuprella, 199 ... 44		Cucubali, 50	12		
Variella, 199.....	44	Genistæ, 54	13		
		Glaucia, 49	12		
		Leucostigma, 50 ... 12			
		Lithoriza, 50.....	12		

	Pl.		Pl.		Pl.
<i>Ilybernia Capreolaria</i> ,		<i>Lampronia Flavipunc-</i>		<i>Leucania Rufescens</i> ,	
<i>page 79</i>	18	<i>tella, page 229</i> ...	50	<i>page 67</i>	15
<i>Connectaria</i> , 79 ...	18	<i>Hellwigella</i> , 231 ...	50	<i>Suffusa</i> , 67	15
<i>Defoliaria</i> , 79	18	<i>Luzella</i> , 229	50	<i>Leucoma Salicis</i> , 24 ...	7
<i>Prosapiaria</i> , 79	18	<i>Marginepunctella</i> ,		<i>Vau-nigra</i> , 24	7
<i>Hydrocampa</i> Nym-		229	50	<i>Limacodes Testudo</i> ,	
<i>phaeata</i> , 123	28	<i>Melanella</i> , 230	50	28	7
<i>Potamogata</i> , 122 ...	28	<i>Prælatella</i> , 229	50	<i>Lithosia Aureola</i> , 29 .	8
<i>Hylophila Prasinana</i> ,		<i>Purpurella</i> , 230.....	50	<i>Complana</i> , 29	8
128	29	<i>Rubroaurella</i> , 231... 50		<i>Depressa</i> , 30.....	8
<i>Quercana</i> , 128	29	<i>Rupella</i> , 229.....	50	<i>Flava</i> , 29	8
<i>Hypena Crassalis</i> , 117	27	<i>Sanguinella</i> , 231 ... 50		<i>Gilveola</i> , 29	8
<i>Obesalis</i> , 117.....	26	<i>Semipurpurella</i> , 230 50		<i>Griseola</i> , 30	8
<i>Palpalis</i> , 117.....	26	<i>Seppella</i> , 231	50	<i>Helvola</i> , 29	8
<i>Proboscidalis</i> , 117 .	26	<i>Subpurpurella</i> , 230 . 50		<i>Muscerda</i> , 30	8
<i>Rostralis</i> , 117	27	<i>Lampropteryx Badiata</i> ,		<i>Plumbeolata</i> , 30 ... 8	
<i>Hypercallia Christier-</i>		95	22	<i>Quadra</i> , 30	8
<i>nana</i> , 169	38	<i>Piceata</i> , 95	22	<i>Lobophora Costæstri-</i>	
<i>Hypercompa Domi-</i>		<i>Suffumata</i> , 94	21	<i>gata</i> , 103	23
<i>nula</i> , 25.....	7	<i>Larentia Bipunctaria</i> ,		<i>Dentistrigata</i> , 102 .	23
<i>Hypogymna Dispar</i> , 23	6	90	21	<i>Hexapterata</i> , 103 ...	23
<i>Hypsolopha Anten-</i>		<i>Cervinata</i> , 89	20	<i>Polycommata</i> , 102 .	23
<i>nella</i> , 221	48	<i>Chenopodiata</i> , 89 ... 20		<i>Rupestrata</i> , 103 ... 23	
<i>Asperella</i> , 221	48	<i>Multistrigaria</i> , 90... 21		<i>Sexalisata</i> , 103	23
<i>Monilis</i> , 231	54	<i>Lasiocampa Dumeti</i> ,		<i>Viretata</i> , 103.....	23
<i>Persicella</i> , 221	48	248	53	<i>Lophoderus Ministran-</i>	
<i>Hypsopygia Costalis</i> ,		<i>Medicaginis</i> , 21 ... 6		<i>nus</i> , 153	35
120	27	<i>Quercus</i> , 21	6	<i>Subfascianus</i> , 153... 35	
<i>Ilyria Auroraria</i> , 108 .	24	<i>Roboris</i> , 22	6	<i>Lophonotus Fasciculel-</i>	
<i>Ilythia Anella</i> . 207 ... 46		<i>Rubi</i> , 21	6	<i>lus</i> , 179	40
<i>Sociella</i> , 207.....	45	<i>Trifolii</i> , 21.....	6	<i>Lophopteryx Camelina</i> ,	
<i>Ismene Albistria</i> , 188 .	42	<i>Leiocampa Dictæa</i> , 19	5	19	5
<i>Clematella</i> , 189 42		<i>Dictæoides</i> , 19	5	<i>Carmelita</i> , 20	6
<i>Curvella</i> , 189	42	<i>Lepidocera Birdella</i> ,		<i>Cuculla</i> , 20	5
<i>Mendicella</i> , 188 ... 42		226	49	<i>Lozogamma Petrarica</i> ,	
<i>Ocellæ</i> , 189	42	<i>Chenopodiella</i> , 226 . 49		99	22
<i>Ossa</i> , 189.....	42	<i>Mediopectinella</i> , 226 49		<i>Lozopera Alternana</i> ,	
<i>Pruniella</i> , 188	42	<i>Taurelia</i> , 226	49	167	37
<i>Semifusca</i> , 188	42	<i>Leptogramma Fulvo-</i>		<i>Badiana</i> , 168.....	38
<i>Semipurpurella</i> , 188	42	<i>nixtana</i> , 161.....	36	<i>Baumanniana</i> , 168 . 38	
<i>Semitestacella</i> , 189 . 42		<i>Irrorana</i> , 161	36	<i>Dubrisana</i> , 167.....	37
<i>Tetrapodella</i> , 188... 42		<i>Literana</i> , 161	36	<i>Francillana</i> , 168 ... 37	
<i>Incurvaria Masculella</i> ,		<i>Squamana</i> , 161.....	36	<i>Marmoratana</i> , 167 . 37	
227	47	<i>Tricolorana</i> , 161 ... 36		<i>Smeathmanniana</i> ,	
<i>Oehlmanniella</i> , 227 . 49		<i>Leucania Arcuata</i> , 67 . 15		168	38
<i>Pectinella</i> , 227	49	<i>Conma</i> , 66	15	<i>Straminea</i> , 168.....	37
<i>Spuria</i> , 227	49	<i>Fluxa</i> , 68	15	<i>Lozotania Acerana</i> , 132	30
<i>Tripunctella</i> , 227 ... 49		<i>Geminipuncta</i> , 68... 15		<i>Bipustulana</i> , 132 ... 30	
<i>Lælia Cœnosa</i> , 24..... 7		<i>Impura</i> , 67	15	<i>Branderiana</i> , 131 ... 29	
<i>Lampronia Annanella</i> ,		<i>Littoralis</i> , 67.....	15	<i>Cerasana</i> , 130	29
231	50	<i>Neurica</i> , 68	15	<i>Cinnamomeana</i> , 129 29	
<i>Atrella</i> , 230	50	<i>Obsoleta</i> , 67	15	<i>Corylana</i> , 130	29
<i>Auropurpurella</i> , 230 50		<i>Ochracea</i> , 68.....	15	<i>Costana</i> , 132.....	29
<i>Bistrigella</i> , 231..... 50		<i>Pallens</i> , 67	15	<i>Croceana</i> , 130	29
<i>Calthella</i> , 231	50	<i>Pallida</i> , 68.....	15	<i>Cruciana</i> , 133	30
<i>Capitella</i> , 229	50	<i>Pudorina</i> , 68.....	15	<i>Forsterana</i> , 129..... 29	
<i>Concinnella</i> , 231 ... 50		<i>Punctina</i> , 67.....	15	<i>Grossulariana</i> , 130 . 29	
<i>Corticella</i> , 230	50	<i>Pygmina</i> , 68	15	<i>Grotiana</i> , 132	30

	Pl.		Pl.		Pl.
<i>Lozotænia Heparana</i> , page 129	29	<i>Margaritia Institialis</i> , page 126	28	<i>Microsetia Trimacu-</i> <i>lælla</i> , page 196 ...	43
<i>Holmiana</i> , 133	30	<i>Lancealis</i> , 124	28	<i>Unifasciella</i> , 196 ...	43
<i>Juliana</i> , 242	52	<i>Longipedalis</i> , 126... ..	28	<i>Violacella</i> , 197	41
<i>Lævigana</i> , 130	29	<i>Margaritalis</i> , 126	28	<i>Minoa Chærophyllata</i> , 108	24
<i>Modeeriana</i> , 132	30	<i>Nebulalis</i> , 253	54	<i>Euphorbiata</i> , 108 ...	24
<i>Nebulana</i> , 130	29	<i>Ochrealis</i> , 125	28	<i>Miselia Albimacula</i> , 59	13
<i>Obliquana</i> , 131	29	<i>Olivalis</i> , 127	29	<i>Aprilina</i> , 57	13
<i>Oporana</i> , 131	29	<i>Palealis</i> , 124	28	<i>Bimaculosa</i> , 57.....	13
<i>Ochreana</i> , 132	30	<i>Pallidalis</i> , 125	28	<i>Compta</i> , 57	13
<i>Ribeana</i> , 130..... ..	29	<i>Prunalis</i> , 127	29	<i>Oxyanthæ</i> , 57.....	13
<i>Roborana</i> , 131	29	<i>Pulveralis</i> , 126	28	<i>Mormo Maura</i> , 76.....	14
<i>Rosana</i> , 131	29	<i>Sericealis</i> , 127	29	<i>Mythimna Conigera</i> , 42	10
<i>Schreberiana</i> , 133 ...	30	<i>Stramentalis</i> , 126... ..	28	<i>Grisea</i> , 42	10
<i>Sorbiana</i> , 129	29	<i>Sticticalis</i> , 127	29	<i>Lithargyria</i> , 42.....	10
<i>Subocellana</i> , 131 ...	29	<i>Terminalis</i> , 125.....	28	<i>Turea</i> , 42	10
<i>Trifasciana</i> , 132	30	<i>Verbascalis</i> , 126	28	<i>Næmia Typica</i> , 46.....	11
<i>Xylosteana</i> , 131	29	<i>Verticalis</i> , 124	28	<i>Nemeophila Plantagi-</i> <i>nis</i> , 25	7
<i>Lytea Albimacula</i> , 240	52	<i>Mesographe Forficalis</i> , 123	28	<i>Nola Cucullatella</i> , 128	29
<i>Leucographia</i> , 32 ...	8	<i>Metallosetia Spissicor-</i> <i>nis</i> , 203..... ..	45	<i>Monachalis</i> , 128 ...	29
<i>Macaria Alternata</i> , 115	26	<i>Trifolii</i> , 203	45	<i>Strigulalis</i> , 128.....	29
<i>Liturata</i> , 115	26	<i>Miana Æthiops</i> , 55 ...	13	<i>Nomophila Hybridalis</i> , 213	47
<i>Notata</i> , 115	26	<i>Fasciuncula</i> , 55.....	13	<i>Nonagria Cannæ</i> , 66... ..	15
<i>Præatomata</i> , 116 ...	26	<i>Humeralis</i> , 55	13	<i>Crassicornis</i> , 66 ...	15
<i>Subrufata</i> , 115	26	<i>Latruncula</i> , 55	13	<i>Lutosa</i> , 240	52
<i>Unipunctata</i> , 116 ...	26	<i>Literosa</i> , 55	13	<i>Pilicornis</i> , 66	15
<i>Mæsia Favillacearia</i> , 78	18	<i>Minima</i> , 56	13	<i>Typhæ</i> , 66..... ..	15
<i>Macrochila Bicostella</i> , 181	40	<i>Rufuncula</i> , 55	13	<i>Vectis</i> , 241	52
<i>Fasciella</i> , 180	40	<i>Strigilis</i> , 55	13	<i>Notodonta Dromeda-</i> <i>rius</i> , 19	5
<i>Marginella</i> , 181	40	<i>Terminalis</i> , 55	13	<i>Nudaria Hemerobia</i> , 27	7
<i>Parenthesella</i> , 181 ...	40	<i>Microsetia Atri-capi-</i> <i>tella</i> , 197	43	<i>Mundana</i> , 27..... ..	7
<i>Mamestra Albicollon</i> , 52	12	<i>Aurella</i> , 196	43	<i>Senex</i> , 28	7
<i>Aliena</i> , 53	12	<i>Aurafasciella</i> , 197... ..	44	<i>Numerio Pulveraria</i> , 86	20
<i>Brassicæ</i> , 52	12	<i>Bella</i> , 195	43	<i>Nyssia Hispidaria</i> , 79 .	18
<i>Chenopodii</i> , 52.....	12	<i>Cinereo-punctella</i> , 195	43	<i>Tauaria</i> , 242..... ..	52
<i>Furva</i> , 51	12	<i>Exiguella</i> , 195	43	<i>Zonaria</i> , 241..... ..	52
<i>Nigricans</i> , 52	12	<i>Floslactella</i> , 197 ...	43	<i>Odonestis Potatoria</i> , 23	7
<i>Olereacea</i> , 51	12	<i>Gleichella</i> , 198	44	<i>Odontopera Bidentata</i> , 80	18
<i>Persicariæ</i> , 53	12	<i>Guttella</i> , 195..... ..	43	<i>Ecophora Olivella</i> , 181	43
<i>Pisi</i> , 51	12	<i>Mediofasciella</i> , 196 .	43	<i>Sulphurella</i> , 182 ...	43
<i>Splendens</i> , 51	12	<i>Nigrella</i> , 196..... ..	43	<i>Onocœra Cardui</i> , 213 .	47
<i>Suasa</i> , 52	12	<i>Nigrociliella</i> , 196 ...	43	<i>Carnella</i> , 213..... ..	47
<i>Margaritia Alpinalis</i> , 127	29	<i>Obsoletella</i> , 194	43	<i>Sanguinella</i> , 213 ...	47
<i>Asinalis</i> , 124	28	<i>Pfeifferella</i> , 198	44	<i>Ophiura Crassiuscula</i> , 76	17
<i>Angustalis</i> , 125.....	28	<i>Posticella</i> , 196	43	<i>Ludica</i> , 250..... ..	54
<i>Centrostrigalis</i> , 124	28	<i>Pulchella</i> , 195	43	<i>Lusoria</i> , 75	17
<i>Ciliialis</i> , 125	28	<i>Pygmacella</i> , 197	44	<i>Oporabia Dilutata</i> , 102	23
<i>Cinctalis</i> , 124	28	<i>Quadrella</i> , 195	43	<i>Oporinia Nubilea</i> , 184	41
<i>Diversalis</i> , 124	28	<i>Ruficapitella</i> , 197 ...	43	<i>Torticella</i> , 184.....	41
<i>Ferrugalis</i> , 125	28	<i>Sericiella</i> , 197	44	<i>Orgyia Antiqua</i> , 24 ...	6
<i>Fuscalis</i> , 126..... ..	28	<i>Sequella</i> , 195	43	<i>Gonostigma</i> , 24	6
<i>Fimbrialis</i> , 126.....	28	<i>Stipella</i> , 195	43		
<i>Flavalis</i> , 125	28	<i>Subbimaculella</i> , 196	43		
<i>Flualis</i> , 126	28	<i>Subbistrigella</i> , 194..	43		
<i>Glabralis</i> , 125	28				
<i>Hyalinalis</i> , 125	28				

	Pl.		Pl.		Pl.
Orthosia Cruda, page 40	10	Peronea Brunneana,		Phycita Abietella, page	
Flavilinea, 41	10	page 154	35	212.....	47
Gracilis, 40	10	Byringerana, 157 ...	35	Advenella, 211	46
Instabilis, 39.....	10	Centrovittana, 156 .	35	Angustella, 210.....	46
Intermedia, 39	10	Combustana, 157....	35	Binavella, 209	46
Litura, 41	10	Consimilana, 155 ...	35	Bistriga, 210.....	46
Lota, 41	10	Coronana, 157	35	Consoeciella, 211.....	46
Lunosa, 41	10	Costimaculana, 159.	36	Cristella, 242.....	52
Macilenta, 41	10	Cristalana, 155.....	35	Dilutella, 210.....	46
Miniosa, 40	10	Cristana, 156	35	Elutella, 210.....	46
Munda, 40.....	10	Desfontaniana, 155.	35	Fascia, 211.....	46
Pallida; 40.....	10	Divisana, 156	35	Formosa, 212.....	46
Pistacina, 41.....	10	Favillaceana, 157 ...	35	Fusca, 242.....	52
Pusilla, 41.....	10	Fulvocristana, 155 .	35	Hostilis, 212	46
Sparsa, 40.....	10	Fulvovittana, 155 ...	35	Legatella, 242.....	52
Stabilis, 40	10	Latifasciana, 158 ...	36	Marmorea, 211.....	46
Upsilon, 42	10	Logiana, 160	36	Nebulella, 209	46
Orthotania Bentley-		Obsoletana, 157 ...	35	Obscura, 212.....	46
ana, 165	37	Plumbosana, 158 ...	36	Obtusa, 212	46
Comitana, 165	37	Profanana, 154.....	35	Ornatella, 212.....	46
Gemmiana, 165.....	37	Radiana, 156.....	35	Palumbella, 213.	47
Haworthana, 165...	37	Ramostriana, 156...	35	Pinguis, 211	46
Resinella, 165	37	Reticulana, 158.....	35	Porphyrea, 211.....	46
Turionana, 165.....	37	Rufana, 159	36	Roborella, 242	52
Orthotelia Venosa, 169	38	Ruficostana, 156 ...	35	Rhenella, 211	46
Ourapteryx Sambuca-		Schalleriana, 159 ...	36	Rufa, 210	46
ria, 82	19	Similana, 158	35	Semirufa, 210	46
Oxypate Gelatella, 184	41	Spadiceana, 155 ...	35	Tristrigella, 212.....	47
Pachygenemia Hippoca-		Striana, 154	35	Tumidana, 210.....	46
stanaria, 101.....	23	Subcristana, 157 ...	35	Phytometra Aenea, 75	17
Pancalia Fusco-aenea,		Substriana, 154 ...	35	Platypteryx Cultraria,	
200	44	Subvittana, 156 ...	35	116	26
Fusco-cuprea, 200 .	44	Trigonana, 159.....	36	Lacertula, 116	26
Latreillella, 200 ...	44	Tristana, 158	35	Plusia Aurifera, 72....	16
Leuwenhoekella, 200	44	Umbrana, 156	35	Bimaculata, 71.....	16
Merianella, 200 ...	44	Variegana, 159.....	36	Bractea, 72.....	16
Woodiella, 200.....	44	Vittana, 154.....	35	Chalcytis, 250	54
Paracolax Derivalis,		Petasia Cassinea, 20 ...	6	Chrysis, 72.....	16
118	27	Phasiane Plumbaria, 89	20	Circumflexa, 72.....	16
Nemoralis, 118.....	27	Phibalapteryx Angus-		Festucæ, 72	16
Tarsicrinalis, 118...	27	tata, 99.....	22	Gamma, 71	16
Paraponyx Stratiotata,		Lignata, 99	22	Iota, 71.....	16
123	28	Lineolata, 99.....	22	Interrogationis, 71..	16
Penthophera Nigri-		Tersata, 99	22	Orichalcea, 72	16
cans, 27.....	7	Vitalbata, 99.....	22	Percontationis, 71...	16
Rubea, 249	54	Phibalocera Quercana,		Pecilochampa Populi, 22	6
Pericallia Syringaria,		169	38	Pecilochroma Com-	
82	19	Phigalia Pilosaria, 79..	18	munana, 152.....	34
Peridea Serrata, 21 ...	6	Philedone Gerningi-		Maculana, 152	34
Peronea Albicostana,		ana, 133	30	Maurana, 152	34
158	35	Walkerana, 133.....	30	Piceana, 152... ..	34
Albistriana, 157 ...	35	Phlogophora Meticu-		Semifusca, 152 ...	34
Albipunctana, 156 .	35	losa, 69	16	Solandriana, 152 ...	34
Albovittana, 155 ...	35	Phlyctenia Sambuca-		Trapezana, 152.....	34
Aspersana, 159.....	36	lis, 123	28	Pecilophasia Margina-	
Autumnana, 157 ...	35	Phragmatobia Fuligi-		ta, 114	26
Bistriana, 158	35	nosa, 26	7	Polia Advena, 58	13
Borana, 159	36	Plitheochroa Rugo-		Bimaculosa, 58.....	13
Boscana, 158	36	sana, 166	37	Chi, 59	14

	Pl.		Pl.		Pl.
<i>Polia Dysodea</i> , page 59	14	<i>Pseudotomia Simpliciana</i> , page 139	31	<i>Pyrausta Cespitalis</i> , page 121	27
<i>Flavocincta</i> , 58	13	<i>Strigana</i> , 139	31	<i>Fascialis</i> , 252	54
<i>Herbida</i> , 58	13	<i>Strobilella</i> , 138	31	<i>Ostrinalis</i> , 122	27
<i>Nitens</i> , 58	13	<i>Trauniana</i> , 140	31	<i>Porphyralis</i> , 122	27
<i>Occulta</i> , 59	13	<i>Psilura Monacha</i> , 23	6	<i>Punicealis</i> , 122	27
<i>Polymita</i> , 58	13	<i>Psodos Alpinata</i> , 77	18	<i>Purpuralis</i> , 121	27
<i>Seladonia</i> , 59	14	<i>Trepidaria</i> , 77	18	<i>Sordidalis</i> , 121	27
<i>Serena</i> , 59	14	<i>Pterophorus Bipunctidactylus</i> , 235	51	<i>Pyrophila Tetra</i> , 46	11
<i>Templi</i> , 58	13	<i>Calodactylus</i> , 237	51	<i>Tragopogonis</i> , 46	11
<i>Tincta</i> , 58	13	<i>Carphodactylus</i> , 236	51	<i>Rhyacionia Hastiana</i> , 165	37
<i>Polyphasia Amœnata</i> , 93	21	<i>Cosmodactylus</i> , 237	51	<i>Roxana Arcuana</i> , 145	32
<i>Centumnotata</i> , 94	21	<i>Didactylus</i> , 237	51	<i>Rumia Cratægata</i> , 82	19
<i>Commanotata</i> , 94	21	<i>Fuscodactylus</i> , 235	51	<i>Rusina Ferruginæa</i> , 33	8
<i>Concinnata</i> , 94	21	<i>Galactodactylus</i> , 235	51	<i>Sarrothripus Afzelianus</i> , 154	35
<i>Immanata</i> , 93	21	<i>Heterodactylus</i> , 238	51	<i>Degeneranus</i> , 153	34
<i>Marmorata</i> , 94	11	<i>Leucodactylus</i> , 236	51	<i>Dilutanus</i> , 154	34
<i>Perfuscata</i> , 94	21	<i>Lunædactylus</i> , 236	51	<i>Ilicanus</i> , 154	34
<i>Saturata</i> , 94	21	<i>Microdactylus</i> , 238	51	<i>Lathamianus</i> , 153	34
<i>Polypogon Barbalis</i> , 118	27	<i>Migadactylus</i> , 236	51	<i>Ramulanus</i> , 154	35
<i>Cribralis</i> , 118	27	<i>Monodactylus</i> , 235	51	<i>Undulanus</i> , 153	34
<i>Porthesia Auriflua</i> , 25	7	<i>Niveidactylus</i> , 236	51	<i>Saturnia Pavonia</i> , (minor), 21	6
<i>Chrysorrhœa</i> , 24	7	<i>Ochrodactylus</i> , 236	51	<i>Scoria Dealbata</i> , 97	22
<i>Porrectaria Albicosta</i> , 204	45	<i>Pallidactylus</i> , 236	51	<i>Scotophila Porphyrea</i> , 56	12
<i>Anatipennella</i> , 203	45	<i>Pentadactylus</i> , 234	51	<i>Scotosia Rhamnata</i> , 99	22
<i>Anseripennella</i> , 203	45	<i>Pterodactylus</i> , 235	51	<i>Sparsaria</i> , 100	23
<i>Argentula</i> , 204	45	<i>Punctidactylus</i> , 237	51	<i>Vetulata</i> , 100	23
<i>Gallipennella</i> , 204	45	<i>Rhododactylus</i> , 237	51	<i>Segetia Neglecta</i> , 43	10
<i>Leucapennella</i> , 204	45	<i>Similidactylus</i> , 236	51	<i>Xanthographa</i> , 43	10
<i>Lineola</i> , 204	45	<i>Spilodactylus</i> , 235	51	<i>Semioophora Gothica</i> , 39	10
<i>Ochrea</i> , 204	45	<i>Tephrodactylus</i> , 235	51	<i>Semioscopis Avellanella</i> , 185	41
<i>Ornatipennella</i> , 204	45	<i>Tesseradactylus</i> , 237	51	<i>Steinkellnerana</i> , 185	41
<i>Otidipennella</i> , 203	45	<i>Tetradactylus</i> , 236	51	<i>Sericoris Alternana</i> , 150	34
<i>Struthionipennella</i> , 203	45	<i>Tridactylus</i> , 235	51	<i>Aurofasciana</i> , 151	34
<i>Prionapteryx Nebulifera</i> , 214	47	<i>Trigonodactylus</i> , 237	51	<i>Bifasciana</i> , 151	34
<i>Pseudotomia Atromargana</i> , 138	31	<i>Ptilodontis Palpina</i> , 20	6	<i>Cespitana</i> , 150	34
<i>Atropurpurana</i> , 139	31	<i>Ptilophora Variegata</i> , 20	6	<i>Fasciolana</i> , 149	34
<i>Aurana</i> , 140	31	<i>Ptycholoma Licheana</i> , 152	34	<i>Fuligana</i> , 151	34
<i>Compositella</i> , 140	31	<i>Obsoletana</i> , 153	31	<i>Furfurana</i> , 151	34
<i>Dorsana</i> , 140	31	<i>Ptychopoda Bisetata</i> , 112	25	<i>Gramineana</i> , 150	34
<i>Ephippiana</i> , 140	31	<i>Cinereata</i> , 112	25	<i>Marmorana</i> , 151	34
<i>Fraternana</i> , 138	31	<i>Contiguaria</i> , 112	25	<i>Micana</i> , 150	34
<i>Gundiana</i> , 140	31	<i>Degeneraria</i> , 112	25	<i>Obsoletana</i> , 150	34
<i>Jacquiniiana</i> , 139	31	<i>Dilutaria</i> , 111	25	<i>Politana</i> , 150	34
<i>Lediana</i> , 140	31	<i>Fimbriolata</i> , 111	25	<i>Pulchellana</i> , 150	34
<i>Lunulana</i> , 139	31	<i>Immutata</i> , 112	25	<i>Quadri-maculana</i> , 149	33
<i>Nigricana</i> , 139	31	<i>Incanata</i> , 112	25	<i>Striana</i> , 149	33
<i>Nitidana</i> , 140	31	<i>Lividata</i> , 112	25	<i>Subsequana</i> , 151	34
<i>Obscurana</i> , 138	31	<i>Ornata</i> , 112	25	<i>Undulana</i> , 150	34
<i>Petiverella</i> , 138	31	<i>Rubricata</i> , 113	25	<i>Urticana</i> , 149	34
<i>Populana</i> , 139	31	<i>Pygæra Bucephala</i> , 17	5	<i>Setina Eborina</i> , 31	8
<i>Proximana</i> , 139	31	<i>Pyralis Dimidiatus</i> , 252	54	<i>Irrorella</i> , 31	8
<i>Puncticostana</i> , 139	31	<i>Farinalis</i> , 120	27	<i>Roscida</i> , 31	8
<i>Sequana</i> , 138	31	<i>Glaucinalis</i> , 120	27		
		<i>Pictalis</i> , 120	27		

	Pl.		Pl.		Pl.
Simaethis Fabriciana,		Telea Comptella, page		Triphæna Janthina,	
page 120	28	187	41	page 32	8
Lutosa, 120.....	28	Crategella, 187.....	41	Orbona, 31	8
Myllerana, 121.....	28	Curtisella, 187	41	Pronuba, 31	8
Pariana, 120.....	28	Leucatella, 187.....	41	Subsequa, 31	8
Punctosa, 121	28	Lutarella, 187	42	Triphosa Cervinata, 100	23
Simyra Musculosa, 68.	15	Subfasciella, 187 ...	42	Cinereata, 100	23
Nervosa, 73.....	16	Teras Caudana, 162... 36		Dubitata, 100	23
Venosa, 71.....	16	Effractana, 162.....	36	Valeria Oleagina, 57...	13
Speranza Brunneata, 77	18	Emargana, 161.....	36	Venilia Maculata, 111.	25
Limbaria, 78.....	18	Excavana, 161.....	36	Quadrinaculata, 111	25
Spilonota Argyrana, 137	31	Tethea Gracilis, 63 ..	14	Xanthia Aurago, 65... 25	
Aquana, 136	30	Retusa, 63.....	14	Centrago, 65.....	25
Comitana, 136	30	Subtusa, 63	14	Citrago, 65	25
Costipunctana, 137. 31		Thera Coniferata, 102.	23	Croceago, 65.....	25
Cynosbatella, 136... 30		Fulvata, 102	23	Fimbriago, 65	25
Fœnella, 136.....	30	Juniperata, 102.....	23	Flavago, 64	15
Nigricastana, 137... 31		Simulata, 101	23	Fulvago, 65	15
Nubiferana, 135.....	30	Variata, 101	23	Gilvago, 65	15
Pflugiana, 136	31	Theristis Acinacidella,		Rufina, 68.....	15
Quadrana, 137	31	220	48	Xanthosetia Diver-	
Rusticana, 137	31	Nemorella, 220.....	48	sana, 169	38
Sticticana, 137	31	Thyatira Batis, 62 ..	14	Ferrugana, 169.....	38
Stræmiana, 136.....	31	Derasa, 62.....	14	Hamana, 169	38
Tetragonana, 137... 31		Timandra Emutaria,		Inopiana, 169	38
Trigeminana, 137... 31		115	26	Zœgana, 168.....	38
Trimaculana, 136... 30		Imitaria, 115.....	26	Xerene Adustata, 98...	22
Ustulana, 137.....	31	Subatomaria, 241... 52		Albicillata, 97	22
Spilosoma Lubrice-		Variata, 115	26	Plumbata, 98.....	22
peda, 26.....	7	Tinea Albipunctella, 225	49	Procellata, 98	22
Menthastri, 26	7	Cloacella, 225	49	Rubiginata, 98	22
Papyratia, 26	7	Destructor, 225.....	49	Xylina Conspicillaris, 46	11
Radiata, 239.....	52	Flavescentella, 225.. 49		Lambda, 47	11
Urtice, 26.....	7	Fuscipunctella, 224. 49		Petrificata, 47	11
Staupopus Fagi, 19 ... 5		Granella, 225	49	Pulla, 47	11
Steganolophia Pru-		Lappella, 225	49	Putris, 47	11
nata, 94.....	21	Nigripunctella, 224. 49		Semibrunnea, 47 ... 11	
Steganoptycha Angu-		Parasitella, 226.....	49	Solidaginis, 240 ... 52	
lana, 141	32	Pellionella, 224.....	49	Xylophasia Combusta,	
Boeberana, 141	32	Semifulvella, 224... 49		48	11
Cinerana, 142	32	Sulphurella, 225 ... 49		Epomidion, 48	11
Cuspidana, 141.....	32	Tapetzella, 223.....	49	Hepatica, 48.....	11
Pavonana, 141	32	Vertianella, 224 ... 49		Lithoxylea, 47	11
Retusana, 142	32	Ustella, 224	49	Polyodon, 48.....	11
Rhombifasciana, 141	32	Tortrix Clorana, 128.. 29		Rectilinea, 49	12
Stictana, 142.....	32	Galiana, 129.....	29	Scolopacina, 48.....	11
Subuncana, 142 ... 32		Luteolana, 242.....	52	Sublustris, 48	11
Tetraquetrana, 141. 31		Palleana, 129	29	Yponomeuta Cognatella,	
Triquetrana, 141 ... 32		Viridana, 129	29	186	41
Unipunctana, 141... 32		Viburnana, 199.....	29	Evonymella, 186 ... 41	
Stilbia Anomalata, 75. 17		Trachea Atriplicis, 57. 13		Irrorella, 186	41
Strenia Clathrata, 111. 25		Trichiura Cratægi, 22. 6		Padella, 186	41
Synaphe Angustalis, 119	27	Triphæna Fimbria, 32. 8		Plumbella, 186.....	41
Telea Ambiguella, 187 41		Innuba, 31.....	8	Rorella, 186	41
Cæsiella, 188	42	Interjecta, 32	8	Zeuzera Æsculi, 17 ... 5	

THE END.

OMISSIONS IN THE INDEX.

		Page	Pl.
Hepialus . .	Humuli	16	5
	Carnus	16	5
	Velleda	16	5
	Lupulina	16	5
	Hecta	16	5
	Sylvina	16	5
Notodonta .	Perfusa	19	5
	Ziezac	19	5
Leucoma . .	Sparshalli	24	7
Psyche . . .	Fusca	26	7
Lytæa . . .	Umbrosa	32	8
Hadena . . .	Remissa	49	12
Cymatophora	Oo	64	14
Pellonia . .	Vibicaria	89	20
Xerene . . .	Hastata	97	22
Macaria . . .	Pallidaria	115	26
Ennychia . .	Cingulata	121	27
	Anguinalis	121	27
	Rufofascialis	121	27
Macrochila .	Palpella	181	40
Glyphipteryx	Auroguttella	199	44
Senta	Flammica	207	46
	Sericea	207	46





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00251257 2

nhent QL543 W88X
Index entomologicus;

